

SAV Bibliography

-A-

- Abrams L. 1940. Illustrated flora of the Pacific states. Vol I. Stanford, California: Stanford University Press.
- Adams DA. 1963. Factors influencing vascular plant zonation in North Carolina salt marshes. *Ecology* 44(3): 445-446.
- Adams J. 1933. *Zostera marina* on Anticosti Island. *Nature* 132: 752.
- Adams SM, Angelovic JW. 1970. Assimilation of detritus and its associated bacteria by three species of estuarine animals. *Chesapeake Science* 11(4): 249-254.
- Adams SM. 1968. Utilization of detritus by some macro fauna of an eelgrass community *Palaemontes pugio* fish. *US Fish Wildl Serv Bur Commer Fish Circ* 309: 7-8.
- Adams SM. 1976. Feeding ecology of eelgrass fish communities. *Trans Amer Fish Soc* 105: 514-519.
- Adams SM. 1976. The ecology of eelgrass *Zostera marina* fish communities. I. Structural analysis. *J Exp Mar Biol Ecol* 22(3): 269-291.
- Adams SM. 1976. The ecology of eelgrass *Zostera marina* fish communities. II. Functional analysis. *J Exp Mar Biol Ecol* 22(3): 293-311.
- Addy CE, Aylward DA. 1944. Status of eelgrass in Massachusetts during 1943. *J Wildlife Manage* 8(4): 269-275.
- Addy CE, Johnson RH. 1948. Status of eelgrass along the Atlantic coast during 1947. *Proceedings of the northeastern game conference*. p 73-78.
- Addy CE. 1947. Eelgrass planting guide. *Maryland Conservationist* 24: 16-17.
- Addy CE. 1947. Germination of eelgrass seed. *J Wildlife Manage* 11: 279.
- Adey WH. 1975. The algal ridges and coral reefs of St. Croix. *Atoll Research Bulletin* 187: 1-67.
- Aioi K, Mukai H, Koike I, Ohtsu M, Hattori A. 1981. Growth and organic production of eelgrass (*Zostera marina* L) in temperate waters of the Pacific coast of Japan. II. Growth analysis in winter. *Aquatic Botany* 10: 175-182.
- Alaya HB. 1969. Determination of marine herbarium phanerogams and algal populations in the Gulf of Tunis. *Bull Inst Nat Sci Tech Oceanogr Peche* 1(3): 113-122.
- Aleem AA. 1955. Structure and evolution of the seagrass communities *Posidonia* and *Cymodocea* in the southeastern Mediterranean. In: *Essays in the natural sciences in honor of Captain Allan Hancock*. Los Angeles: University of Southern California Press. p 279-298.
- Allee WC. 1923. Studies in marine ecology. III. Some physical factors related to the distribution of littoral invertebrates. *Biol Bull* 44(5): 205-253.
- Allee WC. 1934. Concerning the organization of marine coastal communities. *Ecological Monographs* 14(4): 541-554.
- Allen JF. 1958. Feeding habits of two species of *Odostomia*. *Nautilus* 72: 11-15.
- Allsopp WHL. 1960. The manatee: ecology and use for weed control. *Nature* 188: 762.
- Allsopp WHL. 1961. Putting manatees to work. *New Scientist* 12: 548-549.
- Amer Soc Limno. Oceanog, 35th annual meeting Tallahassee, Florida. March 3-12.
- Anderson PK. 1981. The behavior of the dugong (*Dugong dugon*) in relation to conservation and management. *Bull Mar Sci* 31: 640-647.
- Anderson R. 1969. Temperature and rooted aquatic plants. *Chesapeake Science* 10: 157-164.
- Anderson R. 1972. Submerged Vascular plants of the Chesapeake Bay and tributaries. *Chesapeake Science* 13 (suppl): 87-89.
- Anderson RR, Brown RG, Rappleye RD. 1965. Mineral composition of eurasian water milfoil, *Myriophyllum spicatum*. *Ches Sci* 6:68-2.
- Anderson RR, Brown RG, Rappleye RD. 1967. The mineral content of *Myriophyllum spicatum* L. in relation to its aquatic environment. *Ecology*. 47:844-6.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Anderson RR, Macomber RT. 1980. Distribution of submerged vascular plants, Chesapeake Bay, Maryland. Final Report, USEPA Chesapeake Bay Program. Grant No. R805970. 126 p.
- Anderson RR. 1969. Temperature and rooted aquatic plants. *Ches Sci.* 10:157-64
- Anderson RR. 1972. Submerged vascular plants of the Chesapeake Bay and tributaries. *Chesapeake Science.* 13 (suppl.) S87-S89.
- Anderson RR. 1973. Tentative outline for inventory of submerged aquatic vascular plants *Ruppia maritima* ditch grass. *Chesapeake Science* 13(suppl): 172-174.
- Anger K. 1975. On the influence of sewage pollution on inshore benthic communities in the south of Kiel Bay. Part 1. Qualitative studies on indicator species and communities. *Merentutkimuslatakan Julk* 239: 116-122.
- Anonymous. 1905. *Thalassia testudinum*. 96 Ann Bot (Konig and Sims).
- Anonymous. 1969. University plants 'artificial sea grass'. *Commercial Fisheries Review* 31(7): 30-31.
- Anonymous. 1975. *Zostera marina*. In: Underexploited tropical plants with promising economic value. Washington, DC: National Academy of Sciences. p 24-27.
- Anonymous. 1976. Manatees. In: Making aquatic weeds useful: some perspectives for developing countries. Washington, DC: National Academy of Sciences. p 34-40.
- Anonymous. 1979. Photosynthetic carbon reduction by seagrasses exposed to ultraviolet B radiation. *Sci Tech Aerosp Rep* 17(12): 79-21742.
- Antonius A. 1972. Hurricane Laura, witnessed in British Honduras. *Atoll Research Bulletin* 162: 11-12.
- Arasaki S. 1950. Studies on the ecology of *Zostera marina* and *Z. nana*. *Bull Jap Soc Sci Fish* 16: 70-76.
- Arber A. 1920. Water plants; a study of aquatic angiosperms. Cambridge Univ Press. 436 p.
- Arber A. 1925. Monocotyledons. Cambridge Univ Press.
- Armiger LC. 1964. An occurrence of *Labyrinthula* in New Zealand *Zostera*. *New Zealand J Bot* 2(1): 3-9.
- Armstrong JE, Baalen CV, Estep M. 1975. Evidence for the occurrence of specific iron (III)-binding compounds in near-shore marine ecosystems. *Appl Microbiol* 30: 186-188.
- Arnold AF. 1901. The sea-beach at ebb-tide. New York: The Century Co. 490 p.
- Atkins WRG. 1938. The disappearance of *Zostera marina*. *J Mar Biol Assoc UK* 23: 207-210.
- Attiwill P, Clough BF, Lewis SV. 1974. The effects of nutrients on productivity of marine plants - a review report to Westernport environmental study. Victoria, Australia: Ministry for Conservation.
- Attiwill PM, Clough BF. 1974. The role of mangrove and seagrass communities in nutrient cycling in Western Port. Report to Westernport Bay environmental study. Victoria, Australia: Ministry for Conservation.
- Augier H, Calvert H, Woolaston E, Santimone M. 1982. A comparison of the carbon, hydrogen, nitrogen, protein and amino acid composition of *Posidonia australis* with that of *Posidonia oceanica* and several other marine phanerogams. *Aquatic Botany* 12: 69-80.
- Augier H, Santimone M, Vincentelli M. 1977. Advances in the study of total nitrogen proteins and amino-acids of the marine spermatophyte *Cymodocea nodosa*. *Bull Soc Phycol Fr* (22): 120-126.
- Augier H, Santimone M, Vincentelli M. 1977. Effect of pollution from waste waters on the total nitrogen, protein and amino acid composition of the marine phanerogam *Cymodocea nodosa*. *Environ Pollution* 13: 217-227.
- Austin CB, Thorhaug A. 1977. The economic costs of transplanting seagrasses: *Thalassia*. In: Lewis RR, editor. Proceedings of the fourth annual conference on restoration of coastal vegetation in Florida; Hillsboro Community College, Tampa, FL. p 69-75.
- Austin H, Austin S. 1971. The feeding habits of some juvenile marine fishes from the mangroves in Western Puerto Rico. *Carib J Sci* 11: 171-178.
- Austin HM. 1971. Some aspects of the biology of the rhomboid *Mojarra diapterus Rhombeus* in Puerto Rico. *Bull Mar Sci* 21: 886-903.



Avcin A, Merth-Avcin N, Vukovic A, Vriser B. 1974. A comparison of benthic communities of Struojnjan and Koper Bays with regard to their differing exposure to pollution stress. Biol Vestn 22: 171-207.

-B-

- Babcock H L. 1937. The sea-turtles of the Bermuda Islands, with a survey of the present state of the turtle fishing industry. Proceedings Zool Soc Lond A 107: 595-601.
- Backman TW, Barilotti DC. 1976. Irradiance reduction: effects on standing crops of the eelgrass *Zostera marina* in a coastal lagoon. Mar Biol 34: 33-40.
- Bak HP. 1980. Age populations and biometrics in eelgrass, *Zostera marina* L. Ophelia 19: 155-162.
- Baker PC. 1975. The vascular plants of the salt marsh. In: David LE, Hill CW, editors. The marine resources of Anaheim Bay, California Dept of Fish and Game. Fish Bull 165: 37-39.
- Bakus GJ. (Ed). 1972. Marine studies on the north coast of Jamaica. Atoll Research Bulletin 152.
- Balasingham E. 1965. Conservation of green turtles (*Chelonia mydas*) in Malaya. Malay Nat J 19: 235-236.
- Balfour IB. 1978. On the genus *Halophila*. Trans Bot Soc Edinb 13: 298-343.
- Ball M, Shinn EA, Stockman K. 1967. The geologic effects of Hurricane Donna in south Florida. J Geol 75: 583-597.
- Ballantine D, Humm HJ. 1975. Benthic algae of the Anclote estuary. I. Epiphytes of seagrass leaves.
- Banner A. 1977. Revegetation and maturation of restored shoreline in Indian River, Florida. In: Lewis RR, editor. Proceedings of the 4th annual conference on restoration of coastal vegetation in Florida. Hillsboro Community College, Tampa, Florida. p 13-43.
- Banner AH, Randall JC. 1952. Preliminary report on marine biology study of Onotoa Atoll, Gilbert Islands. Atoll Research Bulletin 13: 1-62.
- Baranova-Ryndina DD, Polikarpov GG. 1969. Coefficients of the accumulation of strontium-90 by live and dead marine plants. Radiobiologiya 9(3): 468-472 [transl 9(3): 200-204].
- Barko JW, Godshalk GL, Carter V, Rybicki N. 1988. Effects of submersed aquatic macrophytes on physical and chemical properties of surrounding water. Department of the Army Waterways Experiment Station. Report nr DAWES/-99-11. 28 p.
- Barnabas AD, Butler V, Steinke TD. 1982. *Zostera capensis*. 3. Some aspects of wall in growth development in leaf blade epidermal cells. Protoplasma 110: 87-94.
- Barnabas AD. 1982. Fine structure of the leaf epidermis of *Thalassodendron ciliatum*. Aquatic Botany 12: 41-56.
- Barnard JL. 1970. Benthic ecology of Bahia de San Quentin Baja California. Smithsonian Contrib Zool 44: 1-60.
- Barry CK. 1974. Role of form vision in habitat selection of the grass shrimp *Hippolyte californiensis*. Mar Biol 26: 261-270.
- Barsdate RJ, Nebert M. 1971. Copper and lead in the southeast Bering Sea and adjacent areas. Proceedings Alaska science conference 22: 113.
- Basan PB. 1973. Aspects of sedimentation and development of a carbonate bank in the Barracuda Keys, south Florida. J Sed Petrol 43: 42-53.
- Bathurst RGG. 1971. Early biogenic History of lime sand Bimini Lagoon Bahamas. J Geol Soc (Lond) 127(3): 289.
- Batiuk R, Orth RJ, Moore K, Heasley P, Dennison W, Stevenson JC, Staver L, Carter V, Rybicki N, Kollar S, Hickman RE, Bieber S. 1992. Submerged aquatic vegetation habitat requirements and restoration goals: a technical synthesis. USEPA Final Report. CBP/TRS 83/92.
- Bauersfeld P, Kifer RR, Durrant NW, Sykes JE. 1969. Nutrient content of turtle grass (*Thalassia testudinum*). Proceedings 6th international seaweed symposium 6: 637-645.

- Bayer RD. 1980. Size and age of the tube-snout *Aulorhynchus flavidus* in the Yaquina estuary, Oregon, USA. Northwest Sci 54: 306-310.
- Bayer RD. 1981. Shallow water intertidal ichthyofauna of the Yaquina estuary, Oregon. Northwest Sci 55: 182-193.
- Bayley S, Stotts VC, Springer PF, Steenis J. 1978. Changes in submerged aquatic macrophyte populations at the head of the Chesapeake Bay, 1958-1974. Estuaries 1:171-182.
- Beetink WG. 1962. Conspectus of the phanerogamic salt plant communities in the Netherlands. Biol J Dodonaea 30: 325-362.
- Beer S, Adiva Shomer-Ilan, Waisel Y. 1980. Carbon metabolism in seagrasses: patterns of photosynthetic Co₂ incorporation. J Exp Bot 31:1019-1026.
- Beer S, Eshel A, Waisel Y. 1977. Carbon metabolism in seagrasses. I. The utilization of exogenous inorganic carbon species in photosynthesis. J Exp Bot 28 (106): 1180-1189.
- Beer S, Eshel A, Waisel Y. 1980. Carbon metabolism in seagrasses. III. Activities of carbon-fixing enzymes in relation to internal salt concentrations. J Exp Bot 31: 1027-1033.
- Beer S, Waisel Y. 1979. Some photosynthetic carbon fixation properties of seagrasses. Aquatic Botany 7: 129-138.
- Beer S, Waisel Y. 1982. Effects of light and pressure on photosynthesis in two seagrasses. Aquatic Botany 13:331-337.
- Belitsky DW, Belitsky CL. 1980. Distribution and abundance of manatees *Trichechus manatus* in the Dominican Republic. Biology Conserv 17: 313-319.
- Bell JD, Burchmore JJ, Pollard DA. 1978. Feeding ecology of three sympatric species of leatherjackets (pisces: monacanthidae) from a *Posidonia* seagrass habitat in New South Wales. Austr J Mar Freshwater Res 29:631-643.
- Bell JD, Burchmore JJ, Pollard DJ. 1978. Feeding ecology of a scorpaenid fish, the fortescue *Centropogon australis*, from a *Posidonia* seagrass habitat in New South Wales. Austr J Mar Freshwater Res 29:175-185.
- Bell JD. 1952. The 'cross and bevan' cellulose of *Posidonia australis*. J Chem Soc 1952: 3649-3650.
- Bellamy DJ, Bellamy R, John DM, Whittick A. 1967. Some effects of pollution on rooted marine macrophytes on the northeast coast of England. Brit Phys Bull 3(2):409.
- Benedict C, Wong WW. 1978. Del-13C values: leaf structure and photorespiration of marine macrophytes.
- Benedict CR, Scott JR. 1976. Photosynthetic carbon metabolism of a marine grass. Plant Physiology 57(6):876-880.
- Benedict CR, Wong WWL, Wong JHH. 1980. Fractionation of the stable isotopes of inorganic carbon by seagrasses. Plant Physiology 65:512-517.
- Berghen CV. 1981. Sea shore plants and animals. Nat Belg 62:25-28.
- Bernatowicz AJ. 1952. Marine monocotyledonous plants of Bermuda. Bull Mar Science Gulf Carib 2(1):338-345.
- Berrigan PO. 1958. Tidal study of radioactive wastes at proposed pacific gas and electric company's nuclear power plant- Humboldt Bay California. Filed at Pacific Gas and Electric Co, Eureka, Calif Memo 18 p.
- Bertram CK, Ricardo RK, Bertram GCL. 1968. The sirenian as aquatic meat producing herbivores. Symp Zool Soc Lond 21:385-391.
- Bertram G, Bertram C. 1962. Manatees of guiana. Nature 196:1329.
- Bertram GCL, Bertram C, Ricardo K. 1968. Bionomics of dugongs and manatees. Nature 218:423-426.
- Best B, Pendleton D. 1980. Marine plants of northern Ponape. In: Birkeland C, editor. Marine biological survey of northern Ponape lagoon. Univ Guam Marine Lab Tech Report 62:55-59.
- Bianchi A, Masse H. 1974. Comparative study of the quantitative variations in the content of organic material and macrofauna of some movable infralittoral substrates of the northwestern Mediterranean. Tethys 6:657-666.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Biebl R, McRoy CP. 1971. Plasmatic resistance and rate of respiration and photosynthesis of *Zostera marina* at different salinities and temperatures. Mar Biol 8(1):48-56.
- Bigelow J. 1940. A collection of plants of Boston and its vicinity. Chas C Little & James Brown, Boston.
- Bingham G, Bishop R, Brody M, Bromley D, Clark E, Cooper W, Costanza R, Hale T, Hayden G, Kellert S, Norgaard R, Norton B, Payne J, Russell C, Suter G. 1995. Issues in ecosystem valuation: improving information for decision making. Ecological Economics 14: 73-90.
- Birch WR. 1974. The unusual epidermis of the marine angiosperm *Halophila thou* flora 163:410-414.
- Birch WR. 1981. Morphology of germinating seeds of the seagrass *Halophila spinulosa* R Br Aschers.
- Bird ECF, Barson MM. 1975. Shoreline changes in Westernport Bay. Proceedings Royal Soc Victoria 87: 15-28.
- Bird ECF, Rosengren NJ. 1971. The disappearing Mitchell delta. Proceedings Royal Soc Victoria 84(1): 153-158.
- Birkeland C. 1976. Tropical Marine Pollution. Book Review. Micronesica 12:335-338.
- Bishop MJ, Bishop SJ. 1973. Associations of mollusks and marine plants at San Diego, California. USA. J
- Bittaker HF, Iverson RL 1976. *Thalassia testudinum* productivity: a field comparison of measurement methods. Mar Biol. 37:39-46.
- Bjorndal KA. 1980. Nutrition and grazing behavior of the green turtle *Chelonia mydas*. Mar Biol 56:147-154.
- Black CC Jr, Bender MM. 1976. Del C13 values in marine organisms from the Great Barrier Reef.
- Black CC Jr, Burris JE, Everson RG. 1976. Influence of oxygen concentration on photosynthesis in marine plants. Austr J Plant Physiology 3:81-86.
- Black R. 1974. Some biological interactions affecting intertidal populations of the kelp *Egregia laevigata*. Mar Biol 28:189-198.
- Blackburn KB. 1934. Wasting disease of *Zostera marina*. Nature 134(3393):738.
- Blake ST. 1964. Queensland sea-grass. Queensland Natur 17:71-74.
- Blegvad H. 1914. Food and conditions of nourishment among the communities of invertebrate animals found on or in the sea bottom in Danish waters. Rept Danish Biol Station 22:41-78.
- Blegvad H. 1916. On the food of the fish in the Danish waters with in the Skaw Rept Danish Biol Station 24:17-72.
- Blegvad H. 1928. Continued studies on the quantity of fish food in the sea bottom. Rept Danish Biol Station 31:29-55.
- Blegvad H. 1934. An epidemic disease of the eel-Grass *Zostera marina*. Rep Danish Biol Station 39:1-8.
- Blegvad H. 1944. The disease of the eelgrass. Investigations on the common Dab Rept Danish Biol Station 45:56-57.
- Blegvad H. 1951. Fluctuations in the amounts of food animals of the bottom of the Limfjord in 1928-1950. Rept Danish Biol Station 53:3-16.
- Blinova EI. 1962. *Zostera* in the Barents Sea. Priroda 51(12):105.
- Bock WD. 1969. *Thalassia testudinum*, habitat and means of dispersal for shallow water benthonic foraminifera. Trans Gulf Coast Assoc Geol Soc 19:337-340.
- Boesch DE. 1971. Distribution and structure of benthic communities in the Hampton Roads area, Virginia. Spec Rep. In: Applied Mar Sci and Ocean Engineering No 15. Virginia Inst Mar Sci.
- Boichenko EA, Gryzhankova LN. 1974. Evolution of proteins containing nonheme iron. In Plants. Fiziol Rast 21:283-288.

- Bonne CG, Hoeppel RE. 1976. Feasibility of transplantation, revegetation, and restoration of eelgrass in San Diego Bay, California. US Army Eng. Dist, Los Angeles. Misc Paper Y-76-2.
- Bonnet-Gravier N. 1972. Epiphytic hydroids of 3 marine phanerogams from Nossi-Be northwest Madagascar. *Tethys Suppl* 3:3-10.
- Boone CG, Hoeppel RE. 1976. Eelgrass *Zostera marina* transplantation and restoration in San Diego Bay, California. Environ Effects Lab, US Army Engineer Waterways Exp Station. Vicksburg, Mississippi, Tech Rept. (Draft) 50 p.
- Bordovskiy OK. 1965. Accumulation and transformation of organic substances in marine sediments. 3.
- Bosworth W, Short FT. 1993. Mitigation plan for the New Hampshire commercial marine terminal development project in Portsmouth, New Hampshire. Balsam Environmental Consultants, Inc, Jackson Estuarine Laboratory and Great Meadow Farms report to US Army Corps of Engineers, New England Division, Waltham, MA 98 p.
- Boulos L, Lahham J. 1977. Studies on the flora of Jordan. 3. On the flora of the vicinity of the Aqab Gulf. *Candollea* 32:73-80.
- Bourn WS. 1935. Seawater tolerance of *Ruppia maritima* L. *Boyce Thompson Inst Contrib* 7:249-255.
- Bowker RC. 1980. A numerical analysis of the intertidal red algae eel grass community at Diablo Canyon California USA. *Amer Zool*. 20:807.
- Bowman HHM. 1916. Adaptability of a seagrass. *Science* 43:244-247.
- Bowman HHM. 1922. The distribution and pollination of certain seagrasses. *Pap Mich Acad Sci Arts Lett* 2:3-10.
- Bowman HHM. 1956. Salinity data on marine and inland waters and plant distribution. *Ohio Journ Sci* 56(2):101-106.
- Boyd CE. 1970. Amino acid, protein, and caloric content of vascular aquatic macrophytes. *Ecology* 51(5): 902-906.
- Boynton WR, Kemp WM, Hermann AJ, Kahn JR, Schueler TR, Bollinger S, Lonergan SC, Stevenson JC, Twilley R, Staver K, Zucchetto JJ. 1981. An analysis of energetic and economic values associated with the decline of submerged macrophytic communities in Chesapeake Bay. In: Mitsch WJ, Bosserman RW, Klopatek JM, editors. *Energy and ecological modeling: developments in environmental modeling*. Amsterdam: Elsevier Scientific Publishing Company. p 441-454.
- Boynton WR, Murray L, Hagy JD, Stokes C, Kemp WM. 1996. A comparative analysis of eutrophication patterns in a temperate coastal lagoon. *Estuaries* 19(2B):408-421
- Boynton WR. 1982. Ecological role and value of submerged macrophyte communities: a scientific summary. In: *Chesapeake Bay Program technical studies: a synthesis*. Springfield VA: US EPA/NTIS 428-502 p.
- Braisier MD. 1973. Grass roots at the base of the Neogene. *Nature* 243:342.
- Braselton JP, Short FT. 1985. Karyotypic analysis of *Plasmidiophora diplantherae* on the seagrass *Halodule wrightii*. *Mycologia*. 77:940-945
- Brasier MD. 1975. An outline history of seagrass communities. *Palaeontology* 18:681-702.
- Braud JP, Perez R. 1976. The large populations of brown algae of southern Brittany France. *Sci Peche* 255.
- Brauner JF. 1975. Seasonality of epiphytic algae on *Zostera marina* at Beaufort, North Carolina. *Nova Hedwigia* 26:125-133.
- Bretschneider E. 1981. *Botanicum Linicum*. Notes on chinese botany From native and western sources. *J North-China Branch of Royal Asiatic Soc* 16:1-468.
- Breuer JP. 1962. An ecological survey of the lower Laguna Madre of Texas, 1953-1959. *Publication Inst Mar Sci, Univ Texas* 8:153-183.
- Bricker OP, Vacher HL, Gebelein CD. 1971. Seminar on organism-sediment interrelationships.
- Bridges CB. 1975. Larval development of *Phyllaplysia taylori* Dall, with a discussion of development in the anaspidea (Opistobranchiata: Anaspidea). *Ophelia* 14:161-184.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Bridges KW, Phillips RC, Young PC. 1982. Patterns of some seagrass distributions in the Torres Strait, Queensland. Aust Journ Mar Freshwater Res 33:273-283.
- Bridges K W. 1975. Preliminary seagrass atlas I. World-wide distribution patterns. Unpublished Ms.
- Briggs PT, O'connor JS. 1971. Comparison of shore-zone fishes over naturally vegetated and sand-filled bottoms in Great South Bay. N Y Fish and Game J 18(1):15-41.
- Brinkhuis BH, Penello WF, Churchill AC. 1980. Cadmium and manganese flux in eelgrass *Zostera marina*. In: Metal uptake by leaf and root- rhizome tissues. Mar Biol.58:187-196.
- Britton NL. 1889. Catalogue of plants found in New Jersey. Final Rept of State Geologist. Vol li. Trenton, N.J.
- Britton NL. 1918. Flora of Bermuda. Scribner's, New York.
- Brockhuysen GJ. 1935. The extremes in percentages of dissolved oxygen to which the fauna of a *Zostera* field in the tide zone at Nieuwediep can be exposed. Arch Neerl Zoo 1(3):339-346.
- Brook IM. 1978. Comparative macrofaunal abundance in turtlegrass (*Thalassia testudinum*) Communities in south Florida characterized by high blade density. Bull Mar Sci 28:212-217.
- Brown RW. 1957. Nanalgal megascopic marine plants. Mem Geol Soc Amer 67:729-730.
- Bruce AJ. 1976. Shrimps and prawns of coral reefs with special reference to commensalism. In: Jones, O. A. & R. Endean (Eds) Biology and geology of coral reefs. Vol Iii.: Biology 2, Academic Press. p 37-94.
- Bruijns MFM, Salverda Z. 1965. Survey of marshes and wetlands in the Netherlands. Beaufortia 13(153): 47-80.
- Brun B, Dumay D. 1974. Differences in diet between two marine *Gammarus* spp. from the group locusta. Crustacean 27:255-258.
- Brush GS, Davis FW, Stenger CA. 1981. A biostratigraphy of Chesapeake Bay and its tributaries: a feasibility study. USEPA. Final Report Grant No. R806680. 68 p.
- Bryceson I. 1981. A review of some problems of tropical marine conservation with particular reference to the Tanzanian coast. Biol Conserv 20:163-171.
- Brylinsky M. 1977. Release of dissolved organic matter by some marine macrophytes. Mar Bio 39(3):213-220.
- Buchsbaum RN, Short FT, Cheney DP. 1990. Phenolic-nitrogen interactions in eelgrass, *Zostera marina* L.: possible implications for disease resistance. Aquatic Botany 37:291-297
- Buesa R J. 1974. Production and biological data on turtle grass *Thalassia testudinum* Konig, 1805 on the northwestern Cuban shelf. Aquaculture 4:207-226.
- Buesa RJ. 1975. Population biomass and metabolic rates of marine angiosperms on the northwestern Cuban shelf. Aq Bot 1:11-23.
- Bugnon F. 1974. On a type of morphologic organization of fertile sprouts or their derivatives especially frequent in monocotyledon. Sci Ser D Sci Nat 278:1553-1556.
- Bulthuis DA, Woelkerling WL. 1981. Effects of in-situ nitrogen and phosphorus enrichment of the sediments on the seagrass *Heterozostera tasmanica*. J Exp Mar Biol Ecol 53:193-207.
- Bunt JS, Williams WT. 1981. Vegetational relationships in the mangroves of tropical Australia. Mar Ecol Prog Series 4:349-359.
- Burbanck WD, Pierce ME, Whiteley GC Jr. 1956. A study of the bottom fauna of Rand's Harbor, Massachusetts: an application of the ecotone concept. Eco Monographs 26(3):213-243.
- Burdick DM, Dionne M, Boumans RM, Short FT. 1997. Ecological responses to tidal restoration of two northern New England salt marshes. Wetlands Ecology and Management 4:129-144
- Burdick DM, Short FT, Wolf J. 1993 An index to assess and monitor the progression of the wasting disease in eelgrass, *Zostera marina*. Marine Ecology Progress Series 94:83-90
- Burdick DM, Short FT. 1999. The effects of boat docks on eelgrass beds in coastal waters of Massachusetts. Environmental Management 23:231-240
- Burke MK, Dennison WC, Moore KA. 1996. Non-structural carbohydrate reserves of eelgrass *Zostera marina*. Mar Eco Progress Series 137:195-201

- Burke MV, Mann KH. 1974. Productivity and production biomass ratios of bivalve and gastropod populations in an eastern Canadian estuary. *J Fish Res Bd Canada* 31:167-177.
- Burkholder PR, Burkholder LM, Rivero J. 1959. Some chemical constituents of turtle grass *Thalassia testudinum*. *Bull Torrey Bot Club* 86:88-93.
- Burkholder PR, Doheny TE. 1968. The biology of eelgrass. Contr. 3, Dept. Conserv. Waterways, Hempstead, Long Island. Contr. 1227, Lamont Geological Observatory, Palisades, New York
- Burkill HI. 1921. Under-sea meadows. *Gard Bull Straits Settlem* 2:444-445.
- Burrell DC. 1977. Seagrass ecosystem oceanography. In: McRoy CP, Helfferich C, editors. *Seagrass ecosystems: scientific perspective*. New York: M Dekker.
- Burris JE, Holm-Hansen O, Black CC Jr. 1976. Glycine and serine production in marine plants as a measure of photorespiration. *Austr J Plant Physio* 3:87-92.
- Burton PJK. 1961. The brent goose and its food supply in Essex. Wildfowl Trust: 12th Ann Rep 104-112.
- Burton PJK. 1962. The food supplies of Essex brent in the winter of 1960-61. Wildfowl Trust: 13th Ann Rep 117-118.
- Butcher RW. 1933 Dec. Report on the present condition of eelgrass on the coast of England. London: Min Agr and Fish. Report.
- Butcher RW. 1934. Notes on the variation of the British species of *Zostera*. British Isles: Bot Soc and Exch Club. 1933 Rept 10:592-597.
- Butcher RW. 1934. *Zostera*: report on the present condition of eelgrass on the coasts of England based on a survey during August to October 1933. J Du Conseil.
- Butcher RW. 1935. Wasting disease of *Zostera marina*. *Nature* 135:545.
- Butcher RW. 1941. The distribution of *Zostera* (eelgrass, wigeon grass) and other seashore plants in relation to the migrations of wildfowl. Intl Waterfowl Inq Press 1:29-49.
- Buzzelli CP, Wetzel RL, Meyers MB. 1998. Dynamic simulation of littoral zone habitats in lower Chesapeake Bay. II . Seagrass habitat primary production and water quality relationships. *Estuaries* 21(4B):673-689
- Buzzelli CP, Wetzel RL, Meyers MB. 1999. A linked physical and biological framework to assess biogeochemical dynamics in a shallow estuarine ecosystem. *Estuarine, Coastal and Shelf Science* 49: 829-851
- Buzzelli CP. 1998. Dynamic simulation of littoral zone habitats in lower Chesapeake Bay. I . Ecosystem characterization related to model development. *Estuaries* 21(4B):659-672.

-C-

- Cabioch J. 1975. Le *Rhodophysema feldmannii* nov. sp. de la region de Roscoff. *Botaniste* 57:105-118.
- Caldwell DK, Carr A. 1957. Status of the sea turtle fishery in Florida. *Trans N Amer Wildl Conf* 22:457-463.
- Caldwell DK. 1962. Sea turtles in Baja Californian waters (with special reference to those of the Gulf of California), and the description of a new subspecies of northeastern Pacific green turtle. *Contr Sci LA Cnty Mus* 61: 31 p.
- Caldwell DK. 1963. The sea turtle fishery of Baja California, Mexico. *Calif Fish Game* 49(3):140-151.
- Callender E, Carter V, Hahl D, Hitt K. 1984. A water-quality study of the tidal Potomac River and estuary - an overview. US Geological Survey Water. Report nr USGS/SP-2233. 46 p.
- Cambridge ML. 1974. Primary production and energy flow in nearshore ecosystems: a review of literature relevant to Westernport Bay. Victoria, Australia: Ministry for Conservation. Rept to Westernport Bay Envl Study.
- Cambridge ML. 1974. Report on the distribution of seagrass and macroalgae in Westernport Bay. Victoria, Australia: Ministry for Conservation. Rept to Westernport Bay Envl Study.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Cambridge ML. 1975. Seagrasses of southwestern Australia with special reference to the ecology of *Posidonia australis* in a polluted environment. Aq Bot 1:149-161.
- Camp DK, Cobb SP, Van Breedveld JF. 1973. Overgrazing of seagrass by a regular sea urchin *Lytechinus variegatus*. Bioscience 23:37-38.
- Campbell HW, Irvine AB. 1977. Feeding ecology of the West Indian manatee *Trichechus manatus linnaeus*. Aquaculture 23:249-251.
- Canadian Dept of International. 1926. The eelgrass industry in Canada. Canadian Fisherman 13:151-152.
- Cannon JFM. 1979. An experimental investigation of *Posidonia* balls. Aq Bot 6:407-410.
- Capone DG, Penhale PA, Oremland RS, Taylor BF. 1979. Relationship between productivity and N₂ (C2H2) fixation in a *Thalassia testudinum* community. Limnol Oceanogr 24:117-125.
- Capone DG, Taylor BF. 1977. Nitrogen fixation acetylene reduction in the phyllosphere of *Thalassia testudinum*. [Unknown Source].
- Carey AE, Oliver FW. 1918. Tidal lands: a study of shore problems. London: Blackie and Sons, Ltd.
- Carey RC, Markovits PS, Kirkwood JB, editors. 1981. Proceedings U.S. Fish and Wildlife Service workshop on coastal ecosystems of the southeastern United States. Washington: Fish and Wildlife Service. FWS/OBS-80/59. 257 p.
- Cariello L, Zanetti L, De Stefano S. 1979. *Posidonia* ecosystem: V. phenolic compounds from marine phanerogames *Cymodocea nodosa* and *Posidonia oceanica*. Comp Biochem Physiol 62b:159-161.
- Cariello L, Zanetti L. 1979. Distribution of chicoric acid during leaf development of *Posidonia oceanica*. Bot Mar 22(6):359-360.
- Cariello L, Zanetti L. 1979. Effect of *Posidonia oceanica* extracts on the growth of *Staphylococcus aureus*. Bot Mar 22:129-131.
- Carl GC. 1955. The green turtle in British Columbia. Rept Prov Mus Nat Hist Anthropol Vict BC 1954:377-378.
- Carl GC. 1963. Guide to marine life of British Columbia. British Columbia: BC Prov Museum. Dept Rec Conserv Handbook No 21.
- Carli A, Pessani D. 1973. Study of decapod crustacea larvae *natantia* and *reptantia* collected during a fishing expedition in June 1968 to the Egadi Islands, Sicily, Italy. Boll Pesca Piscic Idrobiol 28(2):317-337.
- Carmichael NG, Fowler BA. 1981. Cadmium accumulation and toxicity in the kidney of the bay scallop *Argopecten irradians*. Mar Biol 65:35-44.
- Carr A, Caldwell DK. 1956. The ecology and migrations of sea turtles: results of field work in Florida, 1955. Amer Mus Novit 1793.
- Carr A, Giovannoli L. 1957. The ecology and migrations of sea turtles: results of field work in Costa Rica, 1955. Amer Mus Novit 1835.
- Carr A, Hirth H. 1962. The ecology and migrations of sea turtles: comparative features of isolated green turtle colonies. Amer Mus Novit 2091.
- Carr A, Ogren L. 1960. The ecology and migrations of sea turtles: the green turtle in the Caribbean Sea. Bull Amer Mus Nat Hist 121:1-48.
- Carr A. 1952. Handbook of turtles. Ithaca, New York: Cornell Univ. Press. 542 p.
- Carr A. 1967. Caribbean green turtle: imperiled gift of the sea. Nat Geogr Mag 131:876-890.
- Carr A. 1967. So excellent a fishe. New York: Nat Hist Press. 248 p.
- Carr A. 1969. Sea turtle resources of the Caribbean and Gulf of Mexico. Iucn Bull 2:74-75,83.
- Carr A. 1969. Sea turtle resources of the Caribbean and Gulf of Mexico. Fao Fish Rep 71(1):160-161.
- Carr A. 1970. Marine turtle group. Rept Survival Serv Comm Spec Groups Iucn 1969:5-6.
- Carr WES, Adams CA. 1973. Food habits of juvenile marine fishes occupying seagrass beds in the estuarine zone near Crystal River, Florida Trans Amer Fish Soc 102:511-540.
- Carter V, Barko JW, Godshalk GL, Rybicki NB. 1988. Effects of submersed macrophytes on water quality in the tidal Potomac River, Maryland. J Freshwater Ecology. 4:493-501





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Carter V, Bartow N. 1985. The effects of grazers and light penetration on the survival of transplants of *Vallisneria americana* Michx in the tidal Potomac River, Maryland. *Aquatic Botany* 23:197:213
- Carter V, Gammon PT, Bartow N. 1983. Submersed aquatic plants of the tidal Potomac River. US Geological Survey Bull 1543. 58 p.
- Carter V, Haramis GM. 1980. Distribution of submersed aquatic macrophytes in the tidal Potomac River - implications for waterfowl. *Atlantic Naturalist* 33:14-19
- Carter V, Paschal JE, Bartow N. 1985. Distribution and abundance of submersed aquatic vegetation in the tidal Potomac River and estuary, Maryland and Virginia, May 1978 to November 1981. US Geological Survey. Water Supply Paper 2234A. 46 p.
- Carter V, Paschal JE, Haramis GM. 1980. Submersed aquatic vegetation in the tidal Potomac In: Proceedings of the Conference Coastal Zone; 1980, ASCE/Hollywood, Florida. p 17-20.
- Carter V, Rybicki N, Jones R, Barko J, Dresler P, Hickman R, Anderson R. 1989. Data on physical, chemical and biological data and characteristics of *Hydrilla* beds, mixed beds, and unvegetated sites in the tidal Potomac River, Maryland and Virginia. US Geological Survey. Report nr USGS/-88/709. 196 p.
- Carter V, Rybicki N, Schulman CL. 1987. Effect of salinity and temperature on germination of monoecious *Hydrilla* propagules. *Journ Aquatic Plant Management* 25:54-57
- Carter V, Rybicki N. 1986. The effects of grazers and light penetration on the survival of transplants of *Vallisneria americana* Michx in the tidal Potomac River, Maryland. *Aquatic Botany* 23:197-213
- Carter V, Rybicki N. 1986. The effects of grazers and light penetration on the survival of transplants of *Vallisneria americana* Michx in the tidal Potomac River, Maryland. *Aquatic Botany* 23:197-213
- Carter V, Rybicki NB, Anderson RT, Trombley TJ, Zynjuk GL. 1985. Data on distribution and abundance of submersed aquatic vegetation in the tidal Potomac River and transition zone of the Potomac River, Maryland, Virginia and the District of Columbia, 1983 and 1984. US Geological Survey. Open-File Report 85-82. 61 p.
- Carter V, Rybicki NB, Landwehr JM, Reel TJ, Ruhl HA. 1999. Summary of correlations among seasonal water quality, discharge, weather, and coverage by submersed aquatic vegetation in the tidal Potomac River and Potomac Estuary, 1983-96. US Geological Survey Open-File Report 98-657. 81 p.
- Carter V, Rybicki NB, Landwehr JM, Turtora M. 1994. Role of weather and water quality in population dynamics of submersed macrophytes in the tidal Potomac River. *Estuaries* 17:417-426
- Carter V, Rybicki NB, Landwehr JM, Turtora M. 1994. Role of weather and water quality in population dynamics of submersed macrophytes in the tidal Potomac River. *Estuaries* 17:417-426
- Carter V, Rybicki NB, Turtora M. 1991. Population dynamics of submersed macrophytes in the tidal Potomac River, 25th annual meeting, Aquatic Plant Control Research Program. U. S. Army Corps of Engineers, Misc. Paper A-91-3, Proceedings. p 41-53.
- Carter V, Rybicki NB, Turtora M. 1996. Effect of increasing photon irradiance on the growth of *Vallisneria americana* in the tidal Potomac River. *Aquatic Botany* 54:337-345
- Carter V, Rybicki NB. 1986. Resurgence of submersed aquatic macrophytes in the tidal Potomac River, Maryland, Virginia and the District of Columbia. *Estuaries* 9:368-375
- Carter V, Rybicki NB. 1986. The effects of grazers and light penetration on the survival of transplants of *Vallisneria americana* michx in the tidal Potomac River, Maryland. *Aqua Bota* 23:197-13
- Carter V, Rybicki NB. 1994. Invasions and declines of submersed macrophytes in the tidal Potomac River and Estuary, the Currituck Sound-Back Bay system, and the Pamlico River Estuary. *Lake and Reservoir Management* 10:39-48

- Carter V, Rybicki NB. 1994. Invasions and declines of submersed macrophytes in the tidal Potomac River and Estuary, the Currituck Sound-Back Bay system and the Pamlico River Estuary. *Lake and Reservoir Management* 10:39-48
- Carter, V, Rybicki N, Hammerschlag R.1991. Effects of submersed macrophytes on dissolved oxygen, pH, and temperature under different conditions of wind, tide, and bed structure. *J Freshwater Ecology.* 6:121-133
- Carter, V, Rybicki N, Turtora M. 1991. Population dynamics of submersed macrophytes in the tidal Potomac River in 25th annual meeting. U. S. Army Corps of Engineers, Misc. Paper A-91-3, Proceedings 41-53 p.
- Carter, V, Rybicki NB. 1990. Light attenuation and submersed macrophyte distribution in the tidal Potomac River and estuary. *J Estuaries.* 13:441-452
- Caspers H. 1957. Black Sea and Sea of Azov. In: Hedgpeth JW, editor. *Treatise on marine ecology and paleoecology*, Geol Soc Amer, Memoir 67:801-890. Is it a book or not?!
- Catala RLA. 1957. Report on the Gilbert Islands: some aspects of human ecology. *Atoll Research Bulletin*59:1.
- Chan EI. 1977. Oil pollution and tropical littoral communities: biological effects of the 1975 Florida Keys oil spill. 1977 Oil Spill Conference, Assoc Petr Ind p. 539-542.
- Chapman AW. 1960. Flora of the southern United States. New York. Where's the rest?
- Chapman VJ. 1940. Studies in salt-marsh ecology. *J Ecol* 28(1):118-151.
- Chapman VJ. 1942. The new perspective in the halophytes. *Quart Rev Biol* 17(4):291-311.
- Chapman VJ. 1952. Seaweeds and their uses. London: Pitman Pub Co. 287 p.
- Chapman VJ. 1960. Salt marshes and salt deserts of the world. Leonard Hill. Where's the rest?
- Chapman VJ. 1964. Coastal vegetation. Vol 2. Oxford: Pergamon Press. 245 p.
- Chapman VJ. 1964. The Chlorophyta. In: Barnes H, editor. *Oceanography and marine biology, annual review*. London: George Allen & Unwin, Ltd. p 193-228.
- Charman K. 1977. The grazing of *Zostera* by wildfowl in Britain. *Aquaculture* 12:229-233.
- Cheng L, Hodge VF, Lewin RA. 1977. Polonium and plutonium in an intertidal food chain. *Nature* 269:795-796.
- Cheng L, Lewin RA. 1976. Goose barnacles *Cirripedia thoracica* on flotsam beached at La Jolla California. *U.S. Natl Mar Fish Serv Fish Bull* 74:212-217.
- Chihara M. 1972. Marine flora and communities along the coast of Hidaka Hokkaido. *Mem Natl Sci Mus Tokyo* 5:151-162.
- Chrysler MA. 1907. The structure and relationships in *Potamogetonaceae* and allied families. *Bot Gaz* 44:161-188.
- Clapham AR, Tutin TG, Warburg EF. 1951. Excursion flora of the British Isles. London: Cambridge Univ Press.
- Clapham AR, Tutin TG, Warburg EF. 1952. Flora of the British Isles. London: Cambridge Univ Press. 1186 p.
- Clarke LL. 1965. The common seaweeds of the British coast and Channel Islands. London: Frederick Warne and Co. 158 p.
- Class Project. Bermuda Biol Station For Research. Special Publication No (4-17)9.
- Clney PJS. 1968. The food and feeding habits of the Pochard aythya-ferina. *Biol Conserv* 1(1):71-76.
- Cloud PE Jr. 1952. Preliminary report on the geology and marine environments of Onotoa Atoll, Gilbert Islands. *Atoll Research Bulletin* 12:1.
- Cloud PE Jr. 1959. Geology of Siapan Mariana Islands. *Ecology* 280:361-445.
- Cloud PE Jr. 1962. Environment of calcium carbonate deposition west of Andros Island Bahamas. *Geol Surv Prof Paper* 350:1-138.
- Clough BF, Attiwill PM. 1980. Primary productivity of *Zostea muelleri* irmisch ex aschers in Westernport Bay, Victoria, Australia. *Aq Bot* 9:1-13.
- Cogger HG, Lindner DA. 1969. Marine turtles in northern Australia. *Austr Zool* 15:150-159.
- Cohen E. 1939. The marine angiosperms of Inhaca Island. *S Afr J Sci* 36:246-256.
- Coker RE. 1962. This great and wide sea. New York: Harper and Bros. 325 p.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Colantoni P, Zucchini P. 1979. Underwater mapping of the *Posidonia oceanica* prairies around the Ischia Island, Naples. Rapports Et Reunions 25/26(6):89-90.
- Collett LC, Collins AJ, Gibbs PJ, West RJ. 1981. Shallow dredging as a strategy for the control of sublittoral macrophytes: a case study in Tuggerah Lakes, New South Wales. Austr J Mar Freshwater Res 32:563-571.
- Comptes Rendus Hebd Seances Acad Sci 184:1616-1618.
- Conacher MJ, Lanzing WJR, Larkum AWD. 1979. Ecology of Botany Bay: aspects of the feeding ecology of the fanbellied leatherjacket, *Monacanthus chinensis* in *Posidonia australis* seagrass beds in Quibray Bay, Botany Bay, New South Wales. Austr J Mar Freshwater Res 30:387-400.
- Conchol 28:43-54.
- Congdon RA, Mccomb AJ. 1975. Preliminary report of botanical studies. Report to Environmental Study of Blackwood River Estuary, Dept of Conservation and Environment, Western Australia.
- Congdon RA, Mccomb AJ. 1979. Productivity of *Ruppia*: seasonal changes and dependence on light in an Australian estuary. Aq Bot 6:121-132.
- Connell DW. 1975. A strategy for studies of the marine environment of Westernport Bay. Proceedings Royal Soc S Australia 87:95-105.
- Connell JH, Orias E. 1964. The ecological regulation of species diversity. American Naturalist 98:399-414.
- Connor JL, Adey WH. 1977. The benthic algal composition, standing crop, and productivity of Caribbean algal ridge. Atoll Research Bulletin 211:1-15.
- Conover JT. 1958. Seasonal growth of benthic marine plants as related to environmental factors in an estuary. Inst Mar Sci, Univ Texas 5:97-147.
- Conover JT. 1961. On Charlestown and Green Hill Pond, Rhode Island. Univ Rhode Island Tech Report.
- Conover JT. 1964. The ecology, seasonal periodicity, and distribution of benthic plants in some Texas lagoons. Bot Mar 7:4-41.
- Conover JT. 1966. Environmental relationships of benthos in salt ponds. Kingston, RI: Univ Rhode Island Nih Grad School Oceanogr. Report Iii WP-00023.
- Conover JT. 1966. The importance of stem and leaf vs. root assimilation in *Ruppia maritima L.* and *Zostera marina L.* related to seasonal growth. Kingston, RI: Univ Rhode Island Nih Grad School of Oceanography. Report Iii WpP-00023 p 6-1, 6-19.
- Conover JT. 1968. The importance of natural diffusion gradients and transport of substances related to benthic plant metabolism. Bot Mar 11:1-9.
- Conover RJ. 1958. Physical, chemical, and biological observations on Charleston and Green Hill Pond, Rhode Island. Kingston, RI: Univ Rhode Island. Tech Report.
- Conover RJ. 1961. A study of Charlestown and Green Hill Ponds, Rhode Island. Ecology 42(1):119-139.
- Conrod AC, Kelly M, Boersma A. 1968. Aerial photography for shallow water studies on the west edge of the Bahama Banks. Mass Inst of Tech Experimental Astronomy Lab Rept No Re-42.
- Cope OB. 1940. Black brant on San Quentin Bay, lower California. Calif Fish Game 26:390-392.
- Copeland BJ, Jones RS. 1965. Community metabolism in some hypersaline waters. Texas J Sci 17:188-205.
- Copeland BJ. 1965. Evidence for regulation of community metabolism in a marine ecosystem. Ecology 46:563-564.
- Copeland BJ. 1970. Estuarine classification and responses to disturbances. Trans Amer Fish Soc 1970:826-835.
- Corbetta F. 1970. Outlines of macrophytic vegetation of Lesina and Verano Lagoons. G Bot Ital 104(3):165-191.
- Cordero PA Jr. 1981. Some seagrasses from the Philippines. Seto Mar Biol Lab 26:319-325.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Cornelisen C. 1998. Restoration of coastal habitats and species in the Gulf of Maine. Gulf of Maine Council on the Marine Environment. 136 pp.
- Correll DC, Wu T, Pierce JW. 1976a. Aquatic plant die-offs in Chesapeake Bay: relationship to light penetration and/or herbicide pollution vegetation; Vol. I. Report nr US EPA/903/9-76/001. 11 p.
- Correll DC, Wu T, Pierce JW. 1976b. Aquatic plant die-offs in Chesapeake Bay: relationship to light penetration and/or herbicide pollution vegetation; Vol. II. Report nr US EPA/903/9-76/001. 9 p.
- Correll DL, Wu TL. 1982. Atrazine toxicity to submersed vascular plants in simulated estuarine microcosms. *Aqua Bot* 14:151-8.
- Correll DL. 1978. Estuarine productivity. *Bioscience* 28:646-650.
- Cory RL. 1967. Epifauna of the Patuxent River estuary, Maryland, for 1963 and 1964. *Chesapeake Science* 8:71-89.
- Costanza R, d'ArgeR, deGroot R, Farber S, Grasso M, Hannon B, Limburg K, Haeem S, O'Neill RV, Paruelo J, Raskin RG, Sutton P, van den Belt M. 1997. The value of the world's ecosystem services and natural capital. *Nature* 387: 253- 260.
- Cottam C, Addy CE. 1947. Present eelgrass condition and problems on the Atlantic coast of North America. In: Proceedings of the North American Wildlife Conference, 12th Meeting; San Antonio, TX.
- Cottam C, Lynch JJ, Nelson AL. 1944. Food habits and management of American sea brant. *J Wildl Mgmt* 8:36-56.
- Cottam C, Munro DA. 1954. Eelgrass status and environmental relations. *J Wildl Mgmt* 18(4):449-460.
- Cottam C. 1933. Disappearance of eelgrass along the Atlantic coast. *Plant Disease Reporter* 17(6):46-53.
- Cottam C. 1933. Eelgrass, valuable sea plant, dying of mysterious diseases. *Science Newsletter* 24:73.
- Cottam C. 1933. Further reports on eelgrass conditions. *Plant Disease Reporter* 17:142-144.
- Cottam C. 1933. Recent observations on eelgrass conditions. *Plant Disease Reporter* 17(10):119-120.
- Cottam C. 1934. Eelgrass disappearance has serious effects on waterfowl and industry. U.S. Dept Agr Yearbook p 191-193.
- Cottam C. 1934. Past periods of eelgrass scarcity. *Rhodora* 36:261-264.
- Cottam C. 1934. The eelgrass shortage in relation to waterfowl. *Amer Game Conf Trans* 20:272-279.
- Cottam C. 1935. Further notes on past periods of eelgrass scarcity. *Rhodora* 37:269-271.
- Cottam C. 1935. Seek wildlife improvement in study of eelgrass shortage. U.S. Dept Agr Press Release 1612-35.
- Cottam C. 1935. The eelgrass situation in 1934. *Amer Game Conf Trans* 21:295-301.
- Cottam C. 1935. The present eelgrass situation along the America Atlantic coast. *Plant Disease Reporter* 19(14):230-231.
- Cottam C. 1935. The present situation regarding eelgrass *Zostera marina*. U.S. Bur Biol Surv Leaflet Bs-3.
- Cottam C. 1935. Wasting disease of *Zostera marina*. *Nature* 135:306.
- Cottam C. 1938. Status of eelgrass (*Zostera marina*) on the North Atlantic Coast, February 1938. U.S. Bur Biol Surv Leaflet Bs-110.
- Cottam C. 1939. The eelgrass situation on the American Pacific Coast. *Rhodora* 41:257-260.
- Cottam C. 1941. The eelgrass situation, Fall 1940. *Plant Disease Reporter* 25:46-52.
- Cottam C. 1945. Eelgrass conditions along the Atlantic seaboard of North America. *Plant Disease Reporter* 29(12):302-310.
- Cotton AD. 1933. Answer to letter of FM Duncan. *Nature* 132(3334):483.
- Cotton AD. 1933. Disappearance of *Zostera marina*. *Nature* 132(3329):227.

- Cotton AD. 1934. *Zostera marina* in Britain. British Isles: Bot Soc and Exch Club. Rept 1933 10:623-624.
- Coulter JM, Chamberlain CJ. 1903. Morphology of angiosperms. New York: D. Appleton & Co.
- Cowper SW. 1978. The drift algae community of seagrass beds in Redfish Bay, Texas. Contr Mar Sci Univ TX 21:125-132.
- Crane A. 1981. Notes on the habits of the manatees (*Manatus australis*) in captivity in the Brighton Aquarium. Zool Soc 1881:456-460.
- Crawford M. 1968. Comparative nutrition of wild animals. Symp Zool Soc Lond 21.
- Croizat L. 1952. Manual of phytogeography. Uitgeverij Dr. W. Junk. The Hague. 587 p.
- Cumming HS, Purdy WC, Ritter HP. 1916. Investigations of the pollution and sanitary conditions of the Potomac watershed. US Treasury Department, US Public Health Service Hygenic Lab. Bull No. 104. 231 p.
- Cunningham JJ, Kemp WM, Lewis MR, Stevenson JC. 1984. Temporal responses of the macrophyte, *potamogeton perfoliatus* L., and its associated autotrophic community to atazine exposure in estuarine microcosms. Estuaries 7:519-30
- Cunnington HM. 1912. Anatomy of *Enhalus acoroides*. Zoll Trans Linn Soc Lond Ser II Bot 7:355-376.

-D-

- Dahl AL. 1973. Surface area in ecological analysis: quantification of benthic coral reef algae. Mar Biol 23:239-249.
- Dandy JE. 1958. List of British vascular plants. London: Brit Museum Nat Hist.
- Darlington CD, Ammal EKJ. 1945. Chromosome atlas of cultivated plants. London: George Allen & Unwin, Ltd. 397 p.
- Darlington CD, Sax K. 1962. Chromosome numbers: spermatophytes. In: Altman PL, Dittmer DS, editors. Growth including reproduction and morphological development. Fed Proceedings 1962.
- Darnell RM. 1967. Organic detritus in relation to the estuarine ecosystem. Estuaries, Aaas Pub 83:376-382.
- Darovec JE Jr, Carlton JM, Pulver TR, Moffler MD, Smaith GB, Whitfield WK Jr, Willis CA, Steidinger KA, Joyce EA Jr. 1975. Techniques for coastal restoration and fishery enhancement in Florida. Florida Mar Res Publication 15:1-27.
- Davenport CB. 1903. Animal ecology of the Cold Spring Harbor sand spit. Decennial Pub Univ Chicago 10:157-176.
- Davies GR. 1970. Carbonate bank sedimentation, eastern Shark Bay, Western Australia. Mem Amer Assoc Petrol Geol 13:85-168.
- Davis BM. 1911. A biological survey of the waters of Woods Hole and vicinity. Bull U.S. Bur Fish 31(1):443-544, 31(2):795-833.
- Davis CA. 1910. Salt marsh formation near Boston and its geological significance. Econ Geol 5:623-639.
- Davis FW. 1985. Historical changes in submerged macrophyte communities of upper Chesapeake Bay. Ecology 66:981-993
- Davis R, Short FT, Burdick DM. 1998. Quantifying the effects of green crab damage to eelgrass transplants, Restoration Ecology 6:297-302
- Davis R, Short FT. 1997. An improved method for transplanting eelgrass, *Zostera marina* L. Aquatic Botany 59:1-16
- Davis RC, Short FT. In review. The impact of the clam worm (*Neanthes virens* Sars) on transplanted eelgrass (*Zostera marina* L.). Aquatic Botany.
- Dawes CJ, Bird K, Durako M, Goddard R, Hoffman W, McIntosh R. 1979. Chemical fluctuations due to seasonal and cropping effects on an algal-seagrass community. Aq Bot 6:79-86.
- Dawes CJ, Lawrence JM. 1979. Effects of blade removal on the proximate composition of the rhizome of the seagrass *Thalassia testudinum*. Aq Bot 7:255-266.



- Dawson EY, Beaudette PT. 1959. Field notes from the 1959 eastern Pacific cruise of the Stella Polaris. *Pacific Nat* 13:1-24.
- Dawson EY. 1956. How to know the seaweeds. Dubuque, IA: Wm. C. Brown Co.
- Dawson EY. 1960. Symposium: the biogeography of Baja California and adjacent seas. *Syst Zool* 9(3):93-100.
- Dawson EY. 1966. Marine botany. New York: Holt, Rinehart and Winston.
- De Bary A. 1984. Comparative anatomy of the vegetative organs of the phanerogams and ferns. Oxford: Clarendon Press.
- De Cock AWAM. 1977. Culture of *Zostera marina* L. in the laboratory. *Aquaculture* 12:279-281.
- De Cock AWAM. 1980. Flowering, pollination and fruiting in *Zostera marina* L. *Aq Bot* 9:201-220.
- De Cock AWAM. 1981. Development of the flowering Shoot of *Zostera marina* L. under controlled conditions in comparison to the development in two different natural habitats in the Netherlands. *Aq Bot* 10:99-113.
- De Cock AWAM. 1981. Influence of light and dark on flowering in *Zostera marina* L. under laboratory conditions. *Aq Bot* 10:115-123.
- De Cock AWAM. 1981. Influence of temperature and variations in temperature on flowering in *Zostera marina* L. under laboratory conditions. *Aq Bot* 10:125-131.
- Delistraty D, Hershner C. 1984. Determination of adenine nucleotide levels in *Zostera marina* (eelgrass). *J Appl Bioc* 5:404-19
- Delistraty D, Hershner C. 1984. Effects of the herbicide atrazine on adenine nucleotide levels in *Zostera marina* L. (eelgrass). *Aqua Bota* 18:353-69
- Demas GP, Rabenhorst MC, Stevenson JC. 1996. Subaqueous soils: a pedological approach to the study of shallow-water habitats. *Estuaries* 19(2A):229-237
- Dennison WC, Orth RJ, Moore KA, Stevenson JC, Carter V, Kollar S, Bergstrom P, Batiuk RA. 1993. Assessing water quality with submersed aquatic vegetation. *Bioscience* 43:86-94
- Dennison WC, Orth RJ, Moore KA, Stevenson JC, Carter V, Kollar S, Bergstrom P, Batiuk RA. 1993. Assessing water quality with submersed aquatic vegetation. *Bioscience* 43:86-94
- Denson EP Jr, Murrell SL. 1962. Black brant populations of Humboldt Bay, California. *J Wildl Mgmt* 26(3):257-262.
- Derksen DV and Ward DH. 1993. Waterfowl management handbook: 13.1.15. Life history and habitat needs of the black brant. Fish and Wildlife Leaflet 13. United States Department of the Interior Fish and Wildlife Service: Washington DC.
- Devinny JS. 1978. Ordination of seaweed communities: environmental gradients at Punta Banta, Mexico. *Bot Mar* 21:357-363.
- Dexter RW. 1944. Ecological significance of the disappearance of eelgrass at Cape Ann, Massachusetts. *J Wildl Mgmt* 8(3):173-176.
- Dexter RW. 1945. A report on the eelgrass situation in the Annisquam (MA) and Mystic (CT) tidewater rivers in the summer of 1945. *Plant Disease Reporter* 29(27):702-704.
- Dexter RW. 1946. The eelgrass situation in the Annisquam (MA) and Mystic (CT) tidewater rivers in the summer of 1946. *Plant Disease Reporter* 30(11):424-425.
- Dexter RW. 1947. Status of eelgrass in the Annisquam tidal river and Menensha saltwater pond in Massachusetts during the summer of 1947. *Plant Disease Reporter* 31(11):448-449.
- Dexter RW. 1947. The marine communities of a tidal inlet at Cape Ann, Massachusetts: a study in bioecology. *Ecol Monogr* 17(3):261-294.
- Dexter RW. 1950. Restoration of the *Zostera* faciation at Cape Ann, Massachusetts. *Ecology* 31(2):286-288.
- Dexter RW. 1951. The eelgrass situation at Cape Ann, Massachusetts, in the summer of 1951. *Plant Disease Reporter* 35(11):507-508.
- Dexter RW. 1953. Recession of eelgrass at Cape Ann, Massachusetts. *Ecology* 34(1):229-231.
- Dexter RW. 1970. Utilization of natural resources in the plaster of old houses in the vicinity of Cape Ann Massachusetts. *Essex Inst Hist Collect* 106(2):108-111.
- D'hondt MJ, Durivault-Tixier A. 1975. *Clavularia stevenindae* new species, *Octocorallia stolonifera* from the Mediterranean Sea. *Cah Biol Mar* 16:585-592.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Diener RA. 1975. Cooperative Gulf of Mexico estuarine inventory and study - Texas: Area description. NOAA Tech Report NMFS Circ 393 p.
- Diliddo RM, Bell E . 1981. VII. Motility of *Labyrinthula*. In: A report for the year 1980-1981 of the Dept of Biology. Massachusetts Inst of Technology. Cambridge, Mass. p.31.
- Dionne M, Short FT, Burdick DM. 1999. Fish utilization of restored, created and reference salt marsh habitat in the Gulf of Maine. In: Benaka LR. editor. Fish habitat: essential fish habitat (EFH and rehabilitation. special issue. Journal of the American Fisheries Society.
- Dixit SC. 1973. Review of the Indian marine angiosperms. J Univ Bombay 40(67):60-71.
- Dixon JA, Sherman PB. 1993. Economics of protected areas: a new look at benefits and costs. Island Press: Washington, DC.
- Dobson JE, Bright EA, Ferguson RL, Field DW, Wood LL, Haddad KD, Iredale H III, Jensen JR, Kelmas VV, Orth RJ, Thomas JP. 1995. NOAA Coastal change analysis program (C-CAP): Guidance for regional implementation. NOAA Technical Report NMFS. 92 p.
- Dodd JR, Hattin DE, Liebe RM. 1973. Possible living analogue of the Pleistocene Key Largo reefs of Florida, USA. Geol Soc Amer Bull 84:3995-4000.
- Dodd JR, Siemers CT. 1971. Effect of late Pleistocene Karst topography on Holocene sedimentation and biota. Lower Florida Keys. Bull Geol Soc Amer 82:211-218.
- Dodge CR. 1897. A descriptive catalogue of useful fiber plants of the world. Rept 9, Office of Fiber Invest US Dept of Agr 337 p.
- Domantay JS. 1962. An ecological survey of the marine vegetation of the Hundred Islands and vicinity. Philippine J Sci 90(2):271-293.
- Domning DP. 1981. Sea cows and sea grasses. Paleobiology 7:417-420.
- Donard OFX, Guerin WF, Short FT, Raspomanikis S, Weber JH. 1985. Alkytin in the Great Bay estuarine ecosystem (New Hampshire). Proceedings inter conf heavy metals in the environment; 1985 Sept; Athens, Greece.
- Donard OFX, Short FT, Weber JH. 1987. Regulation of tin and methyltin compounds by the green alga *Enteromorpha* under simulated estuarine conditions. Canadian Journal of Fisheries and Aquatic Science 44:140-145
- Doohan ME, Newcomb EH. 1976. Leaf ultrastructure and delta carbon-13 values of three seagrasses from The Great Barrier Reef. Austr J Plant Physiology 3:9-23.
- Doty MS, Stone BC. 1966. Two new species of *Halophila* (Hydrocharitaceae). Brittonia 18(4):303-306.
- Doty MS, Stone BC. 1967. Typification for the generic name *Halophila*. Thouars. Taxon 16:414-418.
- Doty MS. 1957. Rocky intertidal surfaces. In: Hedgpeth JW, editor. Treatise on marine ecology and paleoecology. Geol Soc Amer Memoir 67:535-585.
- Downton WJS, Bishop DG, Larkum AWD, Osmond CB. 1976. Oxygen inhibition of photosynthetic oxygen evolution in marine plants. Austr J Plant Physiology 3:73-79.
- Drew EA. 1971. Botany. In: Woods JD, Lythgoe JN, editors. Underwater science: An introduction to experiments by divers. p 175-233.
- Drew EA. 1977. A photographic survey down the seaward reef-front of Aldabra Atoll. Atoll Research Bulletin 193: 1-7 (+ 8 Figs).
- Drew EA. 1978. Factors affecting photosynthesis and its seasonal variation in the seagrasses *Cymodoce nodosa* (Ucria) Aschers and *Posidonia oceanica* (L.) Delile in the Mediterranean. J Exp Mar Biol Ecol. 31: 173-194.
- Drew EA. 1979. Physiological aspects of primary production in seagrasses. Aquatic Botany 7:139-50.
- Drew EA. 1980. Seagrasses in the Chagos Archipelago. Aquatic Botany 9:179-184.
- Drew EA. 1980. Soluble carbohydrate composition of seagrasses. In: Phillips RC, McRoy CP, editors. Biology: An ecosystem perspective. Garland Stpm. Handbook of Seagrass Press. New York p 247-259.
- Dreyer WA, Castle WA. 1941. Occurrence of the bay scallop *Pecten irradians*. Ecology 22:425-527.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Druehl L D. 1973. Marine transplants. Science 179:12.
- Drysdale FR, Barbour MG. 1975. Response of the marine angiosperm *Phyllospadix torreyi* to certain environmental variables. a preliminary study. Aquatic Botany 1:97-106.
- Ducker SC, Foord NJ, Knox RB. 1977. Biology of Australian seagrasses. The genus *Amphibolis* (Cymodoceaceae). Austr J Bot 25(1):67-95.
- Ducker SC, Knox RB. 1976. Submarine pollination in seagrasses. Nature 263:705-706.
- Ducker SC, Knox RB. 1978. Alleloparasitism between a seagrass and algae. Naturwissenschaften 65:0.
- Dudkin M S, Areshidze IV, Lukina GD. 1976. Chemical composition of seaweeds of littoral zones of the Black Sea (Ukrainian S.S.R.). Rastit Resur 12(1):133-137.
- Dudley WR. 1893. The genus *Phyllospadix*. In: The wilder quater Ccntury book: a collection of original papers. Dedicated to Wilder BG. Comstock. Ithaca, NY. p 403-420.
- Dudley WR. 1894. *Phyllospadix*, its systematic characters and distribution. Zoe 4:381-385.
- Duff S, Teal JM. 1965. Temperature change and gas exchange in Nova Scotia and Georgia salt marsh muds. Limnol. Oceanogr 10(1):67-73.
- Duke JA, Rudolph AW. 1969. Bioenvironmental and radiological safety feasibility studies: Atlantic Pacific interoceanic canal. Darien Fish Dietary. US At Energy Comm Bmi:171-23. 150 p.
- Duncan FM. 1933. Disappearance of *Zostera marina*. Nature 132(3334):483.
- Dunne RP, Brown BE. 1979. Some aspects of the ecology of reefs surrounding Anegada, British Virgin Islands. Atoll Research Bulletin 236:1-80.
- Durako M.J, Moffler MD. 1981. Variation in *Thalassia testudinum* seedling growth related to geographic origin. Proceedings eighth annual confr on wetlands restoration and creation. Hillsborough Community College. Tampa, Florida.

-E-

- Eames AJ. 1961. Morphology of the angiosperms. McGraw-Hill Book Co. New York.
- Earle SA. 1972. A review of the marine plants of Panama. Bull Biol Soc Wash 2:69-87.
- Earle SA. 1972. The influence of herbivores on the marine plants of Great Lameshur Bay. Los Angeles County Museum. Bull 14:18-44.
- Edwards P, Bird E, Cotgreave E, Cossins A, Crompton K, Fowler W, Hudson J. 1973. Marine phytobenthos of the Castellabate (Cilento) Natural Park. Salerno, Italy. Phytocoenologia Dept of Botany the University. Durham City, England. 1(4):403-426.
- Edwards Peter. 1970. Illustrated guide to the seaweeds and sea grasses in the vicinity of Port Aransas, Texas. Univ Texas Marine Inst. Port Aransas, Texas. 128 p.
- Eidemiller A. 1972. Marine meadows of Florida: A look at turtlegrass communities. Underwater Nat 7(4): 22-25.
- Einarsen AS. 1965. Black Brant: Sea goose of the Pacific Coast. Univ Wash Press, Seattle. 142 p.
- Eiseman N.J, McMillan C. 1980. A new species of seagrass, *Halophila johnsonii*, from the Atlantic Coast of Florida. Aquatic Botany 9:15-19.
- Eisma NJ. 1977. *Halodule wrightii*: A preliminary model of seasonal dynamics and responses to environmental factors. Florida Scientist 40 (Suppl):10.
- Eleuterius LN, Gill JG Jr. 1981. Long term observations on seagrass and salt marsh established from transplants. Proceedings eighth annual confr. on wetlands restoration and creation. Hillsborough Community College. Tampa, Florida.
- Eleuterius LN, Miller GJ. 1976. Observations on seagrasses and seaweeds in Mississippi Sound since hurricane Camille. J Miss Acad Sci 21:58-63.
- Eleuterius LN. 1973. Submergent vegetation for bottom stabilization. In: Cronin, LE, editor. Estuarine Research, Vol 2, Chemistry, biology and the estuarine system. 2nd intern confr Myrtle Beach, South Carolina. Academic Press. New York p 439-456.
- Elias RW, Smith BN. 1973. Patterns of trace metal accumulation in seagrasses and benthic marine algae. Plant Physiology 51(Suppl):21.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Elser HJ. 1969. Observations on the decline of the water milfoil and other aquatic plants, Maryland, 1962-1967. *Hyacinth Control Journal* 89:52-60
- Elser HJ. 1969. Observations on the decline of the water milfoil and other aquatic plants, Maryland, 1962-1967. *Hyacinth Cont. Journ* 8:52-60
- Emery KO, Stevenson RE, Hedgpeth JW. 1957. Estuaries and lagoons. In: Hedgpeth JW, editor. Treatise on marine ecology and paleoecology. Geol Soc Amer Memoir 67:673-749.
- Emery KO. 1960. The sea off southern California; a modern habitat of petroleum. John Wiley & Sons. New York. 336 p.
- Engel CP. 1972. The distribution and abundance of anemones and their commensal shrimp in Discovery Bay, Jamaica. In: Bakus GJ, editor. Marine studies on the north coast of Jamaica. Atoll Research Bulletin 152:3.
- Engle J. 1976. The surf grass habitat as a nursery for juvenile spiny lobsters. Sea Grant annual report 1976. R/Rd-6. University of Southern California, Los Angeles.
- Erickson M, Miksche GE, Somfai I. 1973. Characterization of angiosperm lignins by oxidative degradation. Part 2. Monocotyledons. *Holzforschung* 27:147-150.
- Erskian MG. 1972. Patterns of distribution of foraminifera on *Thalassia testudinum*. In: Bakus GJ, editor. Marine studies on the north coast of Jamaica. Atoll Research Bulletin 152: 3.
- Erwin RM, Haramis GM, Krementz DG. 1993. Resource protection for waterbirds in Chesapeake Bay. *Envir Manag* 17:613-9
- Evans IO. 1962. The observers book of sea and seashore. Frederick Warne & Co Ltd. London 253 p.
- Evans LA, Webb KL, Penhale PA. 1986. Photosynthetic temperature acclimation in two coexisting seagrasses, *Zostera marina* L. and *Ruppia maritima* L. *Aqua Bota* 24:185-97.

-F-

- Fager EW. 1963. Communities of organisms. In: Hill MN, editor. The sea. Vol 2. Interscience Pub 415-437.
- Faraday WE, Churchill AC. 1979. Uptake of cadmium by the eelgrass *Zostera marina*. *Mar Biol* 53:293-298.
- Farlow WG. 1982. The marine algae of New England. *US Fish. Comm Rept For 1879* 7:1-210 (Appendix A).
- Felger R, McRoy CP. 1975. Seagrasses as potential food plants. In: Somers GF, editor. Seed-bearing halophytes as food plants. Proc of a conference. Coll Mar Stud Univ of Delaware.
- Felger RS, Cliffton K, Regal PJ. 1976. Winter dormancy in sea turtles: independent discovery and exploitation in the Gulf of California by two local cultures. *Science* 191:283-285.
- Felger RS, Lowe CH. 1976. The island and coastal vegetation and flora of the northern part of the Gulf of California. *Nat Hist Mus. Los Angeles County. Contr Sci.*(285):1-59.
- Felger RS, Moser ER, Moser MB. 1980. Seagrasses in Seri Indian culture. In: Phillips RC,
- Felger RW, Moser MB. 1973. Eelgrass (*Zostera marina* L.) in the Gulf of California. Discovery of its nutritional value by the Seri Indians. *Science* 181:355-356.
- Fell PE, Lewandrowski KB. 1981. Population dynamics of the estuarine sponge, *Halichondria* sp within New England eelgrass community. *Journ Exp Mar Biol Ecol* 55:49-64.
- Fenchel T. 1970. Studies on the decomposition of organic detritus derived from the turtle grass *Thalassia testudinum*. *Limnol Oceanog* 15(1):14-20.
- Fenchel T. 1971. Aspects of decomposer food chains in marine benthos. *Verh Dtsch Zool Ges* 65:14-23.
- Fenchel T. 1977. Aspects of the decomposition of seagrass. In: McRoy CP, Helfferich C, editors. Seagrass ecosystems: a scientific perspectiv., Dekkar M. New York. Chap 4.
- Fenchel TM, Riedl RJ. 1970. The sulfide system: a new biotic community underneath the oxidized layer of marine sand bottoms. *Mar Bio* 7:255-268.
- Fernald ML, Wiegand KM. 1914. The genus *Ruppia* in eastern North America. *Rhodora* 16:119-127.



- Fernald ML. 1950. Gray's manual of botany. 8th Ed. American Book Co, New York.
- Feye TC, Rigg GB. 1914. Elementary flora of the Northwest. American Book Co, New York.
- Field LW. 1974. A description and experimental analysis of Batesian mimicry between a marine gastropod and an amphipod. *Pacific Sci.* 28:439-447.
- Fierstlin HL, Kline KF, Garman GR. 1973. Fishes collected in Morro Bay, California between January, 1968 and December, 1970. *Calif Fish Game* 59(1):73-88.
- Filono KP, Lysenko VI, Reva PP. 1970. Nesting of *Podiceps cristatus* L. On Molochny estuary in the Sea of Azov. *Vestn Zool* 4 (6):76-78.
- Finnish Ibp-Pm Group. 1969. Quantitative sampling equipment for the littoral benthos. *International Revue Ges Hydrobio* 54(2):185-193.
- Fish CJ, Jefferies HP. 1961. Environmental relationships of benthos in salt ponds. *Progress Report, Rg-7003(Ci) Nml of the Univ of Rhode Island*. Kingston, R I.
- Fisher-Piette E, Helm R, Lami R. 1932. Note preliminaire sur une maladie bacterienne des Zosteres. *Comptes Rendus Hebd. Seances Acad Sci Ser D Sci Nat* 195:1420-1422.
- Fishlyn D. 1976. Observations on the natural history and morphological variation of *Notoacmea paleacea* on *Phyllospadix scouleri* and *Phyllospadix torreyi* in northern California. *West Soc Malacol annual report* 9:16-17.
- Fishman JR, Orth RJ. 1996. Effects of predation on *Zostera marina* seed abundance. *J Exper Mar Biol Ecol* 198:11-26
- Fishman JR, Orth RJ. 1996. Effects of predation on *Zostera marina* seed abundance. *Journ Experimental Marine Biology and Ecology* 198:11- 26
- Fitzhardinge RC. 1981. Density and the establishment of benthic communities, an experimental study. *Amer Zool.* 21:1035.
- Fog M. 1967. An investigation on the Brent Goose (*Branta bernicla*) in Denmark. *Danish Rev of Game Biol* 5:1-40.
- Fonseca MS, Kenworthy WJ, Thayer GW. 1998. Guidelines for the conservation and restoration of seagrasses in the United States and adjacent waters. NOAA Coastal Ocean Program Decision Analysis Series No. 12. NOAA Coastal Ocean Office, Silver Spring, MD. 222 pp.
- Fonseca, M S. 1975. Studies on the effect of water motion on the growth of eelgrass, *Zostera marina*. Special Project, Botany Dept, Univ Rhode Island, Kingston, R.I 23 p.
- Food and Agriculture Organiza. 1968. Report to the Governments of the Peoples's Republic of South Yemen and the Seychelles Islands on the green turtle in the Seychelles Islands. Fao/Undp (Ta) (2467) 59 p.
- Forbes CN. 1911. Notes on the naturalized flora of the Hawaiian Islands. BP Bishop Museum, Occ Paper 4: 332.
- Fosber FR. 1961. A Report on typhoon Eefcts upon Jaluit Atoll. Ix. Typhoon effects on individual species of plants. *Atoll Research Bulletin* (Also Appendix 95-96).
- Fosberg FR, Groves EW, Sigee DC. 1966. List of Addu vascular plants. *Atoll Research Bulletin* 116:75-92.
- Fosberg FR, Sachet MH. 1962. Vascular plants recorded from Jaluit Atoll. *Atoll Research Bulletin* 92.
- Fosberg FR. 1953. Vegetation of Central Pacific Atolls, a brief summary. *Atoll Research Bulletin* 23:1-26.
- Fosberg FR. 1962. A brief survey of the cays of Arrecife Alacran, a Mexican Atoll. *Atoll Research Bulletin* 93:1-25.
- Fosberg FR. 1976. Distributional Extensions of Marine Spermatophytes. *Micronesica* 12(2):317-318.
- Fosberg FR. 1979. Plants of D'arros Island. *Atoll Research Bulletin* 223:19-26.
- Fosberg FR. 1979. Plants of St. Joseph Atoll. *Atoll Research Bulletin* 223:43-48.
- Foster M, Neushul M, Zingmark R. 1971. The Santa Barbara oil spill. Part 2: Initial effects on intertidal and kelp bed organisms. *Environ Pollution* 2:115-134.
- Fowler GH, Allen EJ. 1928. Science of the sea. Clarendon Press, Oxford. 502 p.

- Francois R, Short FT, Weber JH. 1989. Accumulation and persistence of tributyltin in Eelgrass (*Zostera marina* L.) tissue. Environmental Science and Technology 23:191-196
- Franz DR, Clark K. 1969. Occurrence of the Cephalaspisid *Philine sihuata* (Stimpson) in southern New England with a discussion of the species. Veliger 12(1):69-71.
- Fredette RJ, Diaz RJ, VanMontfrans J, Orth RJ. 1990. Secondary production within a seagrass bed (*Zostera marina* - *Ruppia maritima*) in lower Chesapeake Bay. Estuaries 13:431-40
- Fredette TJ, Diaz RJ. 1986. Life history of *Gammarus mucronatus* Say (Amphipoda:Gammaridae) in warm temperate estuarine habitats, York River, Virginia. Journ Crustacean Bio 6:57-78
- Fredette TJ, Diaz RJ. 1986. Secondary production of *Gammarus mucronatus* Say (Amphipoda: Gammaridae) in warm temperate estuarine habitats, York River, Virginia. Journ Crustacean Bio 6:729-741
- Frost JG. 1974. Subtidal algal stromatolites from the Florida Back Reef environment. J Sed Petrol 44:532-537.
- Fry B, Parker PL. 1979. Animal diet in Texas seagrass meadows: D13c evidence for the importance of benthic plants. Estuarine Coastal Mar Sci 8(6):499-509.
- Fry B, Scalan RS, Parker PL. 1977. Stable carbon isotope evidence for two sources of organic matter in coastal sediments: seagrasses and plankton. Geochim Cosmochim Acta 41:1875-1877.
- Fry B. 1981. Natural stable carbon isotope tag traces Texas shrimp migrations. Fish Bull 79:337-346.
- Funicelli NA. 1980. Studies of freshwater needs of fish and wildlife resources in Nueces-Corpus Christi bays, Texas. In: Fore PL, Peterson RD, editors. Proceedings of the Gulf of Mexico coastal ecosystems workshop, US Fish and Wildl Serv Albuquerque, New Mexico. Fws/Obs-80/30. p 97-102.
- Fuse B. 1962. The animal community in the *Sargassum* belt. Physiol Ecol Kyoto 11:23-45.
- Fuse S, Harada HA, Okuno R, Miura T. 1959. The animal communities in the submerged marine plant vegetations. Bull Mar Biol Sta Asamushi 9(4):173-175.
- Fuse S. 1962. The animal community in the *Zostera* belt. Physiol Ecol Kyoto 11:1-22.
- Fuss CM, Kelly JA. 1969. Survival and growth of sea grasses transplanted under artificial conditions. Bull Mar Sci 19(2):351-365.

-G-

- Gadea E. 1967. The marine *Phanerogam* grass bottoms inhabiting fauna. Bol Real Soc Espa. His Natur Sec Biol 65(3-4):283-289.
- Gagnon PS, Vadas RL, Burdick DB, May B. 1980. Genetic identity of annual and perennial forms of *Zostera marina* L. Aquatic Botany 8:157-162.
- Gardner NL. 1927. New Rhodophyceae from the Pacific Coast of North America, II. Univ Calif Publication Bot 13(13):235-272.
- Gardner NL. 1936. A new red alga from New Zealand. Proceedings Natl Acad Sci 22:341-345.
- Gessner F. 1971. The water economy of the seagrass *Thalassia testudinum*. Mar Bio 10(3):258-260.
- Giaccone G, Longo LR. 1976. A revised checklist of Strait of Messina marine flora with historical, bionomical and chorological Notes Mem Biol Mar Oceanogr 6(4):69-123.
- Giaccone G, Pionatti S. 1971. Coastal algal vegetation of the Gulf of Trieste. Inf Bot Ita. 3(3):188-189.
- Giaccone G, Scammacca B, Cinelli F, Sartoni G, Furnari G. 1972. Preliminary studies on the marine phyto benthic communities in the Straits of Sicily and adjacent islands. G Bot Ital 106(4):211-229.
- Giaccone G. 1970. The climax problem in the deep regions of the Mediterranean Sea. *Thalassia jugoslav.* 6:195-199.
- Gibbs RE. 1902. *Phyllospadix* as a beach-builder. Am Nat 36:101-109.



- Giere O. 1975. Population structure, food relations and ecological role of marine oligochaetes, with special reference to meiobenthic species. *Mar Bio* 31:138-156.
- Gil Rodegas MC, Afonso-Carrillo J, Wildpret De La Torre W. 1982. Occurrence of *Halophila decipiens* Ostenfeld. on Tenerife, Canary Islands. *Aquatic Botany* 12: p 205.
- Gilbert SS, Clark KB. 1976. Seasonal variation in standing crop of benthic vegetation in the North Indian River. *Florida Scientist* 39 (Suppl):6.
- Gillham ME. 1957. Vegetation of the Exe estuary in relation to water salinity. *J Ecol* 45:735-756.
- Ginsburg RN, Lowenstam HA. 1958. The influence of marine bottom communities on the depositional environment of sediments. *J Geol* 66:310-318.
- Gleason HA. 1952. New Britton and Brown illustrated flora. Vol. I, Chas. Scribner's Sons, New York.
- Glime JM, Trynoskin SE, Short FT. 1981. Bryophyte diversity: case studies using the Billouin index to describe epiphytes and an alkaline marsh. *J Hattori Bot Lab* 50:179-190.
- Glynn PW, Almodovar LR, Gonzales JG. 1964. Effects of Hurricane Edith on marine life in La Parguera, Puerto Rico. *Carib J Sci* 4:335-345.
- Glynn PW. 1973. Aspects of the ecology of coral reefs of the Western Atlantic region. In: Jones O.. Endean R. editors. *Biology and geology of coral reefs*, Academic Press. p 271-324.
- Godcharles MF, Jaap WC. 1973. Exploratory clam survey of Florida USA nearshore and estuarine waters with commercial hydraulic dredging gear. *Florida Dept Nat Resour Mar Res Lab Prof Pap Ser* 21:1-77.
- Godcharles MF. 1971. A study of the effects of a commercial hydraulic clam dredge on benthic communities in estuarine areas. *Florida Dept Nat Resource Div Mar Resour Tech Ser* 64:1-51.
- Godshalk GL, Wetzel RG. 1978. Decomposition of aquatic angiosperms. III. *Zostera marina* L. and conceptual model of decomposition. *Aquatic Botany* 5:329-354.
- Godshalk GL, Wetzel RG. 1978. Decompositon of aquatic angiosperms. I. Dissolved components. *Aquatic Botany* 5:281-300.
- Godshalk, GL., Wetzel RG. 1978. Decompositon of aquatic angiosperms. II. Particulate components. *Aquatic Botany* 5:301-327.
- Goering JJ, Parker PL. 1972. Nitrogen fixation by epiphytes on sea grasses. *Limnol Oceanogr* 17(2):320-323.
- Goforth HW, Jr., Peeling TJ. 1980. Intertidal and subtidal eelgrass (*Zostera marina* L.) transplant studies in San Diego Bay, California. *Naval Oceans Systems Center Tech Report* 505 (N2474-76-Wr-0061).
- Goforth HW, Peeling TJ. 1975. Eelgrass (*Zostera marina* L.) beds along the western shore of North Island Naval Air Station, California. *Mar Environ Management Office, Naval Undersea Center, San Diego*. 23 p.
- Goodman JL, Moore KA, Dennison WC. 1995. Photosynthetic responses of eelgrass *Zostera marina* L. to light and sediment sulfide in a shallow barrier island lagoon. *Aquatic Botany* 50:37-47
- Goodrich DJ, Van Montfrans J, Orth RJ. 1989. Movement of blue crab megalopae into Chesapeake Bay: Observational evidence for a wind driven mechanism. *Estuarine Coastal Shelf Science* 29:247-260
- Gordina AD, Duka LA, Oven LC. 1974. Sexual dimorphism, feeding and reproduction of the goby *Gobius bucchichi* Stendachner in the Black Sea. *Vopr Ikhtiol* 14:623-629.
- Gore RH, Gallaher EE, Scott LE, Wilson KA. 1981. Studies on decapod crustacea from the Indian River region of Florida USA. 11. Community composition, structure, biomass and species. areal relationships of seagrass and drift algae associated macrocrustaceans. *Estuarine Coastal Shelf Sci* 12:485-508.
- Goss-Custard JD, Charman K. 1976. Predicting how many wintering waterfowl an area can support. *Wildfowl* 27:157-158.
- Grace RV, Grace AB. 1976. Benthic communities west of Great Mercury Island, Northeastern New Zealand. *Tane* 22:85-101.

- Graham D, Smillie RM. 1976. Carbonate dehydratase in marine organisms of the Great Barrier Reef. Austr. J Plant Physiolog 3:113-119.
- Graves AH. 1908. The morphology of *Ruppia maritima*. Trans Conn Acad Arts and Sci 14:59-170.
- Gray SF. 1921. A natural arrangement of British plants. Vol II. Baldwin, Cradock & Joy, London.
- Green PS. 1979. Observations on the phytogeography of the New Hebrides, Lord Howe Island and Norfolk Island. In: Bramwell, D, editor. Plants and Islands, Academic Press, New York, p 41-53.
- Greenway M. 1973. The Grazing of *Thalassia testudinum* (Konig) in Kingston Harbor, Jamaica. Assoc Island Marine Labs. of the Caribbean, 11th Meeting, Mayaguez, PR. June 1973.
- Greenway M. 1974. The effects of cropping on the growth of *Thalassia testudinum* (Konig) in Jamaica. Aquaculture 4:199-206.
- Greenway M. 1976. The grazing of *Thalassia testudinum* in Kingston Harbour, Jamaica. Aquatic Botany 2: 117-126.
- Greenway M. 1979. *Halophila tricostata* (Hydrocaritaceae), a new species of seagrass from the Great Barrier Reef Region. Aquatic Botany 7:67-70.
- Griffiths E. 1922. Some materials of low thermal conductivity. Trans Faraday Soc 18:252-258.
- Grisebach P. 1946. On botanical geography. Rept Bot, Ray Soc London 6:55-212.
- Grizzle RE, Short FT, Hoven H, Kindbloom L, Newell CR. 1996. Hydrodynamically induced synchronous waving of seagrasses: "monami" and its possible effects on larval mussel settlement. Journal of Experimental Marine Biology and Ecology 206:165-177
- Grontved J. 1958. Underwater macrovegetation in shallow coastal waters. J Du Con. 24(1):32-42.
- Gryzhankova LN, Boichenko EA. 1976. Titanium compounds in plants. Sov Plant Physiology 22(6): 1035-1039.
- Guerinot ML, Fong W, Partquin DG. 1977. Nitrogen fixation (acetylene reduction) associated with sea urchins (*Strongylocentrotus droebachiensis*) feeding on seaweeds and eelgrass. J Fish Res Bd Canada 34:416-420.
- Guerinot ML, Partquin DG. 1981. The association of nitrogen fixing bacteria with sea urchins. Mar Biol 62:197-208.
- Guile ER. 1951. The intertidal ecology of Pipe Clay Lagoon. Pap & Proceedings Roy Soc. Tasmania 1950:29-52.
- Guiler ER. 1952. The ecological features of certain sheltered intertidal areas in Tasmania. Pap & Proceedings Roy Soc. Tasmania 86:1-11.
- Guiler ER. 1952. The intertidal ecology of the Eaglehawk Neck area. Pap & Proceedings Roy Soc. Tasmania 86:13-19.
- Guiler ER. 1952. The nature of intertidal zonation in Tasmania. Pap. & Proceedings Roy Soc. Tasmania 86:31-61.
- Guiler ER. 1953. Intertidal classification in Tasmania. J Eco. 41:381-384.
- Guiler ER. 1955. Australian intertidal belt-forming species in Tasmania. J Eco. 43:138-148.
- Guiry MD, Kilty GM. 1972. The *Zostera* beds of Dungarvan County Waterford. Irish Nat Jour 17(6):186-189.
- Gunter G, Corcoran G. 1981. Mississippi Manatees. Gulf Res Re. 7: 97-.
- Gunter G. 1957. Temperature. Mem Geol Soc Am 67
- Gunther Er. 1973. Ethnobotany of western Washington, the knowledge and use of indigenous plants by Native Americans. Univ Washington Press, Seattle. p 21.
- Gutsell JS. 1931. Natural history of the bay scallop. Bull Bur Fish 46:569-632.
- Gwynne MD, Wood D. 1969. Plants collected on islands in the western Indian Ocean during a cruise of the M.F.R.V. 'Manihine,' Sept. - Oct. 1967. Atoll Research Bulletin p 134.

-H-

Habe T. 1958. A study on the productivity of the Tanabe Bay (Part I.). Vi. Zonal arrangement of intertidal benthic animals in the Tanabe Bay. Rec Oceanogr Wks Jap 2:43-49.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Hackett HE. 1969. Marine algae in the atoll environment: Maldives Islands. Proceedings intern seaweed symp 6:187-191.
- Hackett HE. 1977. Marine algae known from the Maldives Islands. Atoll Research Bulletin 210: 1-30 (+ 2 Figs).
- Hagerman L, Weber RE. 1981. Respiratory rate, hemolymph oxygen Ttension and hemocyanin level in the shrimp *Palaemon adspersus*. J Exp Mar Biol Ecol 54:13-20.
- Hall MO, Eiseman NJ. 1981. The seagrass epiphytes of the Indian River, Florida I. Species list with descriptions and seasonal occurrences. Bot Mar 24:139-146.
- Hamm D, Humm HJ. 1976. Benthic algae of the Anclote Estuary, Florida USA. Part 2. Bottom dwelling Species. Florida Scientist 39(4):209-229.
- Hammer L. 1968. Salzgehalt und photosynthese bei marinen pflanzen. Mar Bio 1:185-190.
- Hammer L. 1972. Temperature tolerance of tropical marine algae and phanerogams. Mitt Inst Colombo Aleman Invest Cient 'Punta De Betin' 6:53-64.
- Hammer L. 1973. Anaerobiosis in marine algae and marine phanerogams. Proceedings 7th Int Seaweed Symp. Sapporo, Japan p 414-419.
- Hanbury FJ. 1925. The London catalogue of British plants. George Bell & Sons, London.
- Hanlon R., Voss G. 1976. A guide to the sea grasses of Florida, the Gulf of Mexico, and the Caribbean Region. Univ of Miami, Sea Grant program field guide series 3:1-29.
- Hanna GD. 1926. Expedition to the Revillagigedo Islands, Mexico, in 1925. Proceedings Calif Acad Sci 15(4):1-113.
- Harada I. 1957. On the germination of thread-like pollens of *Zostera marina* L. (a sea grass). Jap J Genetics 32:243.
- Haramis GM, Carter V. 1983. Distribution of submersed aquatic macrophytes in the tidal Potomac Rier. Aquatic Botany 15:65-79
- Haranak M, Iizuka K. 1962. Studies on the fish community of the *Zostera* area - I. The ecological order for feeding in the fish group related to the dominant species. Bull Jap Soc Sci Fish 28:5-16.
- Harlin MM. 1973. 'Obligate' algal epiphyte: *Smithora naiadum* grows on a synthetic substrate. J Phycology 9:230-232.
- Harlin MM, Thorne-Miller B. 1981. Nutrient enrichment of seagrass beds in a Rhode Island USA coastal lagoon. Mar Biol. 65:221-230.
- Harlin MM. 1971. An obligate marine algal epiphyte. can it grow on a synthetic host? J Phycology 7(Suppl):4.
- Harlin MM. 1971. Translocation between marine hosts and their epiphytic algae. Plant Phys 47(Suppl):41.
- Harlin MM. 1973. Transfer of products between epiphytic marine algae and host plants. J of Phycology 9:243-248.
- Harlin MM. 1975. Epiphyte host relations in seagrass communities. Aquatic Botany 1:125-131.
- Harlin MM. 1980. Seagrass epiphytes. In: Phillips RC, McRoy CP, editors. Handbook of seagrass press, New York p 117-151. Biology: an ecosystem perspective, Garland Stpm.
- Harmelin JG. 1976. The suborder Tubuliporina (Bryozoa Cyclostoma) in the Mediterranean: ecology and systematics. Mem Inst Oceanogr (Monaco) (10):1-326.
- Harris MM, King RJ, Ellis R. 1980. The eelgrass *Zostera capricorni* in Illawarra Lake, New South Wales. Proceedings Linn Soc New South Wales 104:23-33.
- Harrison PG, Chan AT. 1980. Inhibition of the growth of micro-algae and bacteria by extracts of eelgrass (*Zostera marina*) leaves. Mar Bio 61:21-26.
- Harrison PG, Mann KH. 1975. Chemical changes during the seasonal cycle of growth and decay in eelgrass (*Zostera marina*) on the Atlantic coast of Canada. J Fish Res Bd Canada 32:615-621.
- Harrison PG, Mann KH. 1975. Detritus formation from eelgrass (*Zostera marina* L.): the relative effects of fragmentation, leaching, and decay. Limno Oceanogr 20:924-934.
- Harrison PG. 1978. Patterns of uptake and translocation of 14c by *Zostera americana* Den Hartog in the laboratory. Aquatic Botany 5(1):93-97.

- Harrison T. 1956. The edible turtle (*Chelonia Mydas*) in Borneo. 4. Growing turtles and growing problems. Sarawak Mus J. 7:233-239.
- Harshberger JW. 1958. Phytogeographic survey of North America. Engelmann HR, Weinheim, Germany.
- Hartman D. 1971. Observations of the American Manatee at Blue Springs Park, Volusia County, Florida with notes on the species' current status and distribution in the upper St. Johns River. Unpublished Report 19 p.
- Hartman RT, Brown DL. 1967. Changes in internal atmosphere of submersed vascular hydrophytes in relation to photosynthesis. Ecology 48(2):252-258.
- Hartog CD Jacobs RPWM. 1980. Effects of the 'Amoco Cadiz' oil spill on an eelgrass community at Roscoff (France) with special reference to the mobile benthic fauna. Helgolander Wiss Meeresunters 33: 182-191.
- Hartog C.D. 1977. Structure, function, and classification in seagrass communities. In: McRoy CP, Helfferich C. Editors. Seagrass ecosystems: a scientific perspective. M. Dekkar, New York. Chapter 3.
- Hartog CD, Van Loenhoud PJ, Roelofs JGM, Van De Sande JGPM. 1979. Chromosome numbers of three seagrasses from the Netherlands Antilles. Aquatic Botany 7:267-271.
- Hartog CD. 1960. New seagrasses from Pacific Central America. Pacific Nat 1(15):2-8.
- Hartog CD. 1973. Flora of Panama. Part 2. Family 5a, Hydrocharitaceae. Ann Missouri Bot Garden 60:7-15.
- Hartog CD. 1979. Physiological and ecological studies of seagrasses. Aquatic Botany 7:103.
- Hartog CD. 1979. Seagrasses and seagrass ecosystems, an appraisal of the research approach. Aquatic Botany 7: 105-117.
- Harwell MC, Orth RJ. 1999. Eelgrass (*Zostera marina L.*) seed protection for field experiments and implications for large-scale restoration. Aquatic Botany 64: 51-61
- Hatanaka M, Iizuka K. 1962. Studies on the fish community of the *Zostera* area - I. Trophic order in fish group living outside of the *Zostera* area. Bull Jap Soc Sci Fish 28:155-161.
- Hatanaka M, Iizuka K. 1962. Studies on the fish community of the *Zostera* area - III. Efficiency of production of *Sebastes inermis*. Bull Jap Soc Sci Fish 28:305-313.
- Hatcher AI, Larkum AWD. 1982. The effects of short term exposure to Bass Strait crude oil and Corexit 8667 on benthic community metabolism in *Posidonia australis* Hook.F. dominated microcosms. Aquatic Botany 12:219-227.
- Haven DS. 1967. An animal sediment study in the Lower York River, Virginia. In: Concentration of suspended radioactive wastes into bottom deposits. Final Report to US Atomic Energy Comm.
- Hay ME. 1981. Spatial patterns of grazing intensity on a Caribbean barrier reef herbivory and algal distribution. Aquatic Botany 11:97-110.
- Hayase S, Tanaka S. 1980. Feeding ecology of three species of Embiotocid fishes in the *Zostera marina* belt of Odawa Bay. Bull Jap Soc Sci Fish 46:1469-1476.
- Hayase S, Tanaka S. 1981. Inter-specific relations surrounding the three species of embiotocid fishes in the *Zostera marina* Belt of Odawa Bay. Bull Jap Soc Sci Fish 47:1317-1322.
- Haydock CF. 1960. A Survey of Morro Bay eelgrass, June through August. Rept Calif Fish Game, Mar Res Operations, Stanford. 5 p.
- Hayes FR. 1964. The mud-water interface. In: Barnes H, editor. Oceanography and Marine Biology Annual Review 2. George Allen & Unwin, Ltd, London, p 121-145.
- Haynes RR, Wents WA. 1975. Flora of Panama. Part 2. Family 3a. Potamogetonaceae. Ann Missouri Bot Garden 62:1-10.
- Heald EJ. 1970. The Everglades estuary an example of seriously reduced inflow of freshwater. Trans Amer Fish Soc 99(4):847-848.
- Heck KL Jr, Wetstone GS. 1977. Habitat complexity and invertebrate species richness and abundance in tropical seagrass meadows. J Biogeogr 4:135-142.
- Heck KL Jr. 1976. Community structure and the effects of pollution in sea-grass meadows and adjacent habitats. Mar Bio 35:345-358.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Heck KL Jr. 1976. Patterns of community organization in tropical and temperate seagrass meadows. Amer Zoo 16:194.
- Heck KL Jr. 1977. Comparative species richness, composition, and abundance of invertebrates in Caribbean seagrass (*Thalassia testudinum*) meadows (Panama). *Mar Bio* 41:335-348.
- Heck KL Jr., Orth RJ. 1980. Seagrass habitats: the roles of habitat complexity, competition and predation in structuring associated fish and motile macroinvertebrate assemblages. In: Kennedy VS, editor. *Estuarine Perspectives*. New York: Academic Press. p 449-464.
- Heck KL Jr., Thoman TA. 1984. The nursery role of seagrass meadows in the upper and lower Chesapeake Bay. *Estuaries* 7:70-92
- Heck KL, Orth RJ. 1980. Structural components of eelgrass *Zostera marina* in the lower Chesapeake Bay - Decapod Crustacea. *Estuaries* 3:289- 295
- Heinsohn GE, Birch WR. 1972. Foods and feeding habits of the dugong, *dugon dugon* (Erxleben), in Northern Queensland, Australia. *Mammalia* 36:414-422.
- Heinsohn GE, Lear RJ, Bryden MM, Marsh H, Gardner BR. 1978. Discovery of a large population of Dugongs off Brisbane, Australia. *Environmental Conservation* 5(2):91-92.
- Heinsohn GE, Spain AV. 1974. Effects of a tropical cyclone on littoral and sub-littoral biotic communities and on a population of *Dugong dugon* (Muller). *Biol Conserv* 6:143-152.
- Heinsohn GE. 1972. A study of dugongs (*Dugong dugon*) in northern Queensland, Australia. *Biol Conserv* 4(3):205-213.
- Heinsohn GW, Wake J, Marsh H, Spain AV. 1977. The dugong (*Dugong dugon* Mueller) in the seagrass System. *Aquaculture* 12:235-248.
- Helfferich C, McRoy CP. 1980. Introduction: the spaces in the pattern. In: Phillips RC, McRoy CP, editors. *Handbook of Seagrass* Press, New York p. 1-5. Biology: An ecosystem perspective, Garland Stpm.
- Hellier TR Jr, Kornicker LS. 1962. Sedimentation from a hydraulic dredge in a bay. Publication Inst Mar Sci, Univ Texas 8:212-215.
- Hellier TR Jr. 1962. Fish production and biomass studies in relation to photosynthesis in the Laguna Madre of Texas. Publication Inst Mar Sci., Univ. Texas 8:1-22.
- Hendrickson JR. 1958. The Green sea turtle, *Chelonia Mydas* (Linn.) in Malaya and Sarawak. *Proceedings Zool Soc Lond* 130:455-535.
- Henry JK. 1915. Flora of Southern British Columbia and Vancouver Island, with many references to Alaska and northern species. W. J. Cage & Co, Toronto.
- Hershner CH, Wetzel RL. 1987. Submerged and emergent aquatic vegetation of the Chesapeake Bay. In: Majumdar SK, Hall LW Jr, Austin HM. editors. *Contaminant problems and management of living Chesapeake Bay resources*, Pennsylvania Academy Science Typehouse of Easton, Phillipsburg, N.J. p 116-133.
- Hessler RR, Sanders HL. 1967. Faunal diversity in the deep-sea. *Deep-Sea Res* 14:65-78.
- Higginson FR. 1965. The distribution of submerged aquatic angiosperms in the Tuggerah Lakes system. *Proceedings Linn Soc New South Wales* 90:328-334.
- Hine AC, Neumann AC. 1977. Shallow carbonate bank margin growth and structure, Little Bahama Bank, Bahamas. *Amer Asso. Petr Geol Bull* 61(3):376-406.
- Hirth HF, Klikoff HL, Harper KT. 1973. Sea grasses at Khor Umaira Yemen with reference to their role in the diet of the Green turtle *Chelonia mydas*. *US Natl Mar Fish Serv Fish Bull.* 71:1093-1097.
- Hirth HF, Carr A. 1970. The Green turtle in the Gulf of Aden and the Seychelles Islands. *Verh K Ned Akad Wet* 58:1-44.
- Hirth HF. 1971. Synopsis of biological data on the Green turtle *Chelonia mydas* (Linnaeus) 1758. *Fao Fisheries Synopsis No 85, Firm/S85*.
- Hisachi K. 1928. Various facts on *Zostera* sp. and *Typha Angustata* Bory Et Chamb. *Jap J Bot.* 5:28-29.
- Hocking PJ, Cambridge ML, Mccomb AJ. 1981. The nitrogen and phosphorus nutrition of developing plants of two seagrasses, *Posidonia australis* and *Posidonia Sinuosa*. *Aquatic Botany* 11:245-261.

- Hoege HD, Jones RS. 1963. Seasonality of larger animals in a Texas turtle grass community. Publication Inst Mar Sci, Univ Texas 9:347-.
- Honegger RE. 1967. The Green turtle (*Chelonia mydas japonica*) Thunberg in the Seychelles Islands. Brit Journ Herpetol 4:8-11.
- Hooker WJ. 1921. Flora Scotica; or a description of Scottish plants. Part 2. Richard & Arthur Taylor, London.
- Hooks TA, Heck KL Jr, Livingston RL. 1976. An inshore marine invertebrate community: structure and habitat associations in the northeastern Gulf of Mexico. Bull Mar Sci Gulf Carib 26:99-109.
- Hopkins SH. 1957. Interrelations of organisms. B. parasitism. In: Hedgpeth JW, editor. Treatise on Marine Ecology and Paleoecology. Geol Soc Amer Memoir 67:413-428.
- Hopper BE, Meyers SP. 1967. Folicolous marine nematodes on turtle gass, *Thalassia testudinum* Konig, in Biscayne Bay, Florida. Bull Mar Sci 17:471-517.
- Hopper BE, Meyers SP. 1976. Population studies on benthic nematodes with in a subtropical seagrass community. Mar Biol 1(2):85-96.
- Horgan DA. 1976. Population studies of the stenotypic limpet *Notoacmea paleacea* on its sea-grass host *Phyllospadix torreyi*. West Soc Malacol. Annual Report 9:17-18.
- Hotchkiss N. 1936. Check list of marsh and aquatic plants of the United States. US Bur Biol Surv. Leaflet Bs-72.
- Hotchkiss N. 1940. Range extensions of marsh and aquatic plants. Rhodora 42:20-22.
- Hough RA. 1976. Light and dark respiration and release of organic carbon in marine macrophytes of the Great Barrier Reef region. Austr J Plant Physiologg 3:63-68.
- Hoven HM, Gaudette HE, Short FT. 1999. Isotope ratios of 206Pb/207Pb in eelgrass, *Zostera marina* L., indicate sources of Pb in an estuary. Marine Environmental Research 48:377-387
- Howard JF, Kissling DL, Lineback DA. 1970. Sedimentary facies and distribution of biota in Coupon Bight, lower Florida Keys. Bull Geol Soc Amer 81(7):1929-1945.
- Howard R, Short FT. 1986. Seagrass epiphyte removal by grazing epifauna: effects on growth, morphology and survivorship of seagrass in culture. Aquatic Botany 24:287-302
- Howe MA. 1915. The marine algae and marine spermatophytes of the Tomas Barrera expedition to Cuba. Smithsonian Misc Coll 68(11):1-13.
- Howe MA. 1927. Report on a collection of marine algae made in Hudson Bay. Rept. Canad Arctic Exp, 1913-1918, Vol 4. Bot. Pt B. p 18-30.
- Howell T. 1903. A flora of northwest America. Portland, Oregon.
- Hudson BET. 1981. Interview and aerial survey data in relation to resource management of the Dugong in Manus Province, Papua New Guinea. Bull Mar Sci 31:662-672.
- Hudson JH, Allen DM, Costello TJ. 1970. The flora and fauna of a basin in Central Florida Bay. US Fish Wildl Serv Spec Sci Rep Fish (604):1-14.
- Hughes GR, Oxley-Oxland R. 1971. A survey of dugong (*Dugong dugon*) in and around Antonio Enes, Northern Mocambique. Biol Conserv 3(4):299-301.
- Hughes GR. 1970. Marine turtles: an introduction to the sea turtles of southwest Africa. South Africa J Sci 66:239-246.
- Hughes RN, Gamble JC. 1977. A quantitative survey of the biota of intertidal soft substrata on Aldabra Atoll, Indian Ocean. Phil Tran Royal Soc Lond B. Biol Sci 327-355.279(965).
- Hulings NC. 1979. The ecology, biometry and biomass of the seagrass *Halophila stipulacea* along the Jordanian coast of the Gulf of Aqaba. Bio Mar 22:425-430.
- Hulten E. 1950. Atlas of the distribution of vascular plants in N. W. Europe. Stockholm.
- Humm HJ, Baird RC, Carder LC, Hopkins TL, Pyle TE. 1971. Anclote environmental project annual report, 1970. Mar Sci Inst. Univ South Fla, St. Petersburg, 134 p.
- Humm HJ. 1956. Epiphytes of the seagrass, *Thalassia testudinum*, in Florida. Bull Mar Sci Gulf Carib 14:306-341.
- Humm HJ. 1956. Sea grasses on the northern Gulf Coast. Bull Mar Sc Gulf Carib 6:305-308.
- Huntsman AG. 1932. Disease in eelgrass. Biol Bd Canada, Progress Reports 1932:11-14.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Hurley LM. 1990. Field guide to the submerged aquatic vegetation of Chesapeake Bay. United States Department of interior, Fish and Wildlife Service, Chesapeake Bay Estuary Program, Annapolis, Maryland.
- Hutchings PA, Recher HR. 1974. The fauna of Careel Bay with comments on the Ecology of mangrove and sea-grass communities. Austr Zool 18:99-128.
- Hutchings PA, Recher HR. 1977. The management of mangroves in an urban situation. Mar Research in Indonesia 18:1-11.
- Hutchinson J. 1934. Families of flowering plants. Vol. 2. Monocotyledons. Oxford, Clarendon Press.
- Hutchinson J. 1948. British flowering plants. PR. Gawthorn, London.
- Hutomo, Malikusworo, Martosewojo S. 1977. The fishes of seagrass community on the west side of BurungIsland (Pari Islands, Seribu Islands) and their variations in abundance. Marine Research in Indonesia 17:147-172.
- Hyman LH. 1967. The invertebrates. Vol. Vi. Mollusca I. McGraw-Hill Book Co, New York.

-I-

- Iizumi H, Hatton A, McRoy CP. 1982. Ammonium regeneration and assimilation in eelgrass (*Zostera marina*) beds. Mar Bio 66:59-66.
- Iizumi H, Hattori A, McRoy CP. 1980. Nitrate and nitrite in interstitial waters of eelgrass beds in relation to the rhizosphere. J Exp Mar Eco 47:191-201.
- Iizumi H, Hattori A. 1982. Growth and organic production of eelgrass (*Zostera marina* L.) in temperate waters of the Pacific coast of Japan. iii. The kinetics of nitrogen uptake. Aquatic Botany 12:245-256.
- Ikemori M. 1970. The relation of leaf age to the translocation of carbon 14 and phosphorus 32 in *Halophila ovalis*. Rec Oceanogr Wks Jap 10:157-171.
- Isaac FM. 1968. Marine botany of the Kenya coast 4 angiosperms. J East Afr Natur Hist Soc Nat Mus 27(1): 9-47.
- Isaac WE, Isaac FM. 1968. Marine botany of the Kenya coast. 3. General account of the environment, flora and vegetation. J East Afr Natur Hist Soc Nat Mus.27(1):7-28.
- Ishibashi M, Yamamoto T. 1959. Chemical studies on the seaweeds. iii. The content of ash, sodium, and potassium in S/seaweeds. Rec Oceanogr Wks Jap. Spec No 3:109-115.

-J-

- Jachowski RL. 1970. Reproductive behavior of the emerald clingfish, *Acyrtrops beryllinus* (Hildebrand and Ginsburg). Z. Tierpsychol. 27(9):1100-1111.
- Jackson JBC. 1972. The ecology of the molluscs of *Thalassia* communities Jamaica West indies Part 2 Molluscan population variability along an environmental stress gradient. Mar Biol 14(4):304-337.
- Jacobs RPWM, Hartog CD, Braster BF, Carriere FC. 1981. Grazing of the seagrass *Zostera Noltii* by birds at Terschelling (Dutch Wadden Sea). Aquatic Botany 10:241-259.
- Jacobs RPWM, Pierson ES. 1979. *Zostera marina* spathes as a habitat for *Platynereis dumerilii* (Audouin and Milne-Edwards, 1834). Aquatic Botany 6:403-406.
- Jacobs RPWM, Pierson ES. 1981. Phenology of reproductive shoots of eelgrass, *Zostera marina* L., at Roscoff (France). Aquatic Botany 10(1):45-60.
- Jacobs RPWM. 1979. Distribution and aspects of the production and biomass of eelgrass, *Zostera marina* L., at Roscoff, France. Aquatic Botany 7:151-172.
- Jagels R. 1971. Ultrastructure and histochemistry of epidermal leaf cells of *Thalassia testudinum*. Amer J Bot 58(5 Part 2):452.
- Jagels R. 1973. Studies of the marine grass, *Thalassia testudinum*. 1. Ultrastructure of the osmoregulatory leaf cells. Amer J Bio 6:1003-1009.



- Jagtap TG, Untawale AG. 1981. Ecology of seagrass bed of *Halophila beccarii* (Aschers) in Mandovi Estuary, Goa. Indian J Mar Sci 10:402-404.
- Jarman P. 1961. The status of the Dugong (*Dugong dugon* Muller); Kenya, 1961. East African Wildl J 4: 82-88.
- Jefferies HP. 1961. Environmental relationships of benthic biota in coastal ponds. 1st Natl. Coastal Shallow Res Water Conf p 107-109.
- Jeffrey LM, Hood DW. 1958. Organic matter in sea water; an evaluation of various methods for isolation. J Mar Res 17:247-271.
- Jensen PB. 1914. Studies concerning the organic matter of the sea bottom. Rept Danish Biol Station 22:1-39.
- Jenter H, Rubicki N, Baltzer R, Carter V. 1991. Tidal mass exchange between a submerged aquatic vegetation bed and the main channel of the Potomac River. In: Proceedings 1991 Hydraulic Conference; 1990; Nashville, TN. American Society of Civil Engineers. p. 298-304.
- Jepps MW. 1931. Note on a marine *Labyrinthula*. J Mar Biol Assoc U. K. 17:833-838.
- Jepsen PU. 1970. Alteration of vegetation in Hjarbaek Fjord 1967-1969. Flora Fauna 76(3):99-108.
- Jepson WL. 1901. A flora of the western middle California. Encina Pub Co, Berkeley, Calif.
- Jepson WL. 1925. Flowering plants of California. Univ of California, Berkeley.
- Jepson WL. 1943. A Flora of California. Univ of California, Berkeley.
- Jepson WL. 1951. A manual of the flowering plants of California. Univ Calif. Press. 1238 p.
- Joanen T, Glasgow LL. 1965. Factors influencing the establishment of widgeongrass stands in Louisiana. 19th Ann Meeting, S E Assoc Game and Fish Comm.
- Johnson DS, Skutch AF . 1928. Littoral vegetation on a headland of Mt. Desert Island. I. Submersible or strictly littoral vegetation. Ecology 9(2):188-215.
- Johnson DS, York HH. 1915. The relation of plants to tide levels, a study of factors affecting the distribution of marine plants at Cold Spring Harbor, Long Island, New York. Carnegie Inst Wash Pub 206.
- Johnson TW Jr, Sparrow FK Jr. 1961. Fungi in oceans and estuaries. Cramer J, Weinheim.
- Johnston CS. 1969. Studies on the ecology and primary production of Canary Islands marine algae. Proceedings 6th Intl seaweed symp:213-222.
- Johnston RK, Munns WR Jr, Short FT, Hahn S. 1994. The use of ecological risk assessment data to establish surface water and sediment media protection standards for the Portsmouth Naval Shipyard Kittery, Maine USA. Proceedings of the Environmental Restoration Opportunities Conference, Oct 25-27, Munich.
- Johnston RK, Munns WR Jr, Short FT, Walker HA. editors. 1994. An Estuarine Ecological Risk Assessment Case Study for Portsmouth Naval Shipyard, Kittery, Maine. Naval Command, Control and Ocean Surveillance Center and US Environmental Protection Agency, Environmental Research Laboratory Narragansett.
- Johnstone IM, Hudson BET. 1981. The Dugong diet: mouth sample analysis. Bull Mar Sci 31:681-690.
- Johnstone IM. 1975. The sea-grasses of the Port Moresby Region. An introductory guide to their taxonomy, Ecology and distribution. Univ of Papua New Guinea, Dept of Biol, Occasional Paper No. 7.
- Johnstone IM. 1979. Papua New Guinea seagrasses and aspects of the biology and growth of *Enhalus acoroides* (L.F.) Royle. Aquatic Botany 7:197-208.
- Jones GF. 1969. The benthic macrofauna of the mainland shelf of southern California. Allan Hancock Monogr. Mar Biol 4:219p.
- Jones GN. 1936. A botanical survey of the Olympic Peninsula, Washington. Univ Washington Pub Bot 5: 1-286.
- Jones NS. 1950. Marine bottom communities. Biol Rev 25:238-313.
- Jones R, Chase JA. 1975. Community structure and distribution of fishes in an enclosed high island lagoon in Guam. Micronesica 11:127-148.



- Jones RD, Jones D. 1966. The process of family disintegration in Black Brant. Wildfowl trust. 17th Ann Rep. p. 75-78.
- Jones RD. 1965. Returns From Steller's Eiders banded at Izembek Bay, Alaska. Wildfowl Trust. 16th Ann. Rep. p. 3-85.
- Jones RD. 1970. Reproductive success and age distribution of Black Brant. J Wildlife Management 34(2): 328-333.
- Jones TW, Estes PS. 1983. Uptake and phytotoxicity of soil-sorbed atrazine for the submerged aquatic plant, *potamogeton perfoliatus* L. Arch Env Cont Tox 13:237-41
- Jones TW, Estes PS. 1984. Uptake and phytotoxicity of atrazine and its metabolites in submerged macrophytes. J Envi Qual 13:243-47
- Jones TW, Kemp WM, Estes PS, Stevenson JC. 1986. Uptake, release, and photosynthetic inhibition of atrazine in the submersed macrophyte *Potamogeton perfoliatus*. Arch Envi Cont Toxi 15:277-82
- Jones TW, Kemp WM, Stevenson JC, Means JC. 1982. Degradation of atrazine in estuarine water/sediment and selected soils. J Envir Qual 11:632-8
- Jones TW, Winchel L. 1983. Uptake and photosynthetic inhibition by atrazine and its degradation products on four species of submerged aquatic vegetation. J Env Qual 13:243-47
- Jorgensen BB, Fenchel T. 1974. The sulfur cycle of a marine sediment model system. 24:189-201.
- Jorgensen CA, T. Sorensen, and M. Westergaard. 1958. The Flowering Plants of Greenland. A Taxonomical and cytological survey. Dansk Vidensk Selsk Biol Skr 9: 1-172.
- Jorgensen NOG, Blackburn TH, Henriksen K, Bay D. 1981. Importance of *Posidonia oceanica* and *Cymodoce nodosa* as contributors of free amino acids in water and sediment of seagrass sedts. Mar Ecol 2: 97-112.
- Joshi G, Dolan T, Gee R, Satman P. 1962. Sodium chloride effect on dark fixation of CO² by marine and terrestrial plants. Plant Physiology 37(3):446-449.
- Jupp BP. 1977. The effects of organic pollution on benthic organisms near Marseille. Intern J Environ Tud 10(2):19-123.

-K-

- Kahn JR, Kemp WM. 1984. Economic losses associated with the degradation of an ecosystem: the case of submerged aquatic vegetation in Chesapeake Bay. Journ Env Economic Management 12:246-263
- Kalugina AA. 1970. The bottom vegetation along the shores of the Black Sea in the Transcaucasus. From Ref. Zh. Biol. o. 1.
- Kartawinata K, Walujo EB. 1977. A preliminary study of the mangrove Fforest on Pulau Rambut, Jakarta Bay. Marine Research in Indonesia 18:119-129.
- Kay QON. 1971. Floral structure in the marine angiosperms *Cymodocea serrulata* and *Thalassodendron ciliatum* (*Cymodocea Ciliata*). Bot Journ Linn Soc 64(4):423-429.
- Keddy CJ, Patriquin DG. 1978. An annual form of eelgrass in Nova Scotia. Aquatic Botany 5(2):163-170.
- Keigher G J, Coates DG. 1981. Chromosome counts in *Posidonia* (*Posidoniaceae*). Plant Syst Evol 137: 221-222.
- Keller M, Harris SW. 1966. The growth of eelgrass in relation to tidal depth. J of Wildlife Management 30(2):280-285.
- Kellerhalls P, Murray JW. 1969. Tidal flats at Boundary Bay, Fraser River Delta, British Columbia. Bull Canadian Petrol Geol 17:67-91.
- Kelly JA Jr, Fuss CM Jr, Hall JR. 1971. The transplanting and survival of turtle grass *Thalassia testudinum* in Boca Ciega Bay Florida. US Fish Wildl Serv Fish Bul 69(2):273-280.
- Kelly MG, Castiglione L. 1970. Aerial photographic studies of the coastal waters of New York and Long Island. Report For US Naval Oceanog off Cont. N62306-70-A-0073-0003 to NYU.

- Kelly MG, Conrod A. 1969. Aerial photographic studies of shallow water benthic ecology. *Remote Sensing in Ecology.* p 173-184.
- Kelly MG, Conrod A. 1969. Aerial photography. *Bioscience* 19(4):352-353.
- Kelly MG. 1970. Patterns of distribution of coastal biota, remote sensing, and conservation of resources. In: *Hydrobiology: bioresources of shallow water environments*, Proceedings Am Water Res Assoc.
- Kelly MG. 1980. Remote sensing of seagrass beds. In: Phillips RC, McRoy CP, editors. *Handbook of seagrass press*, New York p 69-85. *Biology: an ecosystem perspective*, Garland Stpm.
- Kemp WM, Boynton WR, Cunningham JJ, Stevenson JC, Jones TW, Means JC. 1985. Effects of atrazine and linuron on photosynthesis and growth of the macrophytes, *potamogeton perforatus L.* and *myriophyllum spicatum L.*, in an estuarine environment. *Mar Envi Res* 16:255-80
- Kemp WM, Boynton WR, Twilley RR, Stevenson JC, Means JC. 1983. The decline of submerged vascular plants in upper Chesapeake Bay: summary of results concerning possible causes. *Mari Tech Soc J* 7:78-89
- Kemp WM, Boynton WR, Twilley RR, Stevenson JC, Ward LG. 1984. Influences of submersed vascular plants on ecological processes in upper Chesapeake Bay. In: Kennedy V, editor. *The estuary as a filter*. New York: Academic Press p 367-94.
- Kemp WM, Boynton, Hermann AJ. 1983. A simulation modeling framework for ecological research in complex systems: the case of submerged vegetation in upper Chesapeake Bay. In: *Marine Ecosystem Modeling*. Proceedings from Workshop. p 131-58.
- Kemp WM, Lewis ML, Jones TW. 1986. Production measurements for the submersed macrophyte *Potamogeton perforatus L.*, in an estuarine environment: methodological considerations. *Limn Ocea* 31:1322-34
- Kemp WM, Lewis MR, Jones TW. 1984. Effects of atrazine and linuron on photosynthesis and growth of the macrophytes, *potamogeton perforatus L.* and *myriophyllum spicatum L.*, in an estuarine environment. *Limn Ocea* 31:1322-34
- Kemp WM, Lewis MR, Jones TW. 1986. Comparison of methods for measuring production by the submersed macrophyte, *potamogeton perforatus L.* *Limn Ocea* 31:1322-34
- Kemp WM, Means JC, Jones TW, Stevenson JC. 1982. Herbicides in Chesapeake Bay and the effects of submerged aquatic vegetation. In: *Ches Bay Prog Tech Stud*. Washington: US EPA. Report nr 1295. 503-67 p.
- Kemp WM, Murray L. 1986. Oxygen release from roots of the submersed macrophyte, *Potamogeton perforatus L.*: regulating factors and ecological implications. *Aqua Bota* 26:271-83
- Kemp WM. 1984. Seagrass ecosystems as a coastal resource. *Mar Tech Society Journ* 17:3-5
- Kenworthy WJ, MF. 1977. Reciprocal transplant of the seagrass *Zostera marina*. Effect of substrate on growth. *Aquaculture* 12:197-213.
- Kerwin JA, Munro RE, Peterson W. 1975. Distribution and abundance of aquatic vegetation in the upper Chesapeake Bay 1971-1973. In: Davis J, editor. *Impact of tropical storm Agnes on Chesapeake Bay*. Chesapeake Research Consortium. p. D1-D21.
- Kerwin JA, Munro RE, Peterson WWA. 1977. Distribution and abundance of aquatic vegetation in the upper Chesapeake Bay, 1971-1974. In: Davis J, editor. *The effects of tropical storm Agnes on the Chesapeake Bay estuarine system*. Chesapeake Research Consortium, inc. Publication No. 54. Maryland: Baltimore. p 393-400.
- Kikuchi T. 1961. An ecological study on animal community of *Zostera* belt in Tomioka Bay, Amakusa, Kyushu. Community composition (1) fish fauna. *Rec Oceanogr Wks Jap*, Spec No 5:211-213.
- Kikuchi T. 1962. An ecological study on animal community of *Zostera* belt in Tomioka Bay, Amakusa, Kyushu. Community composition. (2) decapod crustaceans. *Rec Oceanogr Wks Jap*, Spec No 6:135-146.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Kikuchi T. 1964. Ecology and biological production of Lake Naka-Umi and adjacent regions. 3. Macro-Benthic communities of Lake Kinji-Ko and Lake Naka-Umi. Spec Pub From Seto Marine Biol Lab Ser II., Pt. I, No I.
- Kikuchi T. 1966. An ecological study on animal communities of the *Zostera marina* belt in Tomioka Bay, Amakusa, Kyushu. Publication Amakusa Mar Biol Lab 1:1-106.
- Kikuchi T. 1968. Faunal list of the *Zostera marina* belt in Tioioka Bay Amakusa, Kyushu. Publication Amakusa Mar Biol Lab, Kyushu Univ 1:163-192.
- Kikuchi T. 1968. The zoological environment of the Amakusa Marine Biological Laboratory. Publication Amakusa Mar Biol Lab 1(2):117-127.
- Kikuchi T. 1974. Japanese contribution on consumer ecology in eelgrass (*Zostera marina* L.), Beds with special reference to trophic relationships and resources in inshore fisheries. Aquaculture 4:145-160.
- Kikuchi T. 1980. Faunal relationships in temperate seagrass beds. In: Phillips RC, McRoy CP, editors. Handbook of seagrass press, New York p 153.172. Biology: An ecosystem perspective, Garland Stpm.
- Kikuchi, T. 1977. Consumer ecology of seagrass beds. In: McRoy CP, Helfferich C, editors. Seagrass Ecosystems: Scientific Perspective, M. Dekkar, New York Chap 5.
- Killgore KJ, Morgan RP II, Rybicki N. 1989. Seasonal and temporal distribution and abundance of fishes associated with submersed aquatic plants. North American Journ of Fisheries Management 9:101-111
- Kindig AC, Littler MM. 1980. Growth and primary productivity of marine macrophytes exposed to domestic sewage effluents. Mar Environ Research 3:81-100.
- Kireyeva MS. 1960. Distributions and resources of macrophytes in southern maritime territory. Tr. Okeanogr Komis 10(4):.
- Kirkman H, Cook IH, Reid DD 1982. Biomass and growth of *Zostera capricorni* in Port Hacking New South Wales, Australia. Aquatic Botany 12:57-68.
- Kirkman H, Reid DD. 1979. A study of the role of the seagrass *Posidonia australis* in the carbon budget of an estuary. Aquatic Botany 7:173-183.
- Kirkman H, Young PC. 1981. Measurement of health, and echinoderm grazing on *Posidonia oceanica* (L.) Delile. Aquatic Botany 10:329-338.
- Kirkman H. 1975. A description of the seagrass communities of Stradbroke Island. Proceedings Royal Soc Queensland 86:129-131.
- Kirkman H. 1975. Male floral structure in the marine angiosperm *Cymodocea serrulata* (R. Br.) Scherson & Magnus (Zannichelliaceae). Bot J Linn Soc 70:267-268.
- Kirkman H. 1976. A review of the literature on seagrass related to its decline in Moreton Bay, Qld Csiro Div of Fisheries and Oceanography Report No. 64.
- Kirkman H. 1978. Decline of seagrass in northern areas of Moreton Bay, Queensland. Aquatic Botany 5(1): 63-76.
- Kirkman H. 1978. Growing *Zostera capricorni* Aschers in Tanks. Aquatic Botany 4:367-372.
- Kirkman H. 1979. The release of reactive phosphate by a *Posidonia australis* seagrass community. Aquatic Botany 6:329-337.
- Kita T, Harada E. 1962. Studies on the epiphytic communities. I. Abundance and distribution of microalgae and small animals on the *Zostera* blades. Publication Seto Mar Biol Lab, Kyoto Univ 10(2): 245-257.
- Kitamori R, Kobayashi S. 1958. The ecological study on "Moba" (Zone of *Zostera marina* L.) (1) phase of early summer. Bull Naikai Reg Fish Res Lab 11:7-16.
- Kitamori R, Nagata K, Kobayashi S. 1959. The ecological study on "Moba" (Zone of Zoster Marina L.) (ii) seasonal changes. Bull Naikai Reg Fish Res Lab 12:107-199.
- Kitamori R. 1963. Studies on the benthos communities of littoral areas in the Seto-inland Sea and adjacent waters. Bull Naikai Reg Fish Res Lab 21:1-90.
- Klotz RL, Knight JL. 1974. The ecology of eelgrass (*Zostera marina* L.). Report to Northeast Utilities, Inc; Univ Conn Storrs, Conn.



- Klug MJ. 1980. Detritus-decomposition relationships. In: Phillips RC, McRoy CP, editors. Handbook of seagrass press, New York p 225-245. Biology: an ecosystem perspective, Garland Stpm.
- Knauer GA, Ayers AV. 1977. Changes in carbon, nitrogen, atp and chlorophyll a in decomposing *Thalassia testudinum* leaves. Limnol Oceanogr 22(3):408-414.
- Knight JB. 1934. A salt-marsh study. Amer Journ Sci 28:161-181.
- Knowlton FH. 1889. A catalogue of Cretaceous and Tertiary plants of North America. US Geol Surv Bull No 152.
- Koch SJ, Elias RW, Smith BN. 1974. Influence of light intensity and nutrients on laboratory culture of seagrasses. Contr Mar Sci. Univ Texas 18:211-227.
- Kock RL, Tsuda RT. 1978. Seagrass assemblages of Yap, Micronesia. Aquatic Botany 5(3):245-249.
- Kohlmeyer J. 1971. Fungi from the Sargasso Sea. Mar Biol 8(4):344-350.
- Kohlmeyer J. 1981. Marine fungi From Martinique French Antilles. Canad J Bot 59:1314-1321.
- Kohn AJ. 1964. Notes on Indian Ocean atolls visited by the Yale Seychelles Expedition. Atoll Research Bulletin 101:.
- Kojima K. 1981. Growth of the Red Sea bream *Pagurus major* in young stages in Yaya Bay, the Japan Sea. Bull Seikai Reg Fish Res Lab Xx(56):55-70.
- Kollar SA. 1985. SAV reestablishment results. Upper Chesapeake Bay. In: Coastal Zone '85. Proceedings of the Fourth Symposium on Coastal and Ocean Management. 1985. p 759-777.
- Korennikov SP. 1975. The characteristic features of the present distribution of economically important sublittoral algal associations in the Dvina, Onega and Kandalaksha Gulfs of the White Sea. Rastit Resur 11: 42-51.
- Kornas J, Pancer E, Brzyski B. 1960. Studies on the sea-bottom vegetation in the Bay of Gdansk off Rewa Fragm Flor Geobot 6:3-92.
- Kornas J. 1959. Seabottom vegetation of the Bay of Gdansk off Rewa. Bull Acad Polon Sci, Ser Sci Biol Cl 2. 7(1):5-10.
- Kornas J. 1975. The occurrence of angiosperms in the marine environment. Wiad Bot 19(1):7-22.
- Krasnick G, Caperon J. 1973. Primary productivity in a nutrient-limited tropical estuary. Pacific Sci 27(2): 189-196.
- Kulczycki GR, Virnstein RW, Nelson WG. 1981. The relationship between fish abundance and algal biomass in seagrass-drift community. Estuarine Coastal Mar Sc 12:341-348.
- Kuo J, Cambridge ML. 1978. Morphology, anatomy and Histochemistry of the Australian Seagrasses of the Genus *Posidonia* Konig (*Posidoniaceae*). Ii. Rhizome and root of *Posidonia australis* Hook. F. Aquatic Botany 5:191-206.
- Kuo J, Mccomb AJ, Cambridge ML. 1981. Ultrastructure of the seagrass rhizosphere. New Phytol 89:139-143.
- Kuo J. 1978. Morphology, anatomy and histochemistry of the australian seagrasses of the genus *Posidonia* Konig (*Posidoniaceae*). I. Leaf blade and leaf sheath of *Posidonia australis* Hook. F. Aquatic Botany 5(2): 171-190.
- Kurata H. 1963. Ecology of shrimps on the eelgrass bed. 1. *Spirontocaris propugnatrix*. Bull Hokkaido Fish Res Lab 26:81-85.
- Kurata H. 1963. Ecology of shrimps on the eelgrass bed. 2. *Leander macrodactylus* and others. Bull Hokkaido Fish Res Lab 26:86-91.
- Kurata H. 1963. Ecology of shrimps on the eelgrass bed. 3. Shrimps in relation to their environment. Bull Hokkaido Fish Res Lab 26:92-96.

-L-

- Lackey JB. 1964. The ecology of plankton algae. In: Jackson DF, editor. Algae and man, lectures presented at Nato Advanced Study Inst, Plenum Press, New York.



- Land LS. 1970. Carbonate mud: Production by epibiont growth on *Thalassia testudinum*. *J Sed Petrol* 40(4):1361-1363.
- Lappalainen A. 1973. Biotic fluctuations in a *Zostera marina* community. *Oikos Supp* 15:11.
- Lappalainen A. 1973. Species diversity of macrobenthos in a *Zostera marina* community. *Third Baltic Symp. Mar Bio*, Helsinki/Helsingfors.
- Larkum AWD. 1973. The marine plants of Jervis Bay. *Operculum* 3:43-45.
- Larkum AWD. 1976. Ecology of Botany Bay. I. Growth of *Posidonia australis* (Brown) Hook. F. In *Botany Bay and other bays of the Sydney Basin*. *Austr Journ Mar Freshwater Res* 27:117-127.
- Larkum AWD. 1976. Some recent research on seagrasses in Australia. In: McRoy CP, Helfferich C editors. *Seagrass ecosystems: A scientific serspective*, Dekker, New York.
- Lasker Ruben, Giese AC. 1954. Nutriition of the sea urchin, *Strongylocentrotus purpuratus*. *Biol Bull* 106(3):328-340.
- Latham R. 1969. Sea turtles recorded in Southold Township region of Long Island. *Engelhardtia* 2:7.
- Lausi D. 1973. First experiments with cartography of undersea plant groupings. *Inf Bot Ital* 4(3):272-275.
- Lawrence GHM. 1962. Taxonomy of vascular plants. Macmillan Co, New York.
- Le Danois, E. 1957. Marine life of coastal stern Europe. G.G. Harrap and Co, Ltd, London. 119 p.
- Le Gall J. 1969. Study of the endo fauna of soft sea bottoms characterized by superficial *Zosteraceae* in the Bay of Castiglione Algerian Coast. *Tethys* 1(2):395-420.
- Leavitt RG. 1904. Trichomes of the root in vascular cryptogams and angiosperms. *Proceedings Boston Soc Nat Hist* 31:273-313.
- Ledoyer M. 1967. Gammarid amphipods of marine phanerogams from the region of Tulear Malagasy Republic systematic and ecological study. *Rec Trav Sta Mar Endoume Fac Sci Mars Suppl* 4:7-56.
- Lee J J, Bock WD. 1976. The importance of feeding in two species of soritid foraminifera with algal symbionts. *Bul Mar Sci* 26(4):530- 537.
- Lee JJ, Tenore KR, Tietjen HH, Mastropaoilo C. 1975. An experimental approach toward understanding the role of meio fauna in a detritus based marine food web. In: Cushing CE Jr. editor. *Radioecology and energy resources*, Proc of the fourth national symp, Corvallis, Oregon, Ecol Soc Amer Special Publication No 1.
- Lee WL, Gilchrist BM. 1972. Pigmentation, color change and the ecology of the marine isopod *Idotea resecat* (Stimpson). *J Exp Mar Biol Ecol* 10:1-27.
- Lefebvre LW, Easton DE, Langtimm CA, Provancha JA, Kenworthy WJ, Seagrass ecology in selected manatee feeding areas.
[\(http://www.fcsc.usgs.gov/Manatees/Manatee_Sirenia_Project/\)](http://www.fcsc.usgs.gov/Manatees/Manatee_Sirenia_Project/)
- Lejeune P, Boveroux JM, Voss J. 1980. Observations of the reproductive behavior of *Serranus scriba* (Pices: Serranidae) Synchronous hermaphroditic fish. *Cybium* 3:73-80.
- Leopold AS, Smith RH. 1953. Numbers and winter distribution of Pacific Black Brant in North America. *Calif Fish Game* 39(1):95-101.
- Lerman M. 1985. Marine biology: environment, diversity, and ecology. Benjamin/Cummings Publishing Company, Inc.: California.
- Lewis F, Graham I, Stoner AW. 1981. An examination of methods for sampling macrobenthos in seagrass Meadows. *Bull Mar Sci* 31:116-124.
- Lewis HF, Cottam C. 1936. Eelgrass and oher waterfowl foods - present status and future prospects. *Proceedings North Amer Wildlife Conf* 1936:498-501.
- Lewis HF. 1931. The relation of Canada Geese and Brant to the commercial gathering of eelgrass in the St. Lawrence Estuary. *Canad Field-Nat* 45(3):57-62.
- Lewis HF. 1932. The eelgrass situation on the Atlantic Coast. *Amer Game Conf Trans* 19:411-423.
- Lewis IF, Taylor WR. 1933. Notes from the Woods Hole Laboratory, 1932. *Rhodora* 35:147-154.

- Lewis JB. 1975. A preliminary description of the coral reefs of the Tobago Cays, Grenadines, West Indies. Atoll Research Bulletin 178:1-9 (+ 9 Figs).
- Lewis JR. 1964. The Ecology of rocky shores. English Univ Press, London. 323 p.
- Lewis MS, Taylor JD. 1966. Marine sediments and bottom communities of the Seychelles. Phil Trans Royal Soc Series a 259:279-290.
- Lewis RR., Iii, Phillips RC. 1980. Occurrence of seeds and seedlings of *Thalassia testudinum* Banks Ex Konig in the Florida Keys (U.S.A.). Aquatic Botany 9:377-380.
- Lewis RR., Iii., Phillips RC. 1981. Experimental seagrass mitigation in the Florida Keys. In: Carey RC, Markovits PA, Kirkwood JB, editors. Proceedings US Fish and Wildlife Service workshop on coastal ecosystems of the southeastern United States. US Fish and Wildl Serv. Office Biol Serv. Wash, DC Fws/Obs-80-59:143-152.
- Light SF, Smith RI, Pitelka FA, Abbott DP, Weesner FM. 1954. Intertidal invertebrates of the Central California Coast Univ of California Press, Berkeley.
- Limbaugh C, Shepard FP. 1957. Submarine canyons. In: Hedgpeth JW, editor. Treatise on marine ecology and paleoecology, Geol Soc Amer Memoir 67, Vol I:633-639.
- Lindley J, Moore T, editors. 1976. The treasury of botany: a popular dictionary of the vegetable kingdom. Pt. II. Longmans, Green and Co 1252 p.
- Lipcius RN, Olmi EJ III, Van Montfrans J. 1990. Planktonic availability, molt stage and settlement of blue crab postlarvae. Mari Eco Progress Series 58:235-242
- Lipkin Y, Avidor A. 1974. *Tetramyxa marina* a new plasmodiophoracean marine parasite. Nova Hedwigia 25:799-810.
- Lipkin Y. 1972. Marine algal and sea-grass flora of the Suez Canal (The significance of this flora to the understanding of the recent migration through the canal). Israel J Zool 21:405-446.
- Lipkin Y. 1972. Vegetation of the Bitter Lakes in the Suez Canal Water System. Israel J Zool 21:447-457.
- Lipkin Y. 1975. A history, catalog and bibliography of Red Sea seagrasses. Israel J Bot 24(2-3):89-105.
- Lipkin Y. 1975. Food of the red sea Dugong (*Mammalia: Sirenia*) from Sinai. Israel J Zool 24:81-98.
- Lipkin Y. 1975. *Halophila stipulacea*, a review of a successful immigration. Aquatic Botany 1:203-215.
- Lipkin Y. 1977. Centroceras, the missile launching marine red alga. Nature 270(5632):48-49.
- Lipkin Y. 1977. Seagrass vegetation of Sinai and Israel. In: McRoy CP, Helfferich C editors. Seagrass ecosystems: Scientific Perspective, M. Dekker, New York Chap 9.
- Lipkin Y. 1979. Quantitative aspects of seagrass communities, particularly of those dominated By *Halophil stipulacea*, in the Sinai (Northern Red Sea). Aquatic Botany 7:119-128.
- Lippson AJ. 1973. The Chesapeake Bay in Maryland: an atlas of natural resources. The Johns Hopkins Univ Press. 55 p.
- Lipschultz F, Cunningham JJ, Stevenson JC. 1979. Nitrogen fixation associated with four species of submerged angiosperms in the Central Chesapeake Bay. Estuarine Coastal Mar Sci 9:813-818.
- Lipschultz FJ, Cunningham JJ, Stevenson JC. 1979. Nitrogen fixation associated with four species of submersed angiosperms in the central Chesapeake Bay. Estu Coast Shelf Sci 9:813-8
- Little EJ, Quick JA Jr. 1976. Ecology, resource rehabilitation and fungal parasitology of commercial oysters (*Crassostrea virginica*) in Pensacola estuary, Florida. Florida Mar Res Publication 21:1-89.
- Littler MM, Murray SN. 1975. Impact of sewage on the distribution, abundance, and community structure of rocky intertidal macroorganisms. Mar Biol 30:277-292.
- Littler MM. 1974. The primary productivity of marine macrophytes from a rocky intertidal community. Mar Bio 27:131-135.
- Liu T, Yang YP. 1974. The floristic relationship of the islets to the main island Taiwan. Quarterly J of Chinese Forestry 7:69-114.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Livingston RJ, Iverson RL, Estabrook RH, Keys VE, Taylor J Jr. 1975. Major features of the Apalachicola Bay system: Physiography, biota, and resource management. Florida Scientist 37:245-271.
- Livingston RJ. 1975. Impact of Kraft pulp-mill effluents on estuarine and coastal fishes Apalachee Bay, Florida, USA. Mar Biol 32:19-48.
- Livingston RJ. 1982. Trophic organization of fishes in a coastal seagrass system. Mar Ecol Progr Ser 7:1-12.
- Lobel PS, Ogden JC. 1981. Foraging by the herbivorous parrotfish *Sparisoma radians*. Mar Biol 64:173-183.
- Lot-Helgueras A. 1977. General status of research on seagrass ecosystems in Mexico. In: McRoy CP, Helfferich C. editors. Seagrass ecosystems: a scientific perspective, M. Dekkar, New York Chap 7.
- Loudon M, Wooster D. 1980. Loudon's encyclopaedia of plants. Longmans, Green & Co, London.
- Love A, Love D. 1942. Chromosome numbers of Scandinavian plant species. Bot Notiser 1942:19-59.
- Love A, Love D. 1948. Chromosome numbers of northern plant species. Univ Inst Appl Sci, Dep Agr. Series B, No 3:1-131.
- Lubel MA. 1981. Vertical distribution of the ciliates in the sediment of *Thalassia testudinum*. Bull Mar Sci 31:811.
- Luckenbach ML, Orth RJ. 1992. Swimming velocities and behavior of blue crab (*Callinectes sapidus* Rathbun) megalopae in still and flowing water. Estuaries 15:186-92
- Luckenbach MW, Orth RJ. 1999. Effects of a deposit-feeding invertebrate on the entrapment of *Zostera marina* L. seeds. Aqua Bota 62:235-47
- Ludwig M. 1976. Environmental assessment of the use of explosives for selective removal of eelgrass (Zoster Marina). 2nd Confr On the Env effects of explosives and explosions, Oct. 13-14, Naval Surface Weapons Center, White Oak, Md.
- Lund S. 1936. On the production of matter and the growth in some benthic plants. Rept Danish Biol Station 41:37-52.
- Lundberg B, Lipkin Y. 1979. Natural food of the herbivorous rabbitfish *Siganus* sp. In the Northern Red Sea. Bot Mar 22(3):173-182.
- Lyle L. 1923. Distribution of the marine flora of the Channel Islands compared with that of the coasts of Western Europe. J Eco 11:77-92.
- Lynch J, Cottam C. 1947. Status of eelgrass (*Zostera marina*) on the North Atlantic coast, January 1937. US Bur Biol Sur Leaflet Bs-94.
- Lyngby JE, Brix H, Schierup HH. 1982. Absorption and translocation of zinc in eelgrass (*Zostera marina* L.). J Mar Bio Ecol 58:259-270.
- Lynn MJ, McGurk J. 1934. Botanical survey of northern Ireland. Coastal survey: Ix. Killough and Coney Island. Irish Natur J 5:52-56.
- Lynn MJ. 1936. The scarcity of *Zostera marina* (Slitch, eelgrass Or grass-wrack) in Strangford Lough. Irish Nat J 6:107-117.
- Lynts GW. 1966. Relationship of sediment-size distribution to ecologic factors in Buttonwood Sound, Florida Bay. J Sed Petrol 36:66-74.

-M-

- Macalister EG, Orth RJ. 1984. Chesapeake Bay's underwater forests.. Sea Frontiers 20:115-121
- Mace TF, Mackie GO. 1970. A study of an estuarine lagoon, with particular reference to cordylophor lacustris. Canad Journ Zool 48(6):1454-1456
- Macginitie GE, Macginitie N. 1949. Natural history of marine animals. McGraw-Hill Book Co, New York.
- Macginitie GE. 1935. Ecological aspects of a California marine estuary. Amer Midl Natur 16:629-765.
- Macginitie GE. 1939. Littoral marine communities. Amer Midl Natur 21(1):28-55.



- Maciolek JA.,Brock R. 1974. Aquatic survey of the Kona coast ponds, Hawaii Island. Univ Hawaii Sea Grant Advisory Report, Unihi-Seagrant-Ar-74-04.
- Maciolek NJ. 1981. *Spionidae annelida polychaeta* from the Galapagos Rift geothermal vents Pacific Ocean. Proceedings Biol Soc Wash 94:826-837.
- Macloed R, Congalton R, Short F. 1995. Using quantitative accuracy assessment techniques to compare various change detection algorithms for monitoring eelgrass distributions in Great Bay, NH generated from Landsat TM data. Proceedings of the sixty-first annual meeting of the American Society of Photogrammetry and Remote Sensing, Charlotte, North Carolina. 3:876-885.
- Macnae W (Ed), Kalk M (Ed). 1958. A natural history of Inhaca Island, Mocambique. Witwatersrand Univ. Pr: Johannesburg, S. A. 163 p.
- Macnae W, Kalk M. 1962. The flora and fauna of Sand Flats at Inhaca Island, Mocambique. Journ Anim Ecol 31: 93-128
- Macnae W. 1957. The ecology of plants and animals in the intertidal regions of the Zwartokops estuary near Port Elizabeth, South Africa. Journ. Ecol 45:113-130; 361-387
- Macoun J. 1888. Catalogue of Canadian plants. Montreal.
- Madden CJ, Kemp WM. 1996. Ecosystem model of an estuarine submersed plant community: calibration and simulation of eutrophication responses. Estuaries 19(2B):457-474
- Maeda, Masaakira, Koshikawa M, Nisizawa K, Takano. K 1966. Cell wall constituents, especially pectic substances of a marine phanerogam *Zostera marina*. Bot Mag 79:422-426
- Maggi P. 1972. The growth of *Posidonia* and the urban pollution in the Gulf of Geins. Ann Inst Michel Pacha 5: 1-11
- Main SP, Mcintire CD. 1972. Epiphytic diatoms in Yaquina Estuary, Oregon. Journ of Phycology 8: 11
- Makins FK. 1957. Concise flora of Britain. Oxford: Clarendon Press.
- Man EH, Thorhaug A, Bada JL. 1973. A new method for analysis of amino acids in benthic macro-algae and macro-plants. Journ of Phycology 9(Suppl): 9
- Mandelli EF, Botello AV. 1978. Distribution of n-paraffins in sea grasses, benthic algae, oysters and recent sediments from Terminos Lagoon, Campeche, Mexico. Bull Environ Contamin Toxicol 19:162-170
- Mann KH. 1972. Ecological energetics of the seaweed zone in a marine bay on the Atlantic coast of Canada. Part 1. Zonation and biomass of seaweeds. Mar Biol 12(1): 1-10.
- Mann KH. 1972. Ecological energetics of the seaweed zone in a Marine Bay on the atlantic coast of Canada. Part 2. Productivity of the Seaweeds. Mar. Biol. 14: 199-209.
- Mann KH. 1972. Macrophyte production and detritus food chains in coastal waters. Mem Inst Ital Idrobiol 29: 353-383
- Mann KH. 1973. Seaweeds: Their productivity and strategy for growth. Science 182: 975-981
- Mann KH. 1975. Relationship between morphometry and biological functioning in three soastal inlets of Nov Scotia. In: Cronin LE (Ed.) Estuarine Research, Vol 1, Chemistry, biology, and the estuarine system, Academic Press, New York. p 634-644.
- Margalef R, Rivero JA. 1958. Succession and composition of the *Thalassia* community. Assoc Island Marine Labs of the Caribbean, 2nd Meeting, p 19: 21.
- Margalef R. 1963. Succession in marine populations. In: Vira R. editor. Advancing frontiers of plant sciences. 2: 127-188.
- Markgraf F. 1972. Definition of *Zostera marina* var. *Angustifolia*. Taxon 21: 715-716
- Markham JW, Munda IM. 1977. A find of *Zostera marina* at Helgoland, Germany. Aquatic Botany 3(1): 91-93
- Marmelstein AD, Morgan PW, Paquegnat WE. 1968. Photoperiodism and related ecology in *Thalassia testudinum*. Bot Gaz 129(1): 63-67
- Marsh GA. 1973. The *Zostera* epifaunal community in the York River, Virginia. Chesapeake Science 14: 87-97



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Marsh GA. 1973. The *Zostera* epifaunal community in the York River, Virginia. Chesapeake Sci 14:87-97
- Marsh GA. 1976. Ecology of the gastropod epifauna of eelgrass in a Virginia estuary. Chesapeake Science 17: 182-187
- Marsh GA. 1976. Ecology of the gastropod epifauna of eelgrass in a Virginia estuary. Chesapeake Sci 17:182-187
- Marshall A, Lewis R, Thorhaug A. 1981. Discussion V - Ecology of sea grasses and coral reefs. In: Carey RC, Markovits PS, Kirkwood JB. Editors. Proceedings of the U.S. Fish and Wildlife Service Workshop on Coastal Ecosystems of the Southeastern United States, U.S. Fish and Wildlife Service, office of Biological Services, Wash. D.C., Fws/Obs-80/59: 179-183.
- Marshall N, Lukas K. 1969. Preliminary observations on the properties of bottom sediments with and with out eelgrass *Zostera marina* cover. Proceedings Natl Shellfish Assoc 60: 107-111.
- Marshall N. 1947. An abundance of bay scallops in the absence of eelgrass. Ecology 28: 321-322
- Marshall SM, Orr AP. 1948. Further experiments on the fertilization of a sea loch (Loch Craiglin). The effect of different plant nutrients on the phytoplankton. Journ. Mar. Biol. Assoc. U. K. 27(2): 360-379
- Martin AC, Uhler FM. 1939. Food of game ducks in the United States and Canada. US Dept Agriculture Tech Bull 634, Washington, D.C.: 308 p.
- Martin AC, Zim HS, Nelson AL. 1951. American wildlife and plants; a guide to wildlife food habits. Dover Pub. New York 431-432.
- Martin AC. 1954. A clue to the eelgrass mystery. Trans North Amer Wildl Conf 19: 441-449.
- Martin FD, Cooper M. 1981. A comparison of fish faunas found in pure stands of two tropical Atlantic seagrasses *Thalassia testudinum* and *Syringodium filiforme*. Northeast Gulf Sci 5: 31-38.
- Mason HL. 1957. A flora of the marshes of California. Univ of California Press, Berkeley, CA.
- Mason R. 1967. The species of *Ruppia* in New Zealand. New Zealand Journ Bot 5: 519-531
- Mastrorilli VI, Po E. 1973. Nature and significance of the carbonaceous inclusions in some sandy deposits of the hinterland of Liguria and Emilia. Ann Mus Civ Stor Nat 'Giacomo Doria' 79: 373-398
- Matheron R, Baulaigue R. 1968. Cycle biologique de soufre en Milieu Marin. I. - Contribution a l'étude des relations entre les microorganismes producteurs d'hydrogène sulfure et les thiorhodobactéries. Ann Inst Pasteur (Paris) 114(5): 645-657
- Maurer LG, Parker PL. 1967. Fatty acids in sea grasses and marsh plants. Cont. Mar Sci, Univ Texas 14: 113-119
- Mayer FL Jr, Low JB. 1970. The effect of salinity on widgeongrass. Journ of Wildlife Management 34(3): 650-661
- Mayers AG. 1906. Sea shore life. A. S. Barnes and Co., New York. 181 P.
- Mazzella L, Mauzerall D, Lyman H, Alberte RS. 1981. Protoplast isolation and photosynthetic characteristics of *Zostera marina* L. (Eel Grass). Bot Mar 24: 285-289
- McAtee WL. 1939. Wildlife food plants, their value, propagation, and management. Ames, Iowa: Collegiate Press.
- McAtee WL. 1939. Wildlife of the Atlantic Coast salt marshes. U.S. Dept Agr Circular 520.
- McConaughay T, McRoy CP. 1979. 13c Label identifies eelgrass (*Zostera marina*) carbon in an Alaskan estuarine food web. Mar Biol 53: 263-269
- McCoy ED, Heck KL Jr. 1976. Biogeography of corals, seagrasses, and mangroves: An alternative to the center of origin concept. Systematic Zoology 25: 201-210
- McFarland DG, Barko JW. 1995. Viability and growth of submersed macrophyte propagules from the Potomac River: laboratory studies. Proceedings of the 29th Annual Meeting Aquatic Plant Control Program; 1995, Vicksburg, Mississippi: Corps of Engineers. p 219-232.

- McMahan CA. 1964. Survey, coastal waterfowl. Job No. 17. Ecology of principal waterfowl foods in Lower Laguna Madre. Fed Aid in Wildlife Restoration Act, Job Completion Report, Texas, Federal Aid Project No. W-29-R-1.
- McMahan CA. 1968. Biomass and salinity tolerance of shoal grass and Manatee Grass in Lower Laguna Madre, Texas. *Journal of Wildlife Management* 32(3): 501-506
- Mcmahon CA. 1970. Food habits of ducks wintering in Laguna Madre, Texas. *Journal of Wildlife Management* 34: 946-949
- McMillan C, Bridges KW. 1982. Systematic implications of Bullate leaves and Isozymes for Halophil from Fiji and Western Samoa. *Aquatic Botany* 12: 173-188
- McMillan C, Lipkin Y, Bragg LH. 1975. The possible origin of peculiar *Thalassia testudinum* reported from Texas as *Posidonia oceanica*. *Contr Mar Sci, Univ. Texas* 19: 101-106
- McMillan C, Moseley FN. 1967. Salinity tolerances of five marine spermatophytes of Redfish Bay, Texas.
- McMillan C, Parker PL, Fry B. 1980. $^{13}C/^{12}C$ ratios in seagrasses. *Aquatic Botany* 9: 237-249
- McMillan C, Phillips RC. 1979. Differentiation in habitat response among populations of new world seagrasses. *Aquatic Botany* 7: 185-196
- McMillan C, Phillips RC. 1979. *Halodule wrightii* aschers In the Sea of Cortez, Mexico. *Aquatic Botany* 6: 393-396
- McMillan C, Phillips RC. 1981. Morphological variation and isozymes of North American *Phyllospadix* (Potamogetonaceae). *Canad Journ Bot* 59: 1494-1500
- McMillan C, Williams SC, Escobar L, Zapata O. 1981. Isozymes, secondary compounds and experimental cultures of Australian seagrasses in *Halophila*, *Halodule*, *Zostera*, *Amphibolis* and *Posidonia*. *Austr Journ Bot* 29: 247-260
- McMillan C, Williams SC. 1980. Systematic implications of isozymes in *Halophila* section *Halophila*. *Aquatic Botany* 9: 21-31
- McMillan C, Zapata O, Escobar L. 1980. Sulfated phenolic compounds in seagrasses. *Aquatic Botany* 8: 267-278
- McMillan C. 1976. Experimental studies on flowering and reproduction in seagrasses. *Aquatic Botany* 2(2): 87-92
- McMillan C. 1978. Morphogeographic variation under controlled conditions in five seagrasses: *Thalassia testudinum*, *Halodule wrightii*, *Syringodium filiforme*, *Halophila Engelmannii*, and *Zostera marina*. *Aquatic Botany* 4: 169-189
- McMillan C. 1979. Differentiation in response to chilling temperatures among populations of three marine spermatophytes, *Thalassia testudinum*, *Syringodium filiforme* and *Halodule wrightii*. *Amer Journ Bot* 66: 810-819
- McMillan C. 1979. Flowering under controlled conditions by *Cymodocea Rotundata* from the Palau Islands, Micronesia. *Aquatic Botany* 6: 397-401
- McMillan C. 1980. Culture methods. In: Phillips RC, McRoy CP. editors. *Handbook of Seagrass Press*, New York P. 57-68. *Biology: An Ecosystem Perspective*, Garland Stpm.
- McMillan C. 1980. *Halodule pinifolia* in the Palau Islands (Belau). *Micronesica* 16: 357-363
- McMillan C. 1980. Isozymes of tropical seagrasses from the Indo-Pacific and the Gulf of Mexico-Caribbean. *Aquatic Botany* 8: 163-172
- McMillan C. 1980. Reproductive physiology in the seagrass, *Syringodium filiforme*, from the Gulf of Mexico and the Caribbean. *Amer Journ Bot* 67: 104-110
- McMillan C. 1980. Staminate flowers under controlled conditions by *Cymodocea serrulata* from Kenya. *Aquatic Botany* 9: 291-295
- McMillan C. 1981. Morphological variation and isozymes under laboratory conditions in *Cymodocea serrulata*. *Aquatic Botany* 10: 365-370
- McMillan C. 1981. Seed reserves and seed germination for two seagrasses, *Halodule wrightii* and *Syringodium filiforme*, from the western Atlantic. *Aquatic Botany* 11: 279-296
- McMillan, C. 1974. Salt tolerance of mangroves and submerged aquatic plants. In: *Ecology of Halophytes*, Academic Press, 379-390



Submerged Aquatic Vegetation: Data Development and Applied Uses

- McNulty JK, Lindall WN Jr, Sykes JE. 1972. Cooperative Gulf of Mexico estuarine inventory and study, Florida: Phase I, area description. Natl Ocean Atmos Adm Tech Rept, Natl Mar Fish Serv Circ.-368: 1-126.
- McNulty JK. 1961. Ecological effects of sewage pollution in Biscayne Bay, Florida: Sediments and the distribution of benthic and fouling macro-organisms. Bull Mar Sci Gulf Carib 11(3): 394-447
- McRoy CP, Barsdate RJ, Nebert M. 1972. Phosphorus cycling in an eelgrass (*Zostera marina* L.) ecosystem. Limnol. Oceanogr. 17(1): 58-67
- McRoy CP, Barsdate RJ. 1970. Phosphate absorption in eelgrass. Limnol Oceanogr 15(1): 6-13
- McRoy CP, Barsdate RJ. 1970. Phosphate absorption in eelgrass. Limnol Oceanogr 15: 6-13
- McRoy CP, editors. Handbook of seagrass press, New York p. 260-276. Biology: an ecosystem perspective. Garland Stpm.
- McRoy CP, Goering JJ, Chaney B. 1973. Nitrogen fixation associated with seagrasses. Limnol Oceanogr 18: 998-1002
- McRoy CP, Goering JJ. 1974. Nutrient transfer between the seagrass *Zostera marina* and its epiphytes. Nature 248: 173-174
- McRoy CP, Helfferich C. 1980. Applied aspects of seagrasses. In: Phillips RC. McRoy CP. Editors. New York, Handbook of Seagrass Press. p. 297-343. Biology: An Ecosystem Perspective, Garland Stpm.
- McRoy CP, McMillan C. 1977. Production ecology and physiology of seagrasses. In: McRoy CP, Helfferich C. editors. Seagrass ecosystems: A scientific perspective. New York, M. Dekkar. Chap 3.
- McRoy CP, Phillips RC. 1968. Supplementary bibliography on eelgrass, *Zostera marina*. U.S. Fish Wildl Serv Spec. Sci. Rep. Wildlife 114: 14 p.
- McRoy CP, Williams-Cowper S. 1978. Seagrasses of the United States: an ecological review in relation to human activities. US Fish and Wildlife Service FWS/OBS, 324 pp.
- McRoy CP. 1964. Fishes collected in Izembek Lagoon, Izembek National Wildlife Range, Alaska. In: Unpublished narrative report, U. S. Fish and Wildl Ser Bureau of Sport Fish and Wildl. 54 p.
- McRoy CP. 1968. The distribution and biogeography of *Zostera marina* eelgrass in Alaska. Pacific Sci 22: 507-513
- McRoy CP. 1969. Eelgrass under arctic winter ice. Nature 224(5221): 818-819
- McRoy CP. 1970. Standing stocks and other features of eelgrass *Zostera marina* populations on the coast of Alaska. Journ Fish Res Bd Canada 27(10): 1811-1821
- McRoy CP. 1971. Marine plant resources of Alaska. The Northern Engineer 2: 15-16
- McRoy CP. 1974. Seagrass ecosystems of the pacific coast of North America. Aaas Annual Meeting.
- McRoy CP. 1974. Seagrass productivity: Carbon uptake experiments in eelgrass, *Zostera marina*. Aquaculture 4: 131-137
- Medcof JC. 1961. Oyster farming in the maritimes. Fish Res Bd Canada Bull 131: 158 p.
- Menon AGK, Raman K. 1977. Ecology of some marine lagoons along the east coast of India with special reference to the management and utilization of their resources. Marine Research in Indonesia 20: 131-138
- Menzies RJ, Rowe GT. 1969. The distribution and significance of detrital turtle grass *Thalassia testudinum* on the deep-sea floor off North Carolina. International Revue Ges Hydrobiol 54(2):217-222.
- Menzies RJ, Zaneveld JS, Pratt RM. 1967. Transported turtle grass as a source of organic enrichment of abyssal sediments off North Carolina. Deep-Sea Res 14: 111-112
- Merritt LB, McRoy PC. 1970. Simulation of the annual ecologic cycle of shallow marine plants -- eelgrass of Izembek Lagoon, Alaska. International symposium on mathematical modelling technologies in water resources systems.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Metcalf KS, VanMontfrans J, Lipcius RN, Orth RJ. 1995. Settlement indices for blue crab megalopae in Chesapeake Bay: temporal relationships and statistical efficiency. Bull Mar Sci 57:781-92.
- Meyen FJF. 1947. Outlines of the geography of plants. Ray Soc London 7:1-422.
- Meyers SP, Hopper BE, Cefall R. 1970. Ecological investigations of the marine nematode *Metoncholaimus scissus*. Mar Biol 6(1):43-47.
- Meyers SP, Hopper BE. 1967. Studies on marine fungal nematode associations and plant degradation. Helgolander Wiss Meeresunters 15(1-4):270-281.
- Meyers SP, Orpurt PA, Simms J, Boral LL. 1965. Thalassiomycetes. VII. Observations on fungal infestations of turtle grass, *Thalassia testudinum* Konig. Bull Mar Sci 15:548-564.
- Meyers SP. 1965. Physiology and ecology of the marine fungi. Office of Naval Research; Microbiology Branch. 10 p.
- Meyers SP. 1969. Thalassiomycetes. XI. Further studies of the genus *Lindra* with a description of *L. marinera*, a new species. Mycologia 61(3):486-495.
- Miki S. 1932. On the seagrasses new to Japan. Bot Mag (Tokyo) 46:774-788.
- Miki S. 1933. On the seagrasses in Japan. I. *Zostera* and *Phyllospadix*, with special reference to morphological and ecological characters. Bot Mag (Tokyo) 47:842-862.
- Miki S. 1934. On the sea-grass in Japan (II). Bot Mag (Tokyo) 48:131-142.
- Miki S. 1934. On the seagrasses in Japan. III. General consideration on the Japanese seagrasses. Bot Mag (Tokyo) 48:171-178.
- Miki S. 1937. The origin of *Najas* and *Potamogeton*. Bot Mag (Tokyo) 51:290-480.
- Miller WR, Egler FE. 1950. Vegetation of the Wequetequack Pawcatuck tidal marshes, Connecticut. Ecol Monogr 20:143-172.
- Milliman JD. 1969. Four southwestern Caribbean Atolls: Courtown Cays, Albuquerque Cays, Roncador Bank and Serrana Bank. Atoll Research Bulletin 129.
- Milne LJ, Milne MJ. 1951. The eelgrass catastrophe. Scientific American 184(1):52-55.
- Moeller HW. 1964. A standing crop estimate of some marine plants in Barmegat Bay. Bull New York Acad Sci 9:27-30.
- Moffitt J, Cottam C. 1941. Eelgrass depletion on the Pacific coast and its effect upon black brant. US: Fish Wildl Ser. Wildl Leaflet 204. 26 p.
- Moffitt J. 1941. Eleventh annual black brant census in California. California Fish and Game 26: 216-233.
- Moffitt J. 1940. First to tenth annual census of black sea brant in California. California: Fish Game. p 17-26.
- Moffitt J. 1943. Twelfth annual black brant census in California. California: Fish Game 29(1):19-28.
- Moffler MD, Durako MJ, Grey WF. 1981. Observations on the reproductive ecology of *Thalassia testudinum* (Hydrocharitaceae). Aquatic Botany 10:183-187.
- Moffler MD. 1976. Sexual reproduction in Florida *Thalassia* seagrass. Florida Scientist 39(Suppl): 6.
- Moksnes PO, Lipcius RN, Pihl L, VanMontfrans J. 1997. Cannibal-prey dynamics in young juveniles and postlarvae of the blue crab. J Exper Mar Biol Ecol 215:157-87
- Moldenke HN. 1940. Marine flowering plants. Torreya 40:120-124.
- Moore DR. 1963. Distribution of the sea grass *Thalassia* in the United States. Bull Mar Sci Gulf Carib 13(2):329-342.
- Moore HB, Jutare T, Bauer JC, Jones JA. 1963. The biology of *Lytechinus variegatus*. Bull Mar Sci Gulf Carib 13:23-53.
- Moore HB, Jutare T, Jones B, Mcpherson F. 1963. A contribution to the biology of *Tripneustes esculents*. Bull Mar Sci Gulf Carib 13:23-53.
- Moore HB. 1958. Marine ecology. New York: John Wiley & Sons, Inc.
- Moore KA, Goodman JL. 1995. Effects of a polyhaline SAV bed on spatial and temporal variability in water quality. In: Toward a sustainable coastal watershed. The Chesapeake Experiment 1994 Chesapeake Research Conference p 615-628.



- Moore KA, Neckles HA, Orth RJ. 1996. *Zostera marina* L. (eelgrass) growth and survival along a gradient of nutrients and turbidity in the lower Chesapeake Bay. Mar Eco Progress Series 142:247-259
- Moore KA, Orth RJ, Nowak JF. 1993. Environmental regulation of seed germination in *Zostera marina* L. (eelgrass) in Chesapeake Bay: effects of light, oxygen, and sediment burial depth. Aquatic Botany 45:79-91
- Moore KA, Orth RJ, Nowak JF. 1993. Environmental regulation of seed germination in *Zostera marina* L. (eelgrass) in Chesapeake Bay: Effects of light, oxygen and sediment burial depth. Aquatic Botany 45:79-91
- Moore KA, Wetzel RL, Orth RJ. 1997. Seasonal pulses of turbidity and their relations to eelgrass (*Zostera marina* L.) survival in an estuary. Journ Experimental Mar Bio and Eco 215:115-134
- Moore KA, Wetzel RL. 2000. Seasonal variations in eelgrass (*Zostera marina* L.) responses to nutrient enrichment and reduced light availability in experimental ecosystems. Journ Experimental Mar Bio and Eco 244:1-28
- Moore KA, Wilcox DJ, Orth RJ. 2000. Analysis of the abundance of submersed aquatic vegetation communities in the Chesapeake Bay. Estuaries 23:115-127
- Moore, K, Goodman. J. Daily variability in the measurement of light attenuation using scalar (spherical) and cosine-corrected quantum sensors. In: Proceedings and conclusions of workshops on: submerged aquatic vegetation and photosynthetically active radiation. 1993; Special Publication SJ93-SP13. Palatka, FL. St. Johns Water Management District. p. 159-67.
- Moriarty DJW, Pollard PC. 1981. DNA synthesis as a measure of bacterial productivity in seagrass sediments. Mar Ecol Progr Ser 5:151-156.
- Moriarty DJW. 1981. Measurement of bacterial and productivity in seagrass sediments. Bull Mar Sci 31:813.
- Morozova-Vodyanitskaya N. 1938. *Zostera* as an object of industry in the Black Sea. No. 8. Priroda.
- Morozova-Vodyanitskaya N. 1939. The epidemic disease of a marine grass, *Zostera*, in the Black Sea. No. 1. Priroda.
- Morrissey J. 1980. Community structure and Zonation of macroalgae and hermatypic corals on a fringing reef flat of Magnetic Island (Queensland, Australia). Aquatic Botany 8:91-139.
- Mortimer Ja. 1981. The feeding ecology of the west Caribbean green turtle *Chelonia mydas* in Nicaragua. Biotropica 13:49-58.
- Morton JF. 1975. Craft industries from coastal wetland vegetation. In: Wiley, Martin (Ed) Estuarine Processes. Vol I. Uses, stresses, and adaptation to the estuary. New York: Academic Press. p 254-267.
- Moul ET, Brown RW. 1957. Nonalgal marine plants. In: Hedgpeth JW, editor. Treatise on marine ecology and paleoecology. Geol Soc Amer Memoir 67:1051-1058.
- Mounce I, Diehl WW. 1934. Note on a new ophiobolus on eelgrass. Sec C. Canad J Res Bot Sci 11:242-246.
- Mounce I. 1934. Disease in eelgrass. Biol Bd Canada Progress Reports 1933:26.
- Muehlstein LK, Porter D, and Short FT. 1991. *Labyrinthula Zosterae* sp Nov, the causative agent of wasting disease of eelgrass, *Zostera marina*. Mycologia 83(2):180-191
- Mueller-Merz E, Lee JJ. 1976. Symbiosis in the larger foraminifera (*Sorites marginalis*) with notes on *Arachaias* species. J Protozool 23:390-396.
- Muelstein LK, Porter D, Short FT. 1988. *Labyrinthula* sp., a marine slime mold producing the symptoms of wasting disease in eelgrass, *Zostera marina*. Marine Biology 99:465-472
- Muenscher WLC. 1915. A study of the algal associations of San Juan Island. Puget Sound. Mar Sta Pub 1(9):58-84.
- Muenscher WLC. 1944. Aquatic plants of the United States. Ithaca, New York: Comstock. 374 p.
- Mukai H, Aioi K, Ishida Y. 1980. Distribution and biomass of eelgrass (*Zostera marina* L.) and other seagrasses in Odawa Bay, Central Japan. Aquatic Botany 8:337-342.



- Mukai H, Aioi K, Koike I, Izumi H, Ohtsu M, Hattori A. 1979. Growth and organic production of eelgrass (*Zostera marina* L.) in temperate waters of the pacific coast of Japan. I. Growth analysis in spring-summer. *Aquatic Botany* 7:47-56.
- Mulligan HF, Baranowski A. 1969. Growth of phytoplankton and vascular aquatic plants at different nutrient levels. *Proceedings Intern Assoc Theor Appl.* p 802-810.
- Munro RE, Perry MC. 1991. Distribution and abundance of waterfowl and submerged aquatic vegetation in Chesapeake Bay. US Fish and Wildlife Service. FWS/OBS 78/DX0391.
- Munro RE, Perry ME. 1981. Distribution and abundance of waterfowl and submerged aquatic vegetation in Chesapeake Bay. US Fish and Wildlife Service. Report nr FWS/OBS 78/DX0391.
- Munz PA, Keck DD. 1968. A California flora. Univ of California, Berkeley.
- Murie O, Scheffer VB. 1959. Fauna of the Aleutian Islands and Alaska peninsula. US Fish Wildl Serv, No. Amer. Fauna, No. 61. 406 p.
- Murray L, Sturgis RB, Bartleson RD, Severn W, Kemp WM. In: Bortone SA, editor. 2000. Scaling submersed plant community responses to experimental nutrient enrichment. Seagrasses: monitoring, ecology, physiology, and management. CRC Marine Science Series. CRC Press LLC, FL. 2000. Proceedings of a workshop on Subtropical and tropical seagrass management ecology: responses to environmental stress; 1998 Oct 14-16; Fort Myers, FL. p 241-257.
- Murray J, Hjort J. 1912. Depths of the ocean. London: Macmillan Co. 821 p.
- Murray RM, Marsh H, Heinsohn GE, Spain AV. 1977. The role of the midgut caecum and large intestine in the digestion of sea grasses by the dugong (Mammalia: *sirenia*). *Comp Biochem Physiol* 56(1):7-10.
- Muus BJ. 1967. The fauna of Danish estuaries and lagoons. *Meddr Danm Kisk-Og Havanders NS* 5(1):1-316.
- Mwaiseje B. 1979. Occurrence of *enhalus* on the coast of Tanzania, East Africa. *Aquatic Botany* 7:393.

-N-

- Nadeau RJ, Bergquist ET. 1977. Effects of the March 18, 1973 oil spill near Cabo Rojo, Puerto Rico on tropical marine communities. *Proceedings 1977 oil spill conference*; 1977. Washington, DC: American Petroleum Inst. P 535-538.
- Nagata K. 1960. Preliminary notes on benthic *Gammaridean amphipoda* from the *Zostera* region of Mihara Bay, Seto Inland Sea, Japan. *Publication Seto Mar Biol Lab* 8:163-182.
- Nagle JS. 1968. Distribution of the epibionta of macroepibenthic plants. *Cont Mar Sci: Univ Texas* 13:105-144.
- Nakai T. 1916. *Zostera* in Japan. *Bot Mag (Tokyo)* 30:57.
- Nasr AH, Aleem AA. 1949. Ecological studies on some marine algae from Alexandria. *Hydrobiologia* 1(3):251-281.
- Neckles HA, Koepfler ET, Haas LW, Wetzel RL, Orth RJ. 1994. Relative responses by epiphytic autotrophs and heterotrophs to nutrient enrichment and grazing *Zostera marina* L. (eelgrass) microcosms. *Estuaries* 17:597-05.
- Neckles HA, Koepfler ET, Haas LW, Wetzel RL, Orth RJ. 1994. Relative responses by epiphytic autotrophs and heterotrophs to nutrient enrichment and grazing *Zostera marina* L. (eelgrass) microcosms. *Estuaries* 17:597-605.
- Neckles HA, Wetzel RL, Orth RJ. 1993. Relative effects of nutrient enrichment and grazing on epiphyton-macrophyte *Zostera marina* L. dynamics. *Oecologia* 93:275-295.
- Nedwell DB, Floodgate GD. 1971. The seasonal selection by temperature of heterotrophic bacteria in an intertidal sediment. *Mar Biol* 11(4):306-310.
- Nelson TC. 1924. Food and feeding of the oyster. *New Jersey Expt Sta Rept* 1923:197-198.
- Nelson TC. 1947. Some contributions from the land in determining conditions of life in the sea. *Ecological Monographs* 17(3):337-346.



- Nelson W.G. 1981. Experimental studies of decapod and fish predation on seagrass macrobenthos. *Mar Ecol Progr Ser* 5:141-149.
- Nelson WG. 1979. An analysis of structural pattern in an eelgrass (*Zostera marina*) amphipod community. *J Exp Mar Biol Ecol* 39:231-264.
- Nelson WG. 1979. Experimental studies of selective predation on amphipods: consequences for amphipod distribution and abundance. *J Exp Mar Biol Ecol* 38:225-245.
- Neumann AC, Land LS. 1975. Lime mud deposition and calcareous algae in the Bight of Abaco Bahamas. A Budget. *J Sed. Petrol* 45:763-786.
- Neushul M. 1965. Scuba diving studies of the vertical distribution of benthic marine plants. In: *Botanica Gothoburgensi Iii. Proceedings 5th Mar Biol Symp*; Goteborg. p 161-176.
- Neushul M. 1967. Studies of subtidal marine vegetation in western Washington. *Ecology* 48:83-94.
- Newell CR, Hidu H, McAlice BJ, Podniesinski G, Short F, Kindblom L. 1991. Recruitment and commercial seed procurement of the blue mussel *Mytilus edulis* in Maine. *Journal of the World Aquaculture Society* 22:134-152
- Newell ND. 1963. Crises in the history of life. *Scientific American* 208(2):76-92.
- Newell SY, Fell Jw. 1980. Mycoflora of turtlegrass (*Thalassia testudinum* Konig) as recorded after seawater incubation. *Bot Mar* 23:265-275.
- Newton RS, Stefanon A. 1975. Application of side-scan sonar in marine biology. *Mar Biol* 31:287-291.
- Nichol EAT. 1935. The ecology of a salt-marsh. *J Mar Biol Assoc UK* 20:203-261.
- Nienhuis PH, De Bree BHH. 1977. Production and ecology of eelgrass (*Zostera marina*) in the Grevelingen estuary, the Netherlands. *Hydrobiologia* 52(1):55-66.
- Nienhuis PH, De Bree BHH. 1980. Production and growth dynamics of eelgrass (*Zostera marina*) in brackish Lake Grevelingen (the Netherlands). *Netherlands J Sea Res*. 14:102-118.
- Nienhuis PH. 1970. The benthic algal communities of flats and salt marshes in the Grevelingen, a sea-arm in the south-western Netherlands. *Netherlands J Sea Res* 5:20-49.
- Niering WA. 1961. Observations on Puluwat and Gaferut, Caroline Islands. *Atoll Research Bulletin* 76:2-3.
- Nilsson L, Jagersten G. 1964. Life in the sea. New York: Basic Books, Inc. 184 p.
- Nilsson L. 1969. Food consumption of diving ducks wintering at the coast of south Sweden in relation to food resources. *Oikos* 20(1):128-135.
- Nishihira M, Tsuchiya M, Sato M. 1981. Distribution and spawning site selection of the polychaete *Lumbrineris latreilli* at Asamushi, Northern Japan. *Bull Mar Biol Sta Asamushi* 17(1):17-28.
- Nixon SW, Oviatt CA. 1972. Preliminary measurements of midsummer metabolism in beds of eelgrass, *Zostera marina*. *Ecology* 53(1):150-153.
- Norton TA. 1976. The marine algae of the eastern border counties of Scotland. *Brit Phycol J* 11:19-27.
- Nybakken JW. 1969. Pre-earthquake intertidal ecology of Three Saints Bay Kodiak Island Alaska. *Biol Pap Univ Alaska* (9):1-117.

-O-

- O'Connor JS. 1972. The benthic macrofauna of Moriches Bay, New York. *Biol Bull* 142:84-102.
- Odum EP, De La Cruz JW. 1963. Detritus as a major component of ecosystems. *Aibs Bull* 13(5):39-40.
- Odum EP. 1966. Estuarine agriculture. In: Univ of North Carolina at Chapel Hill. *Proceedings symp on estuarine ecology, water resources res*; 1966; Chapel Hill, North Carolina. North Carolina State Univ, Univ of N Carolina. 62-64 p.
- Odum HT, Burkholder PR, Rivero J. 1960. Measurements of productivity of turtle-grass flats, reefs, and the Bahia Fosforecente of southern Puerto Rico. *Publication Inst Mar Sci, Univ Texas* 6:159-170.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Odum HT, Hoskin CM. 1958. Comparative studies on the metabolism of marine waters. Publication Inst Mar Sci, Univ Texas 5:16-46.
- Odum HT, McConnell W, Abbott W. 1959. The chlorophyll "a" of communities. Publication Inst Mar Sci, Univ Texas 5:65-96.
- Odum HT, Wilson RF. 1962. Further studies on reaeration and metabolism of Texas Bays, 1958-1960. Publication Inst Mar Sci, Univ Texas 8:23-55.
- Odum HT. 1957. Primary production measurements in eleven Florida springs and a marine turtle grass Community. Limnol Oceanogr 2:85-97.
- Odum HT. 1963. Productivity measurements in Texas turtle grass and the effects of dredging an intracoastal channel. Publication Inst Mar Sci, Univ Texas 9:45-58.
- Odum HT. 1974. Tropical marine meadows. In: Odum HT, Copeland DJ, McMahan EA, editors. Coastal ecological systems of the United States. Washington, DC: Conservation Foundation 1:442-487.
- Odum WE, Zieman JC, Heald EJ. 1972. The importance of vascular plant detritus to estuaries. Proceedings second coastal marsh and estuary management symposium; Baton Rouge, LA: LSU Press.
- Odum WE. 1967. The influence of the sea grass community on the depositional environment of sediments. In: Organism-sediment interaction seminar; 1967. Bermuda Biological Station: NSF.
- Odum WE. 1970. Insidious alteration of the estuarine environment. Trans Amer Fish Soc 1970:836-847.
- Ogata E, Ogata M. 1965. Photosynthesis in several marine plants of Japan as affected by salinity, drying, and pH, with attention to their growth habitats. Bot Mar 8(2-4):199-217.
- Ogata E, Takada H. 1968. Studies on the relationship between the respiration and changes in salinity in some marine plants in Japan. J Shimonoseki Univ Fish 16(2-3):117-138.
- Ogden JC. 1976. Some aspects of herbivore plant relationships on caribbean reefs and seagrass beds. Aquatic Botany 2(2):103-116.
- Ogden JC, Abbott DP, Abbott IA.. 1973. Studies on the activity and food of the echinoid *Diadema antillarum* Philippi on a West Indian patch reef. West Indies Laboratory, spec publication 2. 96 p.
- Ogden JC, Ehrlich PR. 1977. The behavior of heterotypic resting schools of juvenile grunts (Pomadasysidae). Mar Biol 42:273-280.
- Ogden JC, Lobel PS. 1978. The role of herbivorous fishes and Urchins in coral reef communities. Env Biol Fish 3:49-63.
- Ogden JC, Ogden NB. 1982. A preliminary study of two representative seagrass communities in Palau, Western Caroline Islands (Micronesia). Aquatic Botany 12:229-244.
- Ogden JC, Ogden NB. 1982. A preliminary study of two representative seagrass communities in Palau, Western Caroline Islands (Micronesia). Aquatic Botany 12:229-244.
- Ogden JC. 1980. Faunal relationships in Caribbean seagrass beds. In: Phillips RC and McRoy CP, editors. Handbook of seagrass. New York. p. 173-198.
- O'Gower AK, Wacasey JW. 1967. Animal communities associated with *Thalassia*, *Diplanthera*, and sand beds in Biscayne Bay. I. Analysis of communities in relation to water movements. Bull Mar Sci 17:175-210.
- Ohwi J. 1965. Flora of Japan. Washington, DC: Smithsonian institution.
- Okayamo PEFS. 1923. Report on the investigation of the ecology of "Moba" and fish. Okayamo Prefecture Experimental Fisheries Station.
- Okuda T. 1960. Metabolic circulation of phosphorous and nitrogen in Matsushima Bay (Japan) with special reference to exchange of these elements between sea water and sediments. Trabs Ibmo-Ur 2:7-153.
- Olmi EJ III, Van Montfrans J, Lipcius RN, Orth RJ, Sadler PW. 1990. Variation in planktonic availability and settlement of blue crab megalopae in the York River, Virginia. Bull Mar Sci 46:230-243



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Olney JE, Boehlert GW. 1988. Nearshore ichthyoplankton associated with seagrass beds in the lower Chesapeake Bay. *Marine Ecology Progress Series* 45:33-43
- Olney PJS. 1968. The food and feeding-habits of the pochard, *Aythya ferina*. *Biol Conserv* 1:71-76.
- Oppenheimer CH. 1963. Effects of Hurricane Carla on the ecology of Redfish Bay, Texas. *Bull Mar Sci Gulf Carib* 13:59-72.
- Oppenheimer CH. 1968. Geomicrobial activities of microorganisms. *Bull Misaki Mar Biol Inst, Tokyo Univ* 12(10):5-9.
- Oremland RS, Gotto JW, Taylor BF. 1976. Nitrogen gas acetylene fixation associated with the rhizosphere of communities of the seagrass *Thalassia testudinum*. *Annual Meet Amer Soc Microbiol* 76:N9.
- Oremland RS, Taylor BF. 1977. Diurnal fluctuations of oxygen, nitrogen and methane in the rhizosphere of *Thalassia testudinum*. *Limnol Oceanogr* 22:566-570.
- Oremland RS. 1975. Methane production in shallow-water, tropical marine sediments. *Appl Microbiol* 30:602-608.
- Orpurt PA., Boral LL. 1964. The flowers, fruits and seeds of *Thalassia testudinum* Koenig. *Bull Mar Sci Gulf Carib* 14(2):296-302.
- Orth RJ, Nowak JF, Wilcox DJ, Whiting JR, Nagey LS. 1999. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and the coastal bays-1998. Final Report U. S. EPA. 370 p.
- Orth RJ, Batiuk R, Nowak JF. 1994. Trends in the distribution, abundance, and habitat quality of submerged aquatic vegetation in the Chesapeake Bay and its tributaries: 1971-1991. Final Report US EPA CBP/TRS 137/95. 231 p.
- Orth RJ, Ferguson RL, Haddad KD. 1991 July. Monitoring seagrass distribution and abundance patterns. In: Bolton HS. editors. *Coastal wetlands coastal zone '91 conference-ASCE*, Long Beach, CA. p 281-300.
- Orth RJ, Frisch AA, Nowak JF, Moore KA. 1989. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1987. Final Report. US EPA. 247 p.
- Orth RJ, Gordon H. 1975. Remote sensing of submerged aquatic vegetation in the lower Chesapeake Bay. Final Report NASA Contract NASI-10720. 62 p.
- Orth RJ, Harwell MC, Fishman JR. 1999. A rapid and simple method for transplanting eelgrass using single, unanchored shoots. *Aquatic Botany* 64: 77-85
- Orth RJ, Heck KL Jr., Diaz RJ. 1991. Littoral and intertidal systems of the mid-atlantic coast of the United States. In: Mathieson AC, Nienhuis PH editors. *Ecosystems of the World*. Inter Litt Ecos 24:193- 214, 564.
- Orth RJ, Heck KL Jr., Van Montfrans J. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries* 7:339-350
- Orth RJ, Heck KL Jr., Weinstein MP. 1984. Faunal relationships in seagrass and marsh ecosystems. *Estuaries* 7:273-470
- Orth RJ, Heck KL. 1980. Structural components of eelgrass *Zostera marina* meadows in the lower Chesapeake Bay - Fishes. *Estuaries* 3:278-288
- Orth RJ, Luckenbach ML, Moore KA. 1994. Seed dispersal in a marine macrophyte: implications for colonization and restoration. *Ecology* 75:1927-1939
- Orth RJ, Moore KA, Batiuk R, Heasley P, Dennison W, Stevenson JC, Staver L, Carter V, Rybicki N, Kollar S, Hickman RE, Bieber S. 1991. Development of water quality standards based on species' habitat requirements: a case study from the Chesapeake Bay using submerged aquatic vegetation. In: Flock GH, editor. *Proceedings 2nd Annual Water Quality Standards Conference for the 21st Century.*; 1991 Dec; Arlington, VA. p 177-182.
- Orth RJ, Moore KA, Gordon H. 1979. Distribution and abundance of submerged aquatic vegetation in the lower Chesapeake Bay, Virginia. Report nr EPA-600/8-79-029/SAV I. 199 p.



- Orth RJ, Moore KA, Nowak JF. 1990. Monitoring seagrass distribution and abundance patterns: a case study from the Chesapeake Bay. In: Kiraly SJ, Cross FA, Buffington JD. editors. Federal Coastal Wetland Mapping Programs. US Fish and Wildlife Service, Biology Report 90 (18). 174 p.
- Orth RJ, Moore KA, Van Montfrans J. 1982. Submerged aquatic vegetation: distribution and abundance in the lower Chesapeake Bay and interactive effects of light, epiphytes and grazers. Final Report, USEPA Chesapeake Program Grant No. X003246. 141 p.
- Orth RJ, Moore KA, Van Montfrans J. 1982. Submerged aquatic vegetation: distribution and abundance in the lower Chesapeake Bay and interactive effects of light, epiphytes and grazers. Report. USEPA Chesapeake Bay Program Grant No. X003246. 141 p.
- Orth RJ, Moore KA. 1981. Distribution and abundance of submerged aquatic vegetation in the Chesapeake Bay - 1979. Final Report. USEPA. Chesapeake Bay Program, Grant No. X003201.
- Orth RJ, Moore KA. 1981. Distribution and abundance of submerged aquatic vegetation in the Chesapeake Bay: a scientific summary. SRAMSOE No. 259, Virginia Institute of Marine Science, Gloucester Point, VA.
- Orth RJ, Moore KA. 1981. Submerged aquatic vegetation in the Chesapeake Bay: past, present and future. In: Proceedings of the 46th North American Wildlife and Natural Resources Conference; Washington, D. C.: Wildlife Management institute. p. 271-283.
- Orth RJ, Moore KA. 1982. The biology and propagation of *Zostera marina*, eelgrass, in the Chesapeake Bay, Virginia. Final Report, USEPA Chesapeake Bay Program, Grant No. R805953 and SRAMSOE No. 265, Virginia institute of Marine Science. 195 p.
- Orth RJ, Moore KA. 1982. The effect of fertilizers on transplanted eelgrass, *Zostera marina* L., in the Chesapeake Bay. Proceedings Ninth Annual Conference Community College; 1982 May 20-21Tampa, FL.
- Orth RJ, Moore KA. 1983. Chesapeake Bay: An unprecedented decline in submerged aquatic vegetation. Science 222:51-53
- Orth RJ, Moore KA. 1983. Seed germination and seedling growth of *Zostera marina* L. (eelgrass) in the Chesapeake Bay. Aquatic Botany 15:117-131
- Orth RJ, Moore KA. 1983. Submersed vascular plants: techniques for analyzing their distribution and abundance. Marine Technology Society Journal 7:38-52
- Orth RJ, Moore KA. 1984. Distribution and abundance of submerged aquatic vegetation in Chesapeake Bay: an historical perspective. Estuaries 7:531-540
- Orth RJ, Moore KA. 1986. Seasonal and year-to-year fluctuations in the growth of eelgrass *Zostera marina* L. in the lower Chesapeake Bay, Virginia, USA. Aquatic Botany. 24: 335-341
- Orth RJ, Moore KA. 1988. Distribution of *Zostera marina* L. and *Ruppia maritima* L.s.L. along depth gradients in the lower Chesapeake Bay, USA. Aquatic Botany 32:291-305
- Orth RJ, Moore KA.. 1981. Submerged aquatic vegetation of the Chesapeake Bay: past, present and future. In: Sabol K, editor. Trans. 46th North Amer Wildlife and Natural Resource Conf; Washington DC; March 21-25. p 271-283.
- Orth RJ, Nowak JF, Anderson GF, Kiley KP, Whiting JR. 1992. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1991. Final Report US EPA. 260 p.
- Orth RJ, Nowak JF, Anderson GF, Whiting JR. 1993. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1992. Final Report US EPA. 268 p.
- Orth RJ, Nowak JF, Anderson GF, Whiting JR. 1994. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1993. Final Report US EPA. 262 pp.
- Orth RJ, Nowak JF, Anderson GF, Wilcox DJ, Whiting JR, Nagey LS. 1996. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1995. Final Report US EPA. 293 p.

- Orth RJ, Nowak JF, Anderson GF, Wilcox DJ, Whiting JR, Nagey LS. 1995. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1994. Final Report US EPA. 290 p.
- Orth RJ, Nowak JF, Frisch AA, Kiley KP, Whiting JR. 1991. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1990. Final Report US EPA. 260 p.
- Orth RJ, Nowak JF, Wilcox DJ, Whiting JR, Nagey LS. 1997. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1996. Final Report US EPA. 299 p.
- Orth RJ, Nowak JF, Wilcox DJ, Whiting JR, Nagey LS. 1998. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1997. Final Report U. S. EPA. 351 p.
- Orth RJ, Nowak JF. 1990. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1989. Final Report US EPA. 249 p.
- Orth RJ, Simons J, Allaire R, Carter V, Hindman L, Moore K, Rybicki N. 1985. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries - 1984. Final report. USEPA. 155 p.
- Orth RJ, Simons J, Capelli J, Carter V, Frisch A, Hindman L, Hodges S, Moore K, Rybicki N. 1987. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay - 1986. Final Report. US EPA. 191 p.
- Orth RJ, Simons J, Capelli J, Carter V, Hindman L, Hodges S, Moore K, Rybicki N. 1985. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries. Final Report. USEPA. 1986. 305 p.
- Orth RJ, Van Montfrans J. 1982. Structural and functional aspects of the ecology of submerged macrophyte communities in the lower Chesapeake Bay. Vol. III. Interactions of resident consumers in a temperate estuarine seagrass community: Vaucluse Shores, Virginia: Virginia Institute of Marine Science. Report USEPA Grant No. R805974 and SRAMSOE No. 267. 238 p.
- Orth RJ, Van Montfrans J. 1984. The role of micrograzing on seagrass periphyton: a review. *Aquatic Botany* 18:43-69
- Orth RJ, Van Montfrans J. 1987. Utilization of a seagrass meadow and tidal marsh creek by blue crabs, *Callinectes sapidus* Rathbun. I. Seasonal and annual variations in abundance with an emphasis on post-settlement juveniles. *Marine Ecology Progress Series* 41:283-294
- Orth RJ, Van Montfrans J. 1990. Utilization of marsh and seagrass habitats by early stages of *Callinectes sapidus*: a latitudinal perspective. *Bull Mar Sci* 46:126-144
- Orth RJ, VanMontfrans J, Lipcius RN, Metcalf KS. 1996. Utilization of seagrass habitat by the blue crab, *Callinectes sapidus* Rathbun in Chesapeake Bay: a review. In: Kuo J, Phillips RC, Walker DI, Kirkman H. editors. *Seagrass Biology: Proceedings of an International Workshop*; Rottnest Island, Western Australia. Western Australian Museum, Perth. p 213-224.
- Orth RJ. 1971. The effect of turtlegrass, *Thalassia testudinum*, on the benthic infauna community structure in Bermuda. *Bermuda Biol Station Res Spec Publication* 9:18-38.
- Orth RJ. 1973. Benthic infauna of eelgrass, *Zostera marina*, beds. *Chesapeake Sci* 14:258-269
- Orth RJ. 1975. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay. *Chesapeake Science* 16(3):205-208.
- Orth RJ. 1975. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay, Virginia. *Chesapeake Sci* 16:205-208
- Orth RJ. 1976. The demise and recovery of eelgrass *Zostera marina* in the Chesapeake Bay Virginia. *Aquatic Botany* 2(2):141-159.
- Orth RJ. 1976. The demise and recovery of eelgrass, *Zostera marina*, in the Chesapeake Bay, Virginia. *Aquatic Botany* 2:141-159
- Orth RJ. 1977. Effect of nutrient enrichment on growth of the eelgrass *Zostera marina* in the Chesapeake Bay, Virginia, USA. *Mar Biol* 44:87-94.



- Orth RJ. 1977. Effects of nutrient enrichment on the growth of eelgrass, *Zostera marina*, in the Chesapeake Bay, Virginia. *Mar Biol* 44:187-94
- Orth RJ. 1977. The effect of hurricane Agnes on the benthic fauna of eelgrass, *Zostera marina*, in the lower Chesapeake Bay. In: The effects of tropical storm Agnes on the Chesapeake Bay estuarine system. Baltimore: The Johns Hopkins University Press. p 566-583.
- Orth RJ. 1977. The importance of sediment stability in seagrass communities. In: Coull BC, editor. *Ecology of marine benthos*. Columbia, SC: Univ South Carolina Press. p. 122-138.
- Orth RJ. 1977. The importance of sediment stability in seagrass communities. In: Coull BC, editor. *Eco Mar Benthos*. Columbia: University of South Carolina Press. p 281-300.
- Orth RJ. 1985. In: Groman H, Meyers E, Burke D, Kusler J, editors. *Submerged aquatic vegetation in the Chesapeake Bay: value, trends and management*. Proceedings of the Wetlands Conference on the Chesapeake Bay. Environmental Law institute; Washington, D. C. p 84-95.
- Orth RJ. 1987. Grasses beneath the bay. *Virginia Wildlife* 48:28-31
- Orth RJ. 1992. A perspective on plant-animal interactions in seagrasses: physical and biological determinants influencing plant and animal abundance. In: John DM, Hawkins SJ, Price JH, editors. *Plant-animal interactions in the marine benthos*. Systematics Special Volume nr 46. Oxford: Clarendon Press p 147-64, 570.
- Orth RJ. 1993. In: Morris LJ, Tomasko DA, editors. *Habitat requirements of SAV in Chesapeake Bay based on water quality*. Proceedings and conclusions of workshops on: submerged aquatic vegetation initiative and photosynthetically active radiation. Special Publication SJ93-SP13. Palatka, Florida: St. Johns River Water Management District. p 67- 76.
- Orth RJ. 1993. Proceedings and conclusions of workshops on: submerged aquatic vegetation initiative and photosynthetically active radiation. In: Morris LJ, Tomasko DA. editors. *Chesapeake Bay SAV Monitoring Program*. Special Publication SJ93-SP13. Palatka, Florida: St. Johns River Water Management District. p 41-45.
- Orth RJ. 1994. Chesapeake Bay submersed aquatic vegetation: water quality relationships and restoration goals. *Lake and Reservoir Management* 10:49-52
- Osborn TGB. 1914. Botany and plant pathology. In: *Handbook of South Australia*. British Assoc Visit, Adelaide. 27 p.
- Ostenfeld CH. 1902. *Halophila aschersonii*. N Sp Bot Tidsskr 24:239-240.
- Ostenfeld CH. 1905. Preliminary remarks on the distribution and biology of the *Zostera* of the Danish seas. Bot Tidsskr 27:123-125.
- Ostenfeld CH. 1908. On the ecology and distribution of the grass-wrack (*Zostera marina*) in Danish waters. Rept Danish Biol Station 16:1-62.
- Ostenfeld CH. 1909. On *Halophila ovata* Gaudichaud, a neglected species. Philipp. J Sci 4(Botany): 67-68.
- Ostenfeld CH. 1914. On the geographical distribution of the seagrasses. Proceedings Royal Soc Victoria 27(NS):179-190.
- Ostenfeld CH. 1916. Contributions to West Australian botany I. The sea-grasses of West Australia. Dansk. Bot Ark. 2(6):5-44.
- Ostenfeld CH. 1918. Report on the Danish oceanographical expeditions 1908-1910 to the Mediterranean and adjacent seas. In: Biology. Vol 2. Seagrasses 2:16.
- Overstreet RM, Heard RW. 1978. Food of the red drum, *Sciaenops ocellata*, from Mississippi Sound. Gulf Res Rep 6(2):131-135.
- Ovodove RG, Vaskovsky VE, Ovadova YS. 1968. The pectic substances of Zosteraceae. Carbohydr Res 6:328-332.

-P-

- Pablos F. 1967. Study of the isopod communities of meadows of *Posidonia*. *Misc Zool* 2:29-30.
- Paisley CH. 1975. On the post-Pliocene formation near Bathurst, New Brunswick. *The Canadian Naturalist* 7:268-270.



- Paisley E. 1975. *Zostera marina* in the post Pliocene, Bathurst, New Brunswick. Canad Naturalist NS 7:270.
- Pancho JV. 1972. Aquatic angiosperms of Laguna de Bay, Luzon. Kalikasan, Philipp. J Biol 1 (2):94-120.
- Park MS. 1969. Studies on the chemical composition of *Zostera marina*. Korean J Bot 12:1-6.
- Parker PL, Gibbs A, Lowler R. 1963. Cobalt, iron and manganese in a Texas Bay. Publication Inst Mar Sci, Univ Texas 9:28-32.
- Parker PL. 1962. Zinc in a Texas Bay. Publication Inst Mar Sci, Univ Texas 8:75-79.
- Pascasio JF, Santos JK. 1930. A critical morphological study of *Thalassia hemprichii* (Ehrenb.) Aschers Philippines. Bull Nat Appl Sci (Univ Phil) 1(1):1-19.
- Paschal JE, Jr., Miller D, Bartow N, Carter V. 1982. Submersed aquatic vegetation in the tidal Potomac River and Estuary of Maryland, Virginia and the District of Columbia: Hydrologic Data Report, May 1978 to November 1981. US Geological Survey Open-File Report 82-694. 220 p.
- Patriquin DG, Knowles R. 1972. Nitrogen fixation in the rhizosphere of marine angiosperms. Mar Biol 16(1):49-58.
- Patriquin DG, Knowles R. 1975. Effects of Oxygen, mannitol and ammonium concentrations on nitrogenase (C_2H_2) activity in a marine skeletal carbonate sand. Mar Biol 32:49-62.
- Patriquin DG. 1972. Carbonate mud production by epibionts on *Thalassia*: an estimate based on leaf growth rate data. J Sed Petrol 2:687-689.
- Patriquin DG. 1972. The origin of nitrogen and phosphorus for growth of the marine angiosperm *Thalassia testudinum*. Mar Biol 15(1):35-46.
- Patriquin DG. 1973. Estimation of growth rate, production and age of the marine angiosperm *Thalassia testudinum* Konig. Carib J Sci 13:111-121.
- Penello WF, Brinkhuis BH. 1980. Cadmium and manganese flux in eelgrass *Zostera marina*. I. Modelling dynamics of metal release from labelled tissues. Mar Biol 58:181-186.
- Penfound WT. 1956. Primary production of vascular aquatic plants. Limnol Oceanogr 1(2):91-101.
- Penhale PA, Smith WO. 1977. Excretion of dissolved organic carbon by eelgrass (*Zostera marina*) and the epiphytes. Limnol Oceanogr 22:400-407.
- Penhale PA, Thayer GW. 1980. Uptake and transfer of carbon and phosphorus by eelgrass (*Zostera marina* L.) and its epiphytes. J Exp Mar Biol Ecol 42:113-123.
- Penhale PA.. 1977. Macrophyte-epiphyte biomass and productivity in an eelgrass (*Zostera marina* L.) community. J Exp Mar Biol Ecol 26(2):211-224.
- Penn N. 1981. The environmental consequences and management of coral sand dredging from seagrass beds in the Suva Region, Fiji Islands. Bull Mar Sci 31:814.
- Peres JM, Picard J. 1975. Causes of decrease and disappearance of the seagrass *Posidonia oceanica* on the French Mediterranean coast. Aquatic Botany 1:247-277.
- Perkins-Visser E, Wolcott TG, Wolcott DL. 1996. Nursery role of seagrass beds: enhanced growth of juvenile blue crab *Callinectes sapidus* Rathbun. J Expe Mar Biol Ecol 198:155-73
- Perring FH, Walters M. 1962. Atlas of the British flora. Bot Soc Brit Isles. London: Thos Nelson & Sons, London. 432 p.
- Perry MC, Deller AS. 1995. Waterfowl population trends in the Chesapeake Bay area. In: Hill P, Nelson S. editors. Toward a sustainable coastal watershed: the Chesapeake experiment. Proceedings of the Chesapeake Research Consortium; Edgewater, MD. Pub nr 149. Chesapeake Research Consortium, Inc. p 490-500.
- Perry MC, Deller AS. 1996. Review of factors affecting the distribution and abundance by waterfowl in shallow-water habitats of Chesapeake Bay. Estuaries 19:272-8
- Perry MC, Ferrigno F, Settle FH. 1978. Rehabilitation of birds oiled on two mid-Atlantic estuaries. Proceedings of the Southeastern Association Game and Fish Commissioners 32:318-325.

- Perry MC, Munro RE, Haramis GM. 1981. Twenty-five year trends in Chesapeake Bay diving duck populations. Proceedings of the 46th North American Wildlife and Natural Resources Conference p 299-310.
- Perry MC. 1987. Waterfowl of Chesapeake Bay. In: Majumdar SK, Hall LW Jr., Austin HM, editors. Contaminant problems and management of living Chesapeake resources. The Pennsylvanic Academy of Science, Philadelphia. p 94-115.
- Petersen CGJ, Boysen J. 1911. Valuation of the sea. I. Animal life of the sea-bottom, its food and quantity (quantitative studies). Rept Danish Biol Station 20:1-81.
- Petersen CGJ. 1913. Valuation of the sea. II. The animal communities of the sea-bottom and their importance for Marine Zoogeography. Rept Danish Biol Station 21:1-44.
- Petersen CGJ. 1914. On Yearly production of *Zostera* in Danish water. Mindescript for Jaxeter Steenstrip 9:1-20.
- Petersen CGJ. 1914. Studies concerning the organic matter of the sea bottom. Rept Danish Biol Station 22:1-39.
- Petersen CGJ. 1915. On the animal communities of the sea bottom in Skagerak, the Christiania Fjord and the Danish waters. Rept Danish Biol Station 23:29-32.
- Petersen CGJ. 1918. The sea bottom and its production of fish food. A survey on the work done in connection with valuation of the Danish waters from 1883-1917. Rept Danish Biol Station 25:1-82.
- Petersen HE. 1933. Wasting disease of eelgrass (*Zostera marina*). Nature 132:1004.
- Petersen HE. 1934. Studies on a parasitic fungus in the eelgrass, *Zostera marina* L. Saetryk Af Bot Tid 43:1.
- Petersen HE. 1934. Wasting disease of eelgrass. Nature 134:143.
- Petersen HE. 1935. Preliminary report on the disease of the eelgrass (*Zostera marina* L). Rept Danish Biol Station. p 401-8.
- Petersen JE. 1936. Studies on a parasitic fungus in the eelgrass, *Zostera marina* L. Bot Tidsskr 43:1-9.
- Peterson CH, Lubchenco J. 1997. Chapter 10: Marine ecosystem services. In: Nature's services: societal dependence on natural ecosystems. Daily GC Ed. Island Press: Washington, DC 177: 17 pp.
- Peterson CH, Peterson NM. 1979. The ecology of intertidal flats of North Carolina: a community profile. US Fish Wildl Serv, US Dept. Interior, Biol Serv Prog. Report Fws/Obs-79/39.
- Peterson CH. 1981. The ecological role of mud flats in estuarine systems. In: Carey RC, Markovits PS, Kirkwood JB, editors. Proceedings US Fish and Wildlife Service workshop on coastal ecosystems of the Southeastern United States; Washington, DC: US Fish and Wildl Serv, Office Biol Serv. Report Fws/Obs-80-59:184-192.
- Peterson CH. 1982. Clam predation by whelks *Busycon* spp, experimental tests of the importance of prey size, prey density and seagrass cover. Mar Biol 66:159-170.
- Petrov KM. 1967. Vertical distribution of phytobenthos in the Black and Caspian Seas. Okeanologiiia 7:314-320.
- Pettitt J, Ducker S, Knox B. 1981. Submarine pollination. Scientific American. p134-143.
- Pettitt JM, McConchie CA, Ducker SC, Knox RB. 1980. Unique adaptations for submarine pollination in seagrasses. Nature 286:487-489.
- Pettitt JM. 1981. Reproduction in seagrasses: pollen development in *Thalassia hemprichii*, *Halophila stipulacea* and *Thalassodendron ciliatum*. Ann Bot 48:609-622.
- Philipp CC, Brown RG. 1965. Ecological studies of transition-zone vascular plants in the South River, Maryland. Chesapeake Science 6:73-81
- Phillip G. 1936. An enalid plant association in the Humber Estuary. J Ecol 24(1):205-219.
- Phillips JC. 1932. Fluctuations in numbers of the eastern brant goose. The Auk 49(4):445-453.
- Phillips RC 1977. Seagrass bed development on dredged spoil at Port St. Joe, Florida. In: Lewis, R. R. , editor. Proceedings of the Fourth annual Conf on restoration of coastal vegetation in Florida, Hillsboro Community College, Tampa, Florida. 1-11.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Phillips RC 1979. Ecological notes on *Phyllospadix* (Potamogetonaceae) in the northeast Pacific. *Aquatic Botany* 6:159-170.
- Phillips RC 1980. Phenology and taxonomy of seagrasses. In: Phillips, R. C. and C. P. McRoy , editors. *Handbook of seagrass* Press, New York p. 29-40. *Biology: An ecosystem perspective*, Garland StpM
- Phillips RC 1980. Responses of transplanted and indigenous *Thalassia testudinum* banks Ex Konig and *Halodule wrightii* Aschers to sediment loading and cold stress. *Contr Mar Sci*, Univ Texas 23:79-87.
- Phillips RC 1980. Role of seagrasses in estuarine systems. In: Fore P. L. and R. D. Peterson , editors. *Proceedings of the Gulf of Mexico coastal ecosystems workshop*, US. Fish and Wildl. Serv., Albuquerque, New Mexico, Fws/Obs-80/30. p 67-96.
- Phillips RC 1980. Transplanting methods. In: Phillips RC and McRoy CP, editors. *Handbook of seagrass* Press, New York. p 41-56.
- Phillips RC, Fleenor B. 1970. Investigation of the benthic marine flora of Hood Canal Washington. *Pacific Sci* 24(2):275-281.
- Phillips RC, Grant S. 1965. Environmental effect on *Phyllospadix scouleri* Hooke and *Zostera marina* L leaves. *Abst 16th Ann Aibs meet*.
- Phillips RC, McMillan C, Bittaker HF, Heiser R. 1974. *Halodule wrightii* Ascherson in the Gulf of Mexico *Contr Mar Sci*, Univ Texas 18:257-261.
- Phillips RC, McMillan C, Bridges KW. 1981. Phenology and reproductive physiology of *Thalassia testudinum* from the Western Tropical Atlantic. *Aquatic Botany* 11:263-277.
- Phillips RC, McRoy CP. editors. *Handbook of seagrass biology: an ecosystem perspective*. New York: Garland STPM Press.
- Phillips RC, Meñez EG. 1988. *Seagrasses*. Smithsonian Institution Press: Washington D.C.
- Phillips RC, R. M Ingle. 1960. Report on the marine plants, bottom types and hydrography of the St. Lucie Estuary and adjacent Indian River, Florida. *Spec Sci Rept. No 4, FL St Bd Conservation Mar Lab*, 75 p.
- Phillips RC, Seaborn C. 1981. Eelgrass: the wheat of the sea. *Oceans* 14(4):18-24.
- Phillips RC, Vadas RL, Ogden N. 1982. The marine algae and seagrasses of the Miskito Bank, Nicaragua. *Aquatic Botany* 13:187-195.
- Phillips RC. 1984. The ecology of eelgrass meadows in the Pacific Northwest: a community profile. US Fish and Wildlife Service Division of Biological Services FWS/OBS-84/24, 85 pp.
- Phillips RC. 1958. Extension of distribution of *Ruppia maritima* var. *obliqua* (schur) Aschers and Graebin. *Quart J Florida Acad Sci* 21(2):185-186.
- Phillips RC. 1959. Notes on the marine flora of the Marquesas Keys, Florida. *Quart J Florida Acad Sci* 22(3):155-162.
- Phillips RC. 1960. Observations on the ecology and distribution of the Florida seagrasses. *Florida Board Conserv. Mar Lab*, St Petersburg, Prof Paper Ser No. 2:1-72.
- Phillips RC. 1962. Distribution of seagrasses in Tampa Bay, Florida. *Spec Sci Rpt No 6, Fla St Bd Conserv Mar Lab St Petersburg*.
- Phillips RC. 1963. Ecology of floating algal communities in Florida. *Quart J Florida Acad Sci* 26(4):329-334.
- Phillips RC. 1964. Comprehensive bibliography of *Zostera marina*. US Fish Wildl Serv, Bur Sport Fish Wildl Spec. Sci Rep, Wildl No 79. 35 p.
- Phillips RC. 1967. On species of the seagrass *Halodule*, in Florida. *Bull Mar Sci* 17(3):672-676.
- Phillips RC. 1969. Temperate grass flats. In: Odum HT, Copeland BJ, McMahon EA, editors. *Coastal ecological systems of the United a source book for estuarine planning Vol 2 states*.
- Phillips RC. 1971. Seed germination in *Zostera marina*. *Amer J Bot* 58(5 Part 2):459.
- Phillips RC. 1974. Eelgrass and associated critters. *Sea Pen* 3(2):10-14.

- Phillips RC. 1974. Temperate grass flats. In: Odum HT, Copeland BT, McMahan ET, editors. Coastal ecological systems of the United States Conservation Foundation, Washington, DC.
- Phillips RC. 1974. Transplantation of seagrasses, with special emphasis on eelgrass, *Zostera marina* L. Aquaculture 4:161-176.
- Phillips RC. 1975. Seagrass - food in the inshore coast. Pacific Search 9(9):2-4.
- Phillips RC. 1976. Preliminary observations on transplanting and a phenological index of seagrasses. Aquatic Botany 2(2):93-101.
- Phillips RC. 1978. Seagrasses and the coastal marine environment. Oceanus 21(3):30-40.
- Phillips RC. 1980. Overview of seagrass studies with special reference to tropical species. In: Abbott, I. A., M S. Foster and L. F. Eklund , editors. Pacific seaweed aquaculture, Proceedings of a symposium on useful algae. Calif. Sea Grant College Program, Inst Mar Resources, Univ Calif., La Jolla, p 54-61.
- Phillips RP. 1981. The long term natural stability of the estuarine marshlands along the southern California Coast. Bull Mar Sci 31:814.
- Phleger FB, Ewing GC. 1962. Sedimentology and oceanography of coastal lagoons in Baja California, Mexico. Bull Geol Soc Amer 73:145-182.
- Pignatti S. 1971. Productivity of marine algae in the Gulf of Trieste. Inf Bot Ital 3(3):189.
- Pignatti S. 1971. Vegetation of the sea bottom in the northern Adriatic preliminary report. *Thalassia Jugoslav.* 6:157-161.
- Pile AJ, Lipcius RN, VanMontfrans J, Orth RJ. 1996. Density-dependent settler-recruit-juvenile relationships in blue crabs. Ecol Mono 66:277-300
- Pinnerup SD. 1980. Leaf production of *Zostera marina* L. at different salinities. Ophelia (suppl):57-64.
- Piper CV, Beattie RK. 1915. Flora of the northwest coast. Lancaster, PA: New Era Print, Co.
- Piper CV. 1906. Flora of the state of Washington. Contr. US National Herbarium 11.
- Pogrebniak II, Yeremenko TI, Ostrovchuk PP. 1973. Reserves of macroscopic algae and water plants in the north-western part of the Black sea and its coastal lakes. Rastit Resur 9:451-456.
- Pokorny K. 1967. *Labyrinthula*. J Protozool 14:697-708.
- Polunin N. 1940. Botany of the Canadian eastern Arctic. Part I. Pteridophyta and Spermatophyta. Natl Museum Canada, Bull 92, 408 p.
- Polunin N. 1959. Circumpolar Arctic flora. Oxford: Clarendon Press.
- Polunin N. 1960. Introduction to plant geography and some related Sciences. London: Longmans, Green & Co.
- Pomeroy LR. 1960. Primary productivity of Boca Ciega Bay, Florida. Bull Mar Sci Gulf Carib 10(1):1-10.
- Pond RH. 1905. Biological relation of aquatic plants to the substratum US. Fish Comm Rept For 1904, p. 483-526.
- Poore GC, Rainer BS. 1974. Distribution and abundance of soft bottom mollusks in Port Phillip Bay, Victoria, Australia. Austr J Mar Freshwater Res 25:371-411.
- Pope EC. 1943. Animal and plant communities of the coastal rock-platform at Long Reef, New South Wales. Proceedings Linn Soc New South Wales 68:221-254.
- Por FD. 1973. The Steinitz Laboratory of marine biology at Elath, Israel. An open door on the tropical Seas. Cah Biol Mar 14:407-411.
- Porsild AE. 1932. Occurrence of *Zostera* and *Zannichellia* in Arctic North America. Rhodora 34(401):90-94.
- Porter CL. 1959. Taxonomy of flowering plants. WH Freeman & Co, San Francisco, CA.
- Poslusny U, Sattler R, Tomlinson PB. 1980. Floral evolution in some aquatic monocotyledon as revealed by developmental studies. Second intern. Congr Systematic and evolutionary biology, Univ British Columbia, Vancouver, July 17-24, 1980. p 428.
- Prat A. 1973. The flowering plants, grasses, sedges, and ferns of Great Britain, and their allies the club mosses, papyrus and horsetails. Vol V. Frederick Warne & Co, London.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Prater SH. 1928. The dugong or sea cow (*Halicore dugong*). J Bombay Nat Hist Soc 33:84-99.
- Pratt SD. 1973. Benthic fauna. In: Coastal and offshore environmental inventory, Cape Hatteras to Nantucket shoals Mar Publication Ser No 2, Univ Rhode Island, Mar Exp Sta, Grad School of Oceanogr. 5.
- Prenant M. 1972. Littoral ecology. Cah Biol Mar 13:559-569.
- Price IRA, Larkum WD, Bailey A. 1976. Appendix: Check list of marine benthic plants collected in the Lizard Island area. Austr J Plant Physiology 3:3-8.
- Price WA. 1952. Reduction of maintenance by proper orientation of ship channels through tidal inlets. Texas A & M Coll Contrib Oceano Met 1:101-113.
- Prin P, Lawrence JM. 1975. Utilization of marine plants and their constituents by bacteria isolated from the gut of echinoids (Echinodermata). Mar Biol 33:167-173.
- Proctor GR. 1980. Checklist of the plants of Little Cayman. Atoll Research Bulletin 241:71-80.
- Pulich W, Barnes S, Parker P. 1975. Trace metal cycles in seagrass communities. In: Wiley, Martin , editor. Estuarine processes, Vol I, uses, stresses, and adaptation to the estuary. New York: Academic Press. p. 493-506.
- Pulich W, Barnes S, Parker P. 1977. Trace metal cycles in seagrass communities. In: Wiley, Martin , editor. Estuarine processes, uses, stresses and adaptation to the estuary, Third International Est Res Conf, Galveston, Texas 1:493-506.
- Pulich WM. 1978. Photocontrol of boron metabolism in seagrasses. Science 200(4339):319-320.
- Pulich WM. 1980. Ecology of a hypersaline lagoon: the Laguna Madre. In: Fore PL, Peterson RD, editors. Proceedings of the Gulf of Mexico coastal ecosystems workshop, US Fish and Wildl Serv, Albuquerque, New Mexico, Fws/Obs-80/30. p 103-122.
- Pulich WM. 1980. Heavy metal accumulation by selected *Halodule wrightii* Asch populations in the Corpus Christi Bay area. Contr Mar Sci, Univ Texas 23:89-100.
- Puttick GM. 1977. Spatial and temporal variations in intertidal animal distribution at Langebaan Lagoon, South Africa. Trans. Royal Soc South Africa 42:403-433.

-Q-

- Qasim SZ, Bhattathiri PMA, Reddy CVG. 1973. Primary production of an atoll in the Laccadives. International Revue Gesamten. Hydrobiol 57(2):207-225.
- Qasim SZ, Bhattathiri PMA. 1971. Primary production of seagrass bed on Kavaratti Atoll Laccadives. Hydrobiologia 38(1):29-38.

-R-

- Rabalais NN. 1980. Ecological values of selected coastal habitats. In: Fore, P. L. and R. D. Peterson , editors. Proceedings of the Gulf of Mexico coastal ecosystems workshop, US Fish and Wildl Serv, Albuquerque, New Mexico, Fws/Obs-80/30. p 191-209.
- Radway J, Rosner D, Mitsui JAG. 1976. Association of blue-green algae and photosynthetic bacteria with macrophytes in the subtropical marine environment. Annual Meet Amer Soc Micro Biol 76: pp.101.
- Raimondo FM, Rossitto M, Sartoni G. 1981. Additional records for the flora of Somalia. Webbia 35:207-222.
- Rand EL, Redfield JH. 1894. Flora of mount Desert Island, Maine. A preliminary catalogue of the plants growing on mount desert and the adjacent islands. Cambridge Univ Press.
- Randall DD. 1976. Phosphoglycollate phosphatase in marine algae: isolation and characterization from *Halimed cylindracea*. Austr J Plant Physiolgy 3:105-111.
- Randall JE. 1965. Grazing effect on seagrasses by herbivorous reef fishes in the West Indies. Ecology 46:255-260.
- Randall JE. 1967. Food habits of reef fishes of the West Indies. Stud. Trop. Oceanogr. 5:665-847.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Randall RH, Eldredge LG. 1976. Atlas of the reefs and beaches of Guam. Coastal Zone Management Section, Bureau of Planning, Agana, Guam.
- Randall RH, Pendleton D. 1980. Mapping of the reef habitat types in Northern Ponape. In: Birkeland C, editor. Marine Biological Survey of Northern Ponape Lagoon, Univ Guam Marine Lab Tech Report No 62:27-42.
- Randazzo AF, Saroop HC. 1976. Sedimentology and paleoecology of middle and upper Eocene carbonate shoreline sequences, Crystal River, Florida. USA Sed Geol 15:259-291.
- Ranwell DS, Downing BM. 1959. Brent goose (*Branta bernicla* (L)) winter feeding pattern and *Zostera* resources at Scott Head Island, Norfolk. Anim Behav 7:42-56.
- Ranwell DS, Wyer DW, Boorman LA, Pizzey JM, Waters RJ. 1974. *Zostera* transplants in Norfolk and Suffolk, Great Britain. Aquaculture 4:185-198.
- Ranwell DS. 1964. 10. Conservation and management of estuarine marsh in relation to *Spartina* marsh in the British Isles. Proceedings Mar Conf, Iucn Pub, New Series 3(1):281-287.
- Ranwell DS. 1973. Management of salt marsh and coastal dune vegetation. In: Cronin, L. Eugene , editor. *Estuarine Research*, Vol 2, chemistry, biology and the estuarine system, 2nd intern. Conf, Myrtle Beach, South Carolina, Academic Press, New York p 471-483.
- Rao MU. 1972. Coral reef flora of the Gulf of Mannar and Palk Bay. In: Mukundan. Pillai, editors. Symp on coral and coral reefs, Cochin, India, 591 p.
- Rasmussen E. 1977. The wasting disease of eelgrass (*Zostera marina*) and its effects on environmental factors and fauna. McRoy CP, Helfferich C (eds). Seagrass ecosystems, a scientific perspective. Dekker: NY.
- Rasmussen E. 1973. Systematics and ecology of the Isefjord Marine Fauna (Denmark) with a survey of the eelgrass (*Zostera*) vegetation and its communities. Ophelia 11(2-3):1-507.
- Rasmussen E. 1977. The wasting disease of eelgrass (*Zostera marina*) and its effect on environmental factors and fauna. In: McRoy CP, Helfferich C, editors. Seagrass ecosystems: a scientific perspective. New York. Chap 1.
- Raymont JEG. 1963. Plankton and productivity in the oceans. New York: Macmillan Co. 660 p.
- Read J, Smith HG. 1919. An investigation of the 'marine fibre' of *Posidonia australis*. Comm Aust Inst Sci. Ind, Bull 14. Melbourne: Govt Printer. 60 p.
- Reeve MR. 1973. The ecological significance of the zooplankton in the shallow subtropical waters of South
- Reid GK. 1961. Ecology of inland waters and estuaries. New York: Reinhold Pub Corp.
- Reid JP, Lefebvre LW, Kruer CR, Kenworthy WJ. Determination of manatee use patterns and characterization of seagrass areas important to manatees in Puerto Rico and Vieques Island. (http://www.fcsc.usgs.gov/Manatees/Manatee_Sirenia_Project/
- Reise K. 1977. Predation pressure and community structure of an intertidal soft bottom fauna. In: Keegan BF, Ceidigh PO, Boaden JPS, editors. Biology of benthic organisms. New York: Pergamon Press.
- Reise K. 1981. High abundance of small zoobenthos around biogenic structures in tidal sediments of the Wadden Sea, North Sea. Helgolander Wiss Meeresunters 34:413-426.
- Rendle AB. 1959. The classification of flowering plants. I. Cynnosperms & monocotyledons. Cambridge Univ Press.
- Renn CE. 1934. Wasting disease of *Zostera* in American waters. Nature 134(3385):416.
- Renn CE. 1935. A mycetozoan parasite of *Zostera marina*. Nature 135:544-545.
- Renn CE. 1936. Persistence of the eelgrass disease and parasite on the American Atlantic Coast. Nature 138:507-508.
- Renn CE. 1936. The wasting disease of *Zostera marina*. Biol Bull 70(1):148-158.
- Renn CE. 1937. The eelgrass situation along the Middle Atlantic Coast. Ecology 18:323-325.
- Renn CE. 1942. Demonstration of *Labyrinthula* parasite in eelgrass from the coast of California. Science 95:122.
- Renouf LPW. 1934. Zostera disease on the coast of County Cork, IFS. Nature 133(3373):912.
- Renssen TA. 1981. Fresh water drinking flights of mute swans *Cygnus olor* feeding on a Salt Lake. Limosa 54:29-30.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Rice DL, Tenore KR. 1981. Dynamics of carbon and nitrogen during the decomposition of detritus derived from estuarine macrophytes. *Estuarine Coastal Shelf Sci* 13:681-690.
- Ricketts EF, Calvin J. 1952. Between pacific tides. Stanford Univ Press.
- Ricklefs RE. 1993. The economy of nature. Third Ed. WH Freeman and Company: New York.
- Ridley HN. 1924. The flora of the Malay Peninsula .Vol Iv. Monocotyledones. London: L Reeve and Co. 383 p.
- Rigg GB, Miller RC. 1949. Intertidal plant and animal zonation in the vicinity of Neah Bay, Washington. *Proceedings Calif Acad Sci 4th Ser* 26:323-351.
- Rigg GB. 1942. Plant resources of the Sea along the Northwest Coast and Alaska. *Calif Fish Game* 28(4):206-209.
- Riggs SA, Fralick RA. 1975. *Zostera marina* L, its growth and distribution in the Great Bay Estuary, New Hampshire. *Rhodora* 77:456-466.
- Riley GA. 1972. Patterns of production in marine ecosystems. In: Wiens JA, editor. *Oregon State Univ Biology Coll Ecosystem Structure and Function*. Corvalis, Oregon: Oregon State Univ Press, Corvallis, Oregon. p 91-112.
- Roberts HH. 1971. Environments and organic communities of north sound Grand Cayman Island British West-Indies. *Carib Journ Sci* 11(1-2):67-79.
- Roberts MH Jr. Orth RJ, Moore KA. 1984. Growth of *Zostera marina* L. seedlings under laboratory conditions of nutrient enrichment. *Aqua Bota* 20:321-28
- Robertson AI, Howard RK. 1978. Diel trophic interactions between vertically-migrating zooplankton and their fish predators in an eelgrass community. *Mar Biol* 48:207-213.
- Robertson AI, Mann KH. 1980. The role of isopods and amphipods in the initial fragmentation of eelgrass detritus in Nova Scotia, Canada. *Mar Biol* 59:63-69.
- Robertson ML, Mills AL, Zieman JC. 1982. Microbial synthesis of detritus-like particulates from dissolved organic carbon released by tropical seagrasses. *Mar Ecol Progr Ser* 7:279-286.
- Robilliard GA, Porter PE. 1976. Transplantation of eelgrass (*Zostera marina*) in San Diego Bay. Nosc Tn 1701. Woodward-Clyde Consultants, Environmental Systems Div, San Diego, California. 36 p.
- Robins CR, Tabb DC. 1965. Biological and taxonomic notes on the blue croaker, *Bairdiell batabana*. *Bull Mar Sci* 15:495-520.
- Roessler MA, Beardsley G. 1974. Biscayne Bay: its environment and problems. *Florida Scientist* 37:186-204.
- Roessler MA, Zieman JC. 1970. The effects of thermal additions on the biota of Biscayne Bay, Florida. *Proceedings Gulf Carib Fish Inst* 22:136-145.
- Roessler MA. 1971. Environmental changes associated with a Florida power plant. *Mar Pollut Bull* 2(6):87-90.
- Rosenberg R. 1975. Stressed tropical benthic faunal communities off Miami, Florida. *Ophelia* 14:93-112.
- Rosendahl CO. 1906. Observations on plant distribution in Renfrew District of Vancouver Island. *Postelsia*:3-132.
- Rosner D, Radway J, Mitsui A. 1976. Isolation and growth physiology of blue-green algae from the tropical marine environment of the Atlantic Ocean. *Plant Physiolog* 57(5 suppl):106.
- Rozas LP, Odum WE. 1987. The role of submerged aquatic vegetation in influencing the abundance of nekton on contiguous tidal fresh-water marshes. *Journ Experimental Mar Bio and Eco* 114:289-300
- Rozhanskaya LI. 1970. Preliminary data on the coefficients of accumulation of manganese and zinc by some hydrobionts of the Adriatic Sea. *Ref Zh Biol No 2*.
- Rublee PA, Roman MR. 1982. Decomposition of turtlegrass (*Thalassia testudinum* Konig) in flowing sea-water tanks and litterbags: compositional changes and comparison with natural particulate matter. *J Exp Mar Biol Ecol* 58:47-58.
- Russak ML. 1957. A study of eelgrass (*Zostera marina* L). *Biol Rev Vol* 1:32-34.
- Rutzler K. 1975. Ecology of Tunisian commercial sponges. *Tethys* 7:249-264.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Rybicki N, Anderson RT, Shapiro JM, Jones CL, Carter V. 1986. Data on distribution and abundance of submersed aquatic vegetation in the tidal Potomac River, Maryland, Virginia, and the District of Columbia, 1985. USGS. Open-File Report 86-126. 49 p.
- Rybicki N, Carter V. 1986. Effects of sediment depth and sediment type on the survival of *Vallisneria americana Michx* grown from tubers. *Aquatic Botany* 24:233-240
- Rybicki NB, Anderson RT, Carter V. 1988. Data on the distribution and abundance of submersed aquatic vegetation in the tidal Potomac River and transition zone of the Potomac Estuary, Maryland, Virginia and the District of Columbia, 1987. U. S. Geological Survey Open-File Report 88-307. 31 p.
- Rybicki NB, Carter V, Anderson RT, Trombley TJ. 1985. Hydrilla verticillata in the tidal Potomac River, Maryland, Virginia and the District of Columbia, 1983 and 1984. US Geological Survey. Open-File Report 85-77. 26 p.
- Rybicki NB, Carter V, Anderson RT, Trombley TJ. 1985. Hydrilla verticillata in the tidal Potomac River, 1983 and 1984. In: 19th Annual Meeting of the Aquatic Plant Control Research Program. US Army Corps of Engineers, Misc. Paper A-85-4, Proceedings. p 170-174.
- Rybicki NB, Carter V. 1986. Effects of sediment depth and sediment type on the survial of *Vallisneria americana michx* grown from tubers. *Aqua Bota* 24:233-40
- Rybicki NB, Carter V. 1995. Revegetation and propague transport in the tidal Potomac River. Proceedings of the 29th Annual Meeting Aquatic Plant Control Program, Corps of Engineers, Vicksburg, Mississippi. p. 201- 218.
- Rybicki NB, Carter V. 1995. Revegetation and propague transport in the tidal Potomac River. Proceedings of the 29th. Annual Meeting Aquatic Plant Control Program, Corps of Engineers, Vicksburg, Mississippi: 201-218.
- Rybicki NB, Jenter HL, Carter V, Baltzer RA, Turtora M. 1997. Observations of tidal flux between a submersed aquatic plant stand and the adjacent channel in the Potomac River near Washington, D.C. *Limnology and Oceanography* 42(2): 307-317
- Rybicki NB, Schening MR. 1990. Data on the distribution and abundance of submersed aquatic vegetation in the tidal Potomac River and transition zone of the Potomac Estuary, Maryland, Virginia and the District of Columbia, 1988. US Geological Survey Open-File Report 90-123. 19 p.
- Rydberg PA. 1909. Family 1. Elodeaceae. *North American Flora* 17(1):67-68.
- Rydberg PA. 1909. The flowers and fruit of the turtle-grass. *J New York Bot Garden* 10:261-265.
- Ryer CH, Boehlert GW. 1983. Feeding chronology, daily ration, and the effects of temperature upon gastric evaluation in the pipefish, *Syngnathus fuscus*. *Env Bio Fisheries* 9:301-306
- Ryer CH, Orth RJ. 1987. Feeding ecology of the northern pipefish, *Syngnathus fuscus*, in a lower Chesapeake Bay seagrass community. *Estuaries* 10:330-336
- Ryer CH, Van Montfrans J, Moody KE. 1997. Cannibalism, refugia and the molting blue crab. *Mar Ecol Prog Seri* 147:77-85
- Ryer CH, VanMontfrans J, Orth RJ. Utilization of a seagrass meadow and tidal marsh creek by blue crabs, *Callinectes sapidus* Rathbun. Spatial and temporal patterns of molting. *Bull Mar Sci* 46:95-104
- Ryer CH. 1987. Temporal patterns of blue crab feeding in a lower Chesapeake Bay tidal marsh creek and adjacent seagrass meadow. *Estuaries* 10:136-140
- Ryer CH. 1988. Pipefish foraging: Effects of the fish size, prey size and altered habitat complexity. *Marine Ecology Progress Series* 29:247-260
- Ryland JS, Nelson-Smith A. 1975. Littoral and benthic investigations on the West Coast of Ireland. Part 4.

-S-

- Sachet MH, Fosberg FR. 1973. Remarks on *Halophila* (Hydrocharitaceae). *Taxon* 22:439-443.
- Sachet MH. 1962. Geography and land ecology of Clipperton Island. *Atoll Research Bulletin* 86:1-115.



- Sachet MH. 1974. State of knowledge of coral reefs as ecosystems. Atoll Research Bulletin 172:121.
- Saenko GN, Koryakova MD, Makienko VF, Dobrosmyslova IG. 1976. Concentration of polyvalent metals by seaweeds in Vostok Bay, Sea of Japan. Mar Biol 34:169-176.
- Saila SB. 1961. The contribution of estuaries to the offshore winter flounder fishery in Rhode Island. Proceedings Gulf Carib Fish Inst, 14th Session, Univ Miami, Inst of Marine Science, Florida.
- Sanders HL. 1968. Marine benthic diversity: a comparative study. American Naturalist 102:243-282.
- Sand-Jensen K. 1975. Biomass, net productivity and growth dynamics in an eelgrass (*Zostera marina* L.) population in Vellerup Vig, Denmark. Ophelia 14:185-201.
- Sand-Jensen K. 1977. Effect of epiphytes on eelgrass photosynthesis. Aquatic Botany 3:55-63.
- Sando H. 1964. Faunal list of the *Zostera marina* region at Kugurizaka coastal waters Aomori Bay. Bull Mar Biol Sta Asamushi 12(1):27-36.
- Santos SL, Simon JL. 1974. Distribution and abundance of the polychaetous annelids in a South Sargent FJ, Leary TJ, Crewz DW, Krueger CR. 1995. Scarring of Florida's seagrasses: assessment and management options. FMRI Tech Rep. TR-1. Florida Marine Research Institute: St. Petersburg, Florida. 37 p.
- Sartoni G. 1974. Contribution to the study of the marine algae of Sar Uanle Southern Somalia. G Bot Ital 108:281-304.
- Sauers S. 1981. Documentation of seagrass decline in Sarasota Bay, Florida with notes on seasonal growth and restoration. Proceedings Eighth Annual Confr on Wetlands Restoration and Creation, Hillsborough Community College, Tampa, Florida.
- Savenkov MJ. 1910. Materials on the study of the ecology and morphology of the *Zostera* environment. Sevastopol Ezd Bot Inst, Kharkov.
- Scagel RF. 1957. An annotated list of the marine algae of British Columbia and northern Washington. Dept Northern Affairs and Nat Res Nat Mus Canada, Bull No 150 Ottawa.
- Scagel RF. 1959. The Role of Plants in Relation to animals in the marine environment. Marine Biology, Proceedings 20th Ann Biol Coll, Oregon State College.
- Scagel RF. 1961. Ecology of marine algae. A synthetic approach to some problems in marine algal ecology. In: Recent advances in botany. Toronto: Univ Toronto Press.
- Scagel RF. 1961. Marine plant resources of British Columbia. Fish Res Bd Canada Bull 127.
- Scannell MJP, Ferguson IK. 1969. *Zostera* in county Waterford Ireland. Irish Nat Journ 16(6): 176-177.
- Scheffer TH, Hotchkiss N. 1945. Plant food resources for waterfowl in the Pacific northwest. state of Washington. Dept of Game Biol Bull (7):1-39.
- Scheibling RE. 1980. Abundance, spatial distribution, and size structure of populations of *Oreaster reticulatus* (Echinodermata: Asteroidea) in seagrass beds. Mar Biol 57:95-105.
- Schimper AFW. 1903. Plant geography upon a physiological basis. Oxford: Clarendon Press.
- Schone C. 1971. Salinity and food as ecological factors for *Enchytraeus albidus* Oligochaeta. Oecolog 6(3):254-266.
- Schroeder PB, Thorhaug A. 1976. Uptake of zinc-65 by *Thalassia testudinum*. Plant Physiolgy 57(5 Suppl):49.
- Schubel JR. 1973. Some comments on seagrasses and sedimentary processes. Chesapeake Bay Inst, the Johns Hopkins Univ, Special Rept 33. 32 p.
- Schwarzschild AC, Macintyre WG, Moore KA, Libelo EL. 1994. *Zostera marina* L. growth response to atrazine in root-rhizome and whole plant exposure experiments. Journ Exp Mar Bio and Eco 183:77-89
- Schwenke H. 1970. Studies on the structure of the vegetational zone on mobile substrates in the Western Baltic Sea. *Thalassia Jugoslav* 6:169-184.
- Scoffin TP. 1970. The trapping and binding of sub tidal carbonate sediments by marine vegetation in Bimini Lagoon Bahamas. J Sed Petrol 40(1):249-273.
- Sculthorpe CD. 1967. The biology of aquatic vascular plants. Edward Arnold Ltd. London 610 p.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Section A. Faunistic and ecological studies. Some shores in Counties Clare and Galway.
Proceedings Repub Ireland Acad Sect B 75:245-266.
- Segal S. 1965. Een vegetatieonderzoek Van De Hogere waterplanten in Nederland. Wet. Med. K.N.N.V. 57:1-80.
- Segar DA, Gilio JL, Pellembarg RE. 1973. Some aspects of the biogeochemical cycles of trace metals in subtropical estuary including ecosystem compartment models. Symp Environ Biogeochem. Logan, Utah.
- Segar DA, Gilio JL, Pellenbarg RE. 1972. Trace transition metal biogeochemistry in a sub-tropical estuary.
- Segar DA, Gilio JL. 1972. Trace transition element analysis of biological tissues by atom reservoir atomic absorption. Abst Pap No 35. Pittsburg conf on analytical chem and applied spectroscopy. Cleveland, Ohio March 6-10.
- Segar DA, Pellenbarg RE, Gilio JL. 1972. Observations on the distribution of Ag, Cu, Co, Ni, Cd, Zn, Pb, Fe and V in a coastal ecosystem. Amer Geophy Union Ann Meet, San Francisco.
- Segawa S, Sawada T, Higaki M, Yoshida T, Kamura S. 1961. Studies on the floating seaweeds. Vi. The floating seaweeds of the West Kyushu Region. Sci Bull Fac Agric, Kyushu. 18(4):411-417.
- Segawa S, Sawada T, Higaki T, Yoshida T, Kamura S. 1961. The floating seaweeds of the sea to the West of Kyushu. Rec Oceanogr Wks Jap Spec No 5. p 179-183.
- Segerstrale SG. 1957. Baltic Sea. In: Hedgpeth, JW, editor. Treatise on marine ecology and paleoecology. Geol Soc Amer Memoirs 67:751-800.
- Seibold E. 1963. Geological investigation of near shore transport--examples of methods and problems from Baltic and North Seas. In: Sears M, editor. Progress in oceanography, Vol I. Macmillan Co, New York. p 3-70.
- Senta Tetsushi. 1966. Spawning habits of halfbeaks, *Hemiramphus sajori* (T Et S) in the Seto inland Sea-I. Spawning on drifting seaweeds. Jap J Ecol. 16:165-169.
- Setchell WA, Gardner NK. 1920. The marine algae of the Pacific coast of North America. Part II. Chlorophyceae. Univ Calif Publication. Bot 8(2):139-374.
- Setchell WA, Gardner NK. 1922. Phycological contributions II. Univ Calif Publication. Bot 7(11):334-352.
- Setchell WA, Gardner NL. 1920. Phycological contributions I. Univ Calif Publication. Bot 7(9):279-324.
- Setchell WA, Gardner NL. 1922. Phycological contributions V. Univ Calif Publication. Bot 7(11):385-402.
- Setchell WA, Gardner NL. 1922. Phycological contributions VI. Univ Calif Publication. Bot 7(11):403-426.
- Setchell WA, Gardner NL. 1935. An occurrence of *Zostera* on the east coast of South America. Rev Sudamer Bot 2:15-17.
- Setchell WA. 1920. Geographical distribution of the marine spermatophytes. Bull Torrey Bo Club 47:563-579.
- Setchell WA. 1920. Stenothermy and zone-invasion. Amer Naturalist 54:385-397.
- Setchell WA. 1922. *Zostera marina* in its relation to temperature. Science 56:575-577.
- Setchell WA. 1924. *Ruppia* and its environmental factors. Proceedings Natl Acad Sci 10:286-292.
- Setchell WA. 1926. Phytogeographical notes on Tahiti li marine vegetation. Univ Calif Publication. Bot 12:291-324.
- Setchell WA. 1927. *Zostera marina latifolia*: Ecad or ecotype? Bull Torrey Bot Club 54:1-6.
- Setchell WA. 1929. Morphological and phenological notes on *Zostera marina* L. Univ Calif Publication. Bot 14:389-452.
- Setchell WA. 1933. A preliminary survey of the species of *Zostera*. Proceedings Natl Acad Sci 19:810-817.
- Setchell WA. 1933. Marine plants and Pacific paleogeography. Fifth Pacific Sci Cong Proceedings (1933), 4:3117-3131.
- Setchell WA. 1934. South American sea-grasses. Rev Sudamer Bot 1:107-110.



- Setchell WA. 1935. Geographic elements of the marine flora of the North Pacific Ocean. *American Naturalist* 69(725):560-577.
- Setchell WA. 1935. Some marine plants of Southeastern Melanesia. *Proceedings Calif Acad Sci* 21:259-276.
- Setchell WA. 1946. The genus *Ruppia* L. *Proceedings Calif Acad Sci 4th Ser* 25(18):469-472.
- Shabman LS. 1986. Benefit taxation for environmental improvement: a case example of Virginia's soft crab industry. *Land Economics* 61:398-408.
- Shaler NS. 1985. Sea coast swamps of the eastern United States. *US Geol Surv Ann Rept* 6:359-398.
- Shapiro MA, Connell DW. 1975. The Westernport Bay environmental study. *Proceedings Royal Soc S Australia* 87:1-10.
- Shelford VE, Weese AO, Rice LA, Rasmussen DI Maclean A. 1935. Some marine biotic communities of the Pacific coast of North America. *Ecological Monographs* 5:249-354.
- Shepard FP, Moore DG. 1960. Bays of central Texas coast. In: Shepard FP, editor. *Recent sediments, northwest Gulf of Mexico.* p 117-152.
- Sheperd SA, Branden KL. 1974. Spencer Gulf environmental survey by under water sled. *Aust Fish* 33(2): 1-4.
- Shepherd SA, Womersley HBS. 1976. The subtidal algal and seagrass ecology of St. Francis Island, south Australia. *Trans Royal Soc South Australia* 100(4):177-191.
- Shepherd SA, Womersley HBS. 1981. The algal and seagrass ecology of Waterloo Bay, south Australia. *Aquatic Botany* 11:305-372.
- Shepherd SA. 1973. Studies on southern Australian abalone genus *Haliotis*. Part 1. Ecology of 5 sympatric species. *Austr. J Mars Freshwater Res* 24:217-257.
- Short CA, Short FT. 1997. The port that supports. *Conservation Matters, Journal of the Conservation Law Foundation*.
- Short F, Burdick D. Dock design with the environment in mind: minimizing dock impacts to eelgrass habitat. 1998. Interactive CD-ROM produced by UNH Media Services, UNH.
- Short F, Burdick D. We're all in the same boat: eelgrass, boating, and docks. 1997, UNH pamphlet.
- Short F, Kopp B, Catena J. Eelgrass in New Bedford Harbor: restoring critical habitat to a damaged ecosystem. 1998, UNH pamphlet sponsored by New Bedford Harbor Trustee Council.
- Short FT 1986. Ecology of Bahamian Seagrasses. In: Smith. editor. *Botany of the Bahamas.* San Salvador, Bahamas: CCFL Bahamian Field Station Publication, p 1-18.
- Short FT (editor)1987. Environmental impacts on seagrass. *Special Issue Aquatic Botany* 27(1).
- Short FT 1987. Effects of sediment nutrients on seagrasses: literature review and mesocosm experiments. *Aquatic Botany* 27:41-57
- Short FT 1992. editor. *The ecology of the great bay estuary, New Hampshire and Maine: an estuarine profile and bibliography.* NOAA - Coastal Ocean Program Publication 222 p.
- Short FT 1994. Proposed plan for long term monitoring of contaminant levels in the estuary near the Portsmouth Naval Shipyard. 33 p. In: Short FT, Ward LG. editors. Collection and analysis of ecological data from the Great Bay Estuary. Report to the US Navy.
- Short FT 1994. Status of blue mussels in Portsmouth Harbor and the Great Bay Estuary: their use in assessment of contaminant levels in the Estuary near the Portsmouth Naval Shipyard. 25 p. In: Short FT, Ward LG. editors. Collection and analysis of ecological data from the Great Bay Estuary. Report to the US Navy.
- Short FT 1994. Status of eelgrass in Portsmouth Harbor and its use in assessing heavy metal contaminants in the estuary near the Portsmouth Naval Shipyard. 37 p. In: Short FT and Ward LG editors., Collection and analysis of ecological data from the Great Bay Estuary. Report to the US Navy.
- Short FT and Burdick DM. 1995. The effects of boat docks on eelgrass beds in Massachusetts coastal waters. Final Report to Waquoit Bay National Estuarine Research Reserve and Massachusetts Coastal Zone Management.

- Short FT and Burdick DM. 1996. Quantifying eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts. *Estuaries* 19:730-739
- Short FT, Burdick DM, Bosworth W, Grizzle RE, Davis RC. 1998. New Hampshire Port Authority mitigation project progress report, June 1998 Prepared for the New Hampshire Port Authority and the New Hampshire Dept. of Transportation, 59 p.
- Short FT, Burdick DM, Granger S, Nixon SW. 1996. Long-term decline in eelgrass, *Zostera marina* L., linked to increased housing development. In: Kuo J, Phillips RC, Walker DI, Kirkman H. Seagrass biology: proceedings of an international workshop, Rottnest Island, Western Australia; 1996 Jan 25-29; Nedlands, Western Australia: Sciences UWA. p 291-98.
- Short FT, Burdick DM, Kaldy JE. 1995. Mesocosm experiments quantify the effects of eutrophication on eelgrass, *Zostera marina* L. *Limnology and Oceanography* 40:740-749
- Short FT, Burdick DM, Wolf J, Jones GE. 1993. Eelgrass in estuarine research reserves along the East Coast, USA, part I: declines from pollution and disease and part II: management of eelgrass meadows. NOAA - Coastal Ocean Program Publication 107 p.
- Short FT, Congalton RG, Burdick DM, Boumans RM. 1997. Modelling eelgrass habitat change to link ecosystem processes with remote sensing. Final Report to NOAA Coastal Ocean Program and NOAA Coastal Change Analysis Program.
- Short FT, Davis MW, Gibson RA, Zimmermann CF. 1985. Evidence for phosphorus limitation in carbonate sediments of the seagrass *Syringodium filiforme*. *Estuarine, Coastal and Shelf Science*. 20:419-430
- Short FT, Dennison WC, Capone DG. 1990. Phosphorus limited growth in the tropical seagrass *Syringodium filiforme* in carbonate sediments. *Marine Ecology Progress Series* 62:169-174
- Short FT, Hoven H, Whitten J, Johnston B, Grizzle RE, Ward LG, Burdick DM. 1994. Lobster use of eelgrass habitat in the Piscataqua River on the New Hampshire/Maine Border. 10 p. In: Short FT, Ward LG. editors. Collection and analysis of ecological data from the Great Bay Estuary. Report to the US Navy.
- Short FT, Ibelings BW, Hartog C. 1988. Comparison of a current eelgrass disease to the wasting disease of the 1930's. *Aquatic Botany* 30:295-304
- Short FT, Jones GE, Burdick DM. 1991. Seagrass decline: problems and solutions. Proceedings of seventh symposium on coastal and ocean management, ASCE. Long Beach, CA.
- Short FT, Mathieson AC, Nelson JI. 1986. Recurrence of the eelgrass wasting disease at the border of New Hampshire and Maine, USA. *Marine Ecology Progress Series* 29:89-92
- Short FT, McRoy CP. 1984. Nitrogen uptake by leaves and roots of the seagrass *Zostera marina* L. *Botanica Marina* 27:547-555
- Short FT, Montgomery J, Zimmermann CF, Short CA. 1993. Seasonal seagrass abundance and nutrient dynamics of a *Syringodium filiforme* Kutz bed in the Indian River Lagoon, FL, USA. *Estuaries* 16:323-334
- Short FT, Muehlstein LK, Porter D. 1987. Eelgrass wasting disease: cause and recurrence of a marine epidemic. *Biological Bulletin* 173:557-562
- Short FT, Neckles H. 1999. The effects of global climate change on seagrasses. *Aquatic Botany* 63:169-196
- Short FT, Nixon SW, Oviatt CA. 1974. Field studies and simulation with a fine grid hydrodynamic model - seagrass and circulation in Charles town Pond. In: An environmental study of a nuclear power plant at Charlestown, RI, University of Rhode Island 33(VI-B) p 1-27.
- Short FT, Porter D, Iizumi H, Aioi K. 1993. Occurrence of the eelgrass pathogen, *Labyrinthula zosterae*, in Japan. *Disease of Aquatic Organisms* 16:73-77
- Short FT, Short CA. 1984. The seagrass filter: purification of coastal water. In: Kennedy VS. Editor. *The Estuary as a Filter* Academic Press. p 395-413.
- Short FT, Ward L, Langan R, Celikkol B, Scott J. 1998. Piscataqua River open cut impact analysis: joint pipeline project. Maritimes and Northeast and PNGTS. Final Report to Earth Tech, inc.

- Short FT, Wolf J, Jones GE. 1989. Sustaining eelgrass to manage a healthy estuary. Proceedings of Sixth Symposium on Coastal and Ocean Management, ASCE; July 11-14; Charleston, SC. p 3689-3706.
- Short FT, Wyllie-Echeverria S. 1996. Natural and human-induced disturbance of seagrasses. Environmental Conservation 23(1):17-27
- Short FT. 1980. A simulation model of the seagrass production system. In: Phillips RC, McRoy CP, editors. Handbook of seagrass press, New York p 277-295.
- Short FT. 1983. Response of the interstitial ammonium in eelgrass (*Zostera marina* L.) beds to environmental perturbations. Journal of Experimental Marine Biology and Ecology 68:195-208
- Short FT. 1983. The seagrass, *Zostera marina* L.: plant morphology and bed structure in relation to sediment ammonium in Izembek Lagoon, Alaska. Aquatic Botany 16:149-161
- Short FT. 1985. A method for the culture of tropical seagrasses. Aquatic Botany 22:187-194
- Short FT. 1990. Seagrass: inorganic chemical constituents. In: Phillips RC and McRoy CP. editors. seagrass research methods. Paris, France: UNESCO Press.
- Short FT. Cambridge ML. 1984. Male flowers of *Halophila engelmanni*: description and flowering ecology. Aquatic Botany 18:413-416
- Shreve F, Chrysler MA, Blodgett FH, Besley FW. 1911. The plant life of Maryland. Maryland Weather Serv Spec.Pub, Iii.
- Sieburth JM, Brooks RD, Gessner RV, Thomas CD, Tootle JL. 1974. Microbial colonization of marine plant surfaces as observed by scanning electron microscopy. In: Colwell RR, Morita RY, editors. Effect of the ocean environment on microbial activities. Univ Park Press. Baltimore, Md, p 418-432.
- Sieburth JM, Thomas CD, Tootle JL. 1972. Microbial fouling of marine plants. Annual Meet Amer Soc Microbiol.
- Sieburth JM, Thomas CD. 1973. Fouling on eelgrass *Zostera marina*. J of Phycology 9:46-50.
- Sieburth JM. 1975. Microbial seascapes. A pictorial essay on marine microorganisms and their environments. University Park Press, Baltimore.
- Silberhorn G, Orth RJ, Moore KA. 1983. Anthesis and seed production in *Zostera marina* L. (eelgrass) from the Chesapeake Bay. Aquatic Botany 15:133-144
- Silberhorn GM, Dewing S, Mason PA. 1996. Production of reproductive shoots, vegetative shoots, and seeds in populations of *Ruppia maritima* L. from the Chesapeake Bay, Virginia. Wetlands.16:232-239.
- Simmons EG. 1957. An ecological survey of the upper Laguna Madre of Texas. Publication Inst Mar Sci Univ Texas 4(2):156-200.
- Simon JL. 1975. Tampa Bay estuarine system - a Synopsis. Florida Scientist 37:217-244.
- Simonetti G. 1971. Marine phanerogams in the Laguna Di Grado. Inf Bot Ital 3(3):185-188.
- Singh G, Smith AG. 1973. Postglacial vegetational history and relative land level and sea level changes in Lecale County down. Proceedings Repub Ireland Acad Sect B 73(1):1-51.
- Singleton JR. 1964. Survey, coastal waterfowl. Job No 17. Ecology of the principal waterfowl food plants of the lower Laguna Madre. Fed aid in Wildlife Restoration Act, Job completion report. Texas. Proj No W-29-R-14.
- Small JK. 1933. Manual of the Southeastern Flora. Reprinted U of North Carolina. (1953) 18 p.
- Smayda TJ. 1961. Some quantitative aspects of primary production in a Rhode Island coastal salt pond. First Nat. Coastal Shallow Water Res Conf. p 123-125.
- Smith B, Coleman N, Watson JE. 1975. The invertebrate fauna of Westernport Bay. Proceedings Royal Soc S Australia 87:149-155.
- Smith BN, Oliver J, McMillan J. 1976. Influence of carbon source, oxygen concentration, light intensity, and temperature on C13/C12 ratios in plant tissues. Bot Gaz. 137(2):99-104.
- Smith BN. 1971. Two categories of 13c/12c ratios for higher plants. Plant Physiology 47:380-384.
- Smith GW, Hayasaka SS, Thayer GW. 1979. Root surface area measurements of *Zostera marina* and *Halodule wrightii*. Bot Mar 22(6):347-358.

- Smith GW, Kozuchi AM, Hayasaka SS. 1982. Heavy metal sensitivity of seagrass rhizoplane and sediment bacteria. *Bot Mar* 25:19-24.
- Smith J. 1982. Dictionary of popular names of economic plants. Macmillan and Co, London. 200 p.
- Smith N. P. 1977. A note on winter temperature variations in a shallow seagrass flat. *Limnol Oceanogr* 22: 1079-1082.
- Smith NP. 1981. Energy balance in a shallow seagrass flat for winter conditions. *Limnol Oceanogr* 26:482-491.
- Smith RL, Paulson AC. 1977. Osmoregulatory seasonality and freezing avoidance in some fishes from subarctic eelgrass community. *Copeia* 1977:362-369.
- Smith SV. 1972. Production of calcium carbonate on the mainland shelf of southern California. *Limnol Oceanogr* 17:28-41.
- Smith SV. 1981. Marine macrophytes as a global carbon sink. *Science* 211:838-840.
- Smith WO Jr, Penhale PA. 1980. The heterotrophic uptake of dissolved organic carbon by eelgrass (*Zostera marina* L.) and its epiphytes. *J Exp Mar Biol Ecol* 48:233-242.
- Sondergaard M. 1979. The delay in ^{14}C fixation rates by three submerged macrophytes. A source of error in the ^{14}C technique. *Aquatic Botany* 6(2):111-119.
- Sorochan VD, Dzizenko AK, Bodin NS, Ovodov YS. 1971. Light scattering studies of pectic substances in aqueous solution. *Carbohydr Res* 20(2):243-249.
- Southwick CH, Pine FW. 1975. Abundance of submerged vascular vegetation in the Rhode River from 1966 to 1973. *Chesapeake Science* 16:147-151.
- Southwick CH. 1972. Tentative outline for inventory of aquatic vegetation: *Myriophyllum spicatum* (Eurasian watermilfoil). *Chesapeake Science* 13 (suppl). S174-S176.
- Southwick CH. 1975. Abundance of submerged vascular vegetation in the Rhode River from 1966-1973. *Chesapeake Science* 16:147-151.
- Spain AV, Heinsohn GE. 1973. Cyclone associated feeding changes in the Dugong (Mammalia: Sirenia). *Mammalia* 37:678-680.
- Spain AV, Heinsohn GE. 1975. Size and weight allometry in a North Queensland population of *Dugong dugon* (Muller) (Mammalia: Sirenia). *Austr J Zool* 23:159-168.
- Sparck R. 1935. On the importance of quantitative investigation of the bottom fauna. *Marine Biology J Du Cons* 10(1):3-19.
- Spencer-Jones D, Marsden MAH, Barton CM, Carrillo-Rivera JJ. 1975. Geology of the Westernport Sunkland. *Proceedings Royal Soc S Australia* 87:43-67.
- Stauffer RC. 1937. Changes in the invertebrate community of a lagoon after disappearance of the eelgrass. *Ecology* 18(3):427-431.
- Staver LW, Staver KW, Stevenson JC. 1996. Nutrient inputs to the Choptank River estuary: implications for watershed management. *Estuaries* 19 (2B):342-358
- Steemann Neilsen E. 1951. The marine vegetation of the Isefjord. *Medd Danm Fisk Havundersog. M Plankton* 5(4):1-114.
- Steenis CG, Van GJ. 1952. Rheophytes. *Proceedings Royal Soc Queensl* 62:61-68.
- Steenis JH, Ball EW, Stotts VD, Rawls CK. 1967. Pest plant control with herbicides. *Proceedings of the Marsh Estuary Management Symposium*; Louisiana State University. Baton Rouge, LA. p. 140-8.
- Steenis JH, Stotts VC, Gillette CR. 1962. Observations on distribution and control of Eurasian watermilfoil in Chesapeake Bay, 1961. *Proceedings in the Northeast Weed Control Conference*; 1962. 16:442-448.
- Steenis JH, Stotts VD. 1961. Progress report on control of eurasian watermilfoil. *Proceedings of the Northeast Weed Control Conference*. 15:566-0.
- Steenis JH, Stotts VD. 1965. Tidal dispersal of herbicides to control eurasian watermilfoil in the Chesapeake Bay. *Proceedings of the Southern Weed Conference*. 18:507-11.
- Stegenga H, Borsje WJ. 1976. The morphology and life history of *Acrochaetium dasyae* Collins Rhodophyta, (Nemaliales). *Acta Bot Neerl* 25(1):15-29.
- Steinbeck J, Ricketts E. 1951. The Log from the Sea of Cortez. Viking Press, New York. 282 p.

- Stemmerman L. 1981. A guide to Pacific wetland plants. US Army Corps of Engineers, Honolulu District.
- Stephens WM. 1966. Life in the turtle grass. *Sea Frontiers* 12(5):264-275.
- Stephens WM. 1968. The turtle grass community. *J Am Mus Nat Hist* 77:51-57.
- Stephenson EM. 1951. The Naturalist on the Seashore. Adam & Charles Black, London 96 p.
- Stephenson TA, Stephenson A. 1954. Life between tide marks in North America. *J Ecol* 42(1):14-70.
- Stevens NE, Ellis HR, Stevens RB. 1950. Wasting and recovery of *Zostera marina* on the Atlantic coast of the United States. *Plant Disease Reporter* 34(12):357-362.
- Stevens NE, Ellis HR. 1953. Wasting and recovery of *Zostera marina* on the Atlantic coast of the United States of America. *Proceedings International Congr Bot* 7:732-733.
- Stevens NE. 1933. Disappearance of *Zostera marina* along the Atlantic coast of North America. *Internatl Bull Plant Protect* 7:195-196.
- Stevens NE. 1935. Notes on *Zostera marina* in upper Buzzards Bay, Mass. *Plant Disease Reporter* 19(4): 232-233.
- Stevens NE. 1936. Environmental conditions and the wasting disease of eelgrass. *Science* 84:87-89.
- Stevens NE. 1939. Environmental factors and the wasting disease of eelgrass. *Rhodora* 41:260-262.
- Stevens VE. 1936. Notes on the condition of *Zostera marina* in Buttermilk Bay, Massachusetts. *Plant Disease Reporter* 20:279-281.
- Stevenson JC, Confer NC, editors. Summary of available information on Chesapeake Bay submerged vegetation. US Fish and Wildlife Service. Office of Biological Services. Report nr FWS/OBS-78/66. 1978. 335 pp.
- Stevenson JC, Confer NM, editors. 1978. Summary of available information on Chesapeake Bay submerged vegetation. US Fish and Wildlife Service, Office of Biological Services. Report nr FWS/OBS-78/66. 335 p.
- Stevenson JC, Confer NM, editors. 1978. Summary of available information on Chesapeake Bay submerged vegetation. US Fish and Wildlife Service, Office of Biological Services. Report nr FWS/OBS-78/66. 335 p.
- Stevenson JC, Confer NM, editors. 1978. Summary of available information on Chesapeake Bay submerged aquatic vegetation. Washington, D.C. US Fish and Wildlife Service Biological Services Program. Report nr FWS/OBS - 78/66. 335 p.
- Stevenson JC, Confer NM. 1978. Summary of available information on Chesapeake Bay submerged vegetation. Fish and Wildlife Service. Report nr FWS/OBS-78/66. 335 p.
- Stevenson JC, Jones TW, Kemp WM, Boynton WR, Means JC. 1982. An overview of atrazine dynamics in estuarine ecosystems. In: Costlow JD, Cronin LE, Duke TB, McClellan W, editors. Agrichemicals and estuarine productivity. J Wiley.
- Stevenson JC, Staver LW, Staver KW. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16:346-361
- Stevenson RE, Emery KO. 1958. Marshlands at Newport Bay, California. Allan Hancock Foundation Pub Occ Paper 20. 109 p.
- Steward AN, Dennis LR, Gilkey HM. 1960. Aquatic plants of the Pacific northwest. Studies in Botany, No 11. Oregon State College, Corvallis.
- Steward KK, Van TK, Carter V, Pieterse AH. 1984. Hydrilla invades Washington, D. C. and the Potomac. *American Journal of Botany* 71:162-163
- Stewart JG, Myers B. 1980. Assemblages of algae and invertebrates in Southern California *Phyllospadix*-dominated intertidal habitats. *Aquatic Botany* 9:73-94.
- Sthehle H. 1970. Taxonomic and ecological notes on new or rare monocotyledons of the French Antilles. *Bull Soc Bot Fr* 117(7-8):415-417.
- Stirban M. 1968. Relationship between the assimilatory pigments the intensity of chlorophyll fluorescence and the level of the photosynthesis zone in *Zostera marina*. *Rev Roum Biol Ser Bot* 13(4):291-295.



- Stirban, M. 1969. Quantitative determination by photosensitometrical method of the fluorescence of chlorophyllic pigments 'in vivo.' Rev Roum Biol Ser Bot 14:169-173.
- Stoddart DR, Fosberg FR. 1972. Reef islands of Rarotonga and list of vascular flora. Atoll Res Bull 160.
- Stoddart DR, Fosberg FR. 1972. South Indian Sand Cays. Atoll Res Bul 161.
- Stoddart DR, Fosberg FR. 1981. Topographic and floristic change, Dry Tortugas, Florida, 1904-1977. Atoll Res Bull 253:1-56.
- Stoddart DR. 1962. Three Caribbean atolls: Turneffe Islands, Lighthouse Reef, and Glover's Reef, British Honduras. Atoll Res Bull 87.
- Stoddart DR. 1963. Effects of Hurricane Hattie on the British Honduras Reefs and Cays, October 30-31, 1961. Atoll Res Bull 95:1-142.
- Stoddart DR. 1964. Carbonate sediments of Half Moon Cay, British Honduras. Atoll Res Bull 104.
- Stoddart DR. 1969. Ecology and morphology of recent coral reefs. Biol Rev 44:433-498.
- Stoddart DR. 1969. Post-hurricane changes on the British Honduras Reefs and Cays: re-survey of 1965. Atoll Res Bull 131.
- Stoddart DR. 1975. Vegetation and floristics of the Aitutaki Motus. Atoll Res Bull 190:87-116.
- Stone BC. 1970. The flora of Guam. Micronesica 6:1-630.
- Stoner AW. 1979. Species-specific predation on amphipod crustacea by pinfish (*Lagodon rhomboides*): mediation by macrophyte standing crop. Mar Bio 55:201-207.
- Stoner AW. 1980. Abundance, reproductive seasonality and habitat preferences of amphipod crustaceans in seagrass meadows of Apalachee Bay, Florida. Contr Mar Sci Univ Texas 23:63-77.
- Stoner AW. 1980. Perception and choice of substratum by epifaunal amphipods associated with seagrasses. Mar Ecol Progr Ser 3:105-111.
- Stoner AW. 1980. The role of seagrass biomass in the organization of benthic macrofaunal assemblages. Bull Mar Sci 30:537-551.
- Stoner AW. 1982. The influence of benthic macrophytes on the foraging behavior of pinfish, *Lagodon rhomboides* (Linnaeus). J Exp Mar Biol Ecol 58:271-284.
- Storr JF. 1964. Ecology and oceanography of the coral reef tract, Abaco Island, Bahamas. Geol Society Amer Special Paper 79.
- Stott RS, Olson DP. 1973. Food-habitat relationship of sea ducks on the New Hampshire coastline. Ecology 54(5):996-1007.
- Stotts VD, Davis DE. 1960. The black duck in the Chesapeake Bay of Maryland: breeding behavior and biology. Chesapeake Sci I: 127-154
- Stotts VD. 1956. The black duck *Anas rubripes* in the upper Chesapeake Bay and its estuaries. Proceedings of the Southeastern Association Game Fish Commission Conference 10:280-285.
- Stotts VD. 1969. Habitat and breeding ecology-east-central United States. In: Barske P, editor. Black duck evaluation, management and research: a symposium. Atlantic Waterfowl Council Wildlife Management Institute. 193 p.
- Strawn K. 1954. The pushnet, a one man net for collecting in attached vegetation. Copeia 1954:195-197.
- Strawn K. 1961. Factors influencing the zonation of submerged monocotyledons at Cedar Key, Florida. J Wildl Mgmt 25(2):178-189.
- Suda JR. 1974. Midsummer metabolism of an eelgrass community. Mar Pollut Bull 5:156-159.
- Sudhaus W. 1974. Nematodes especially Rhabditidae of littoral seaweed deposits and their relationships with carabs. Faun-Oekol Mitt 4(12-14):365-400.
- Sullivan MJ. 1979. Epiphytic diatoms of three seagrass species in Mississippi Sound. Bull Mar Sci 29:459-464.
- Sullivan MJ. 1981. A preliminary checklist of marine benthic diatoms of Mississippi. Gulf Res Rep 7:13-18.
- Sussieu AL. 1889. Genera Plantarum. Paris. 499 p.



- Suzuki K. 1966. An ecological study of the littoral fishes in and around the Bay of Tsukumo Wan Noto Peninsula Japan. Annual Rept Noto Mar Lab 6:17-24.
- Sverdrup HU, Johnson MW, Fleming RH. 1942. The oceans. Prentice-Hall Inc.
- Swamy BG, Lakshmanan KK. 1962. The origin of epicotylary meristem and cotyledon in *Halophila ovalis* Gaudich. Ann Bot 26: 243-249
- Sykes JE. 1971. Implications of dredging and filling in Boga Ciega Bay, Florida. Environmental Letters 1(2): 151-156.

-T-

- Tabb DC, Dubrow DL, Manning RB. 1962. The ecology of northern Florida Bay and adjacent estuaries. Florida Board Conserv. Tech Ser 39: 1-81
- Tabb DC, Manning R. 1962. A checklist of the flora and fauna of northern Florida Bay and adjacent brackish waters of the Florida mainland collected during the period July, 1957 through September, 1960. Bull Sci Gulf Carib 11(4): 552-649
- Takhtzjan AL. 1954. Origins of angiospermous plants (transl. by Mrs. Gankin, OH.). Soviet Sciences Press.
- Taniguchi K, Yamada Y. 1979. Vertical distribution and natural life history of *Zostera Marin Linne* and some other species of sea-grass in Lida Bay of the Noto Peninsula on the Honshu, Japan sea coast. Bull. Japan Sea Regional Fisheries Research Lab 30:111-122
- Tansley AG. 1949. The British Islands and their vegetation. Cambridge University Press.
- Taylor AR. 1953. Observations on the distribution, growth and ecology of *Zostera marina L.* In eastern Canadian waters. In: proceedings International Cong; 1950. Botany 7: 733
- Taylor ARA. 1954. Control of eelgrass in oyster culture areas. Fish Res Bd Canada 23
- Taylor ARA. 1957. Studies of the development of *Zostera marina L.* I. The Embryo and Seed. Canad. Journ Bot 35: 477-499
- Taylor ARA. 1957. Studies of the development of *Zostera marina L.* germination and seedling development. Canad. Journ Bot 35: 681-695
- Taylor FJ. 1979. *Rhizophora* in the Society Islands. Pacific Sci 33: 173-176
- Taylor JD, Lewis MS. 1970. The flora, fauna and sediments of the marine grass beds of Mahe, Seychelles. Journ Natural Hist 4(2): 199-220
- Taylor JD. 1968. Coral reef and associated invertebrate communities (mainly Molluscan) around Mane, Seychelles. Phil Trans Royal Soc (B) 254(793): 129-206
- Taylor JL, Saloman CH, Prest KW. 1973. Harvest and regrowth of turtle grass (*Thalassia testudinum*) in Tampa Bay, Florida. US Natl Mar Fish Serv Fish Bull 71(1): 145-148
- Taylor JL, Salomon CH. 1968. Some effects of hydraulic dredging and coastal development in Boca Ciega Bay, Florida. Fish Bull 67: 213-241
- Taylor JL. 1975. The Charlotte Harbor estuarine system. Florida Scientist 37: 205-216
- Taylor N. 1909. Zosteraceae. North American Flora 17: 29-30
- Taylor WR. 1928. The marine algae of Florida, with special reference to the Dry Tortugas. Washington: Carnegie inst. Pub. 379. 25: I-V & 1-219.
- Taylor WR. 1933. Disappearance of *Zostera* in 1932. Rhodora 35: 152-154
- Taylor WR. 1933. Epidemic among *Zostera* colonies. Rhodora 35: 186
- Taylor WR. 1957. Marine algae of the northeastern coast of North America. Ann Arbor: Univ. of Michigan Press.
- Taylor WR. 1969. Notes on the distribution of West Indian marine algae particularly in the Lesser Antilles. Contr Univ Michigan Herbarium 9(2): 125-203
- Taylor WR. 1972. Marine algae of the Smithsonian-Bredin expedition to Yucatan - 1960. Bull Mar Sci 22: 34-44
- Teixeira RL, Musick JA. 1995. Trophic ecology of two congeneric pipefishes (*Syngnathidae*) of the lower York River, Virginia. Envir Biol Fish 43: 295-309

- Tenore KR, Tietjen JH, Lee JJ. 1977. Effect of meiofauna on incorporation of aged eelgrass (*Zostera marina*) detritus by the polychaete *Nephtys incisa*. *Journ Fish Res Bd Canada* 34(4): 563-567
- Tenore KR. 1977. Growth of *Capitella capitata* cultured on various levels of detritus derived from different sources. *Limnol Oceanogr* 22: 936-941
- Tenore, KR. 1975. Detrital utilization by the polychaete, *Capitella Capita*. *Journ Mar Res* 33: 261-274
- Tepper JGO. 1981. Further observations on the propogation of *Cymodocea antarctica*. *Trans Royal Soc South Australia* 4: 47-49
- Tepper JGO. 1981. Some observations on the propogation of *Cymodocea antarctica* (Endl). *Trans Royal Soc South Australia* 4: 1-4
- Test AR. 1945. Ecology of California Acmaea. *Ecology* 26(4): 395-405
- Thayer GW, Adams SM, Lacroix MW. 1975. Structural and functional aspects of a recently established *Zostera marina* community. In: Chemistry, Biology and the Estuarine System, 2nd International Conference; Myrtle Beach, South Carolina. Cronin LE, editor. *Estuarine Research v 2*. Academic Press, New York.
- Thayer GW, Engel DW, Lacroix MW. 1977. Seasonal distribution and changes in the nutritive quality of living, dead and detrital fractions of *Zostera marina* L. *Journ Exp Mar Biol Ecol* 30: 109-127.
- Thayer GW, Kenworthy WJ, Fonseca MS. 1984. The ecology of eelgrass meadows of the Atlantic Coast: a community profile. US Fish and Wildlife Service Division of Biological Services FWS/OBS-84/02, 148 pp.
- Thayer GW, Parker PL, Lacroix MW, Fry B. 1978. The stable carbon isotope ratio of some components of an eelgrass, *Zostera marina*, Bed. *Oecologia* 35: 1-12
- Thayer GW, Phillips RC. 1977. Importance of eelgrass beds in Puget Sound. *Marine Fish Review* 39(11): 18-22
- Thayer GW, Stuart HH. 1974. The bay scallop makes its bed of seagrass. *Marine Fish Review* 37(7): 27-30
- Thayer GW, Ustach JF. 1979. Gulf of Mexico wetlands: value, state of knowledge and research needs. Proceedings of the Gulf Coast Workshop; 1979 Oct; Miami, FL. NOAA Office of Marine Pollution Assessment.
- Thayer GW, Wolfe DA, Williams RB. 1975. The impact of man on seagrass systems. *American Scientist* 63: 288-296
- Thomas IM. 1968. Two Species of *Saccoglossus* (Enteropneusta) From South Australia. *Trans Royal Soc South Australia* 92: 73-84.
- Thomas LP, Moore, DR, Work RC. 1961. Effects of Hurricane Donna on the Turtle Grass Beds of Biscayne Bay, Florida. *Bull Mar Sci Gulf Carib* 11(2): 191-197.
- Thomas MLH, Duffy JR. 1968. Butoxyethanol Ester of 2,4-D in the Control of Eelgrass (*Zostera marina* L. and Its Effects on Oysters (*Crassostrea Virginica* Gmelin) and Other Benthos. *Proceedings Northeastern Weed Control Conference* 22: 167-194.
- Thomas MLH. 1967. Experimental Control of Eelgrass (*Zostera marina* L.) in Oyster Growing Areas. *Proceedings Northeastern Weed Control Conference* 21: 542-549.
- Thorhaug A, Austin CB. 1976. Restoration of seagrasses with economic analysis. *Env Cons* 3(4): 259-268
- Thorhaug A, Hixon R. 1975. Revegetation of *Thalassia testudinum* in a multiple-stresses estuary, north Biscayne Bay, Florida. In: Lewis RR, editor. *Proceedings of the Second Annual Conference on Restoration of Coastal Vegetation*; Tampa, FL: Hillsborough Community College. p 12-27.
- Thorhaug A, Kellar F. 1972. Laboratory and field growth studies of four green calcareous algae part I. Preliminary Results. *Journ Phycology* 8: 10.
- Thorhaug A, Roessler MA, Segar DA. 1974. Impact of a power plant on a subtropical estuarine environment. *Mar Pollut Bull* 4: 166-169

- Thorhaug A, Roessler MA. 1977. Seagrass community dynamics in a subtropical estuarine lagoon. *Aquaculture* 12: 253-277
- Thorhaug A, Stearns R. 1971. A field study of the marine angiosperm *Thalassia testudinum* in a tropical marine estuary before and after addition of heated industrial effluents. *Amer Journ Bot* 58 (5 Part 2): 476-477
- Thorhaug A. 1990. Restoration of mangroves and seagrasses- economic benefits for fisheries and mariculture. *Environmental restoration: science and strategies for restoring the Earth.* Island Press: Washington DC 265: 16 pp.
- Thorhaug A. 1974. An investigation of the temperature and salinity tolerances of Biscayne Bay seagrasses. Florida: Semi-Annual Report to Applied Biology and Florida Power and Light Co. 10 p.
- Thorhaug A. 1974. Transplantation of the seagrass *Thalassia testudinum* Konig. *Aquaculture* 4: 177-183
- Thorhaug A. 1976. Transplantation techniques for the seagrass *Thalassia testudinum*. Univ Miami Sea Grant Tech Bull 34.
- Thorhaug A. 1977. Seagrass ecosystems (Review of McRoy, Helfrich 1976 Seagrass ecosystems: a scientific perspective, Decker, NY). *Ecology* 58: 1402
- Thorhaug A. 1979. The flowering and fruiting of restored *Thalassia* beds: a preliminary note. *Aquatic Botany* 6(2): 259-267
- Thorhaug A. 1981. Management of tropical ecosystems: seagrass biology and pollution effects. *Bull Mar Sci* 31: 811
- Thorhaug A. 1981. Seagrasses in the Gulf of Mexico, Florida and Caribbean including restoration and mitigation of seagrasses. In: Carey RC, Markovits PS, Kirkwood JB, editors. *Proceedings of the U.S. Fish and Wildlife Service Workshop on Coastal Ecosystems of the Southeastern United States*; Washington, D.C: U.S. Fish and Wildl. Serv., office Biol. Serv. FWS/OBS/-80/59: 161-178.
- Thorhaug AL, Bader RG, Roessler MA. 1970. Thermal effects on a tropical marine estuary. *Proceedings of the fao symposium on Marine Pollution, Rome Mp/70/E* 4: 1-6
- Thorhaug AL, Stearns RD. 1972. A preliminary field and laboratory study of physiological aspects of growth and reproduction of *Thalassia testudinum*. *Amer Journ Bot* 59: 670
- Thorhaug AL. 1971. Sea grasses and macroalgae. In: Bader RG, Roessler MA, editors. *An ecological study of south Biscayne Bay and Card Sound, Prog. Rept. To U.S. A.E.C. and Fla. Power and Light Co, Rosenstiel School of Marine and Atmospheric Sci*; Miami.
- Thorne RF. 1954. Flowering Plants of the Waters and Shores of the Gulf of Mexico. *Fish Bull Fish and Wildl Service* 55: 103-202.
- Thorne-Miller B, Harlin MM, Brady-Campbell MM, Digiovanni TM. 1980. Production and growth strategies of pelagic and rooted plant communities in Rhode Island USA coastal lagoons. *Amer Zool* 20: 808.
- Thorson G. 1957. Bottom Communities. In: Hedgpeth, J. W. editors. *Treatise on Marine Ecology and Paleoecology*, Geol Soc Amer Memoir 67: 461-534.
- Throhaug AN, Blake, Schroeder PB. 1978. The Effect of Heated Effluents from Power Plants on Seagrass (*Thalassia*) Communities Quantitatively Comparing Estuaries in the Subtropics to the Tropics. *Mar Pollut Bull* 9: 181-187.
- Tietjen JH, Lee JJ, Rullman J, Greengart A, Trompeter J. 1970. Gnotobiotic Culture and Physiological Ecology of the Marine Nematode *Rhabditis Marina Bastian*. *Limnol Oceanog* 15(4): 535-543.
- Tietjen JH. 1969. Studies on the Absorption Spectra of Plant Pigments in Estuaries. *Hydrobiologia* 35(3-4): 420-430.
- Tilmant JT. 1981. Recreational Impacts on Coral Reef Fish Populations. In: Carey RC, Markovits PS, and Kirkwood JB, editors. *Proceedings U.S. Fish and Wildlife Service Workshop on Coastal Ecosystems of the Southeastern United States*, U.S. Fish and Wildl Serv, office Biol Serv, Wash., D.C. FWS/OBS/-80-59: 122-138 p.



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Ting IP. 1976. Malate Dehydrogenase and Other Enzymes of C4 Acid Metabolism in Marine Plants. Austr Journ Plant Physiology 3: 121-127.
- Titcomb JW. 1909. Aquatic Plants in Pond Culture. In: Rep Comm Fish 1907 and Spec Papers, Bur Fish Doc 643. 31 p.
- Tolbert NE. 1976. Glycollate Oxidase and Glycollate Dehydrogenase in Marine Algae and Plants. Austr Journ Plant Physiology 3: 129-132.
- Tomlinson PB, Bailey GW. 1972. Vegetative Branching in *Thalassia testudinum* (Hydrocharitaceae) - Correction. Bot Gaz 133(1): 43-50.
- Tomlinson PB, Vargo GD. 1966. On the Morphology and Anatomy of Turtle Grass *Thalassia testudinum* (Hydrocharitaceae). I. Vegetative Morphology. Bull Mar Sci 16(4): 748-761.
- Tomlinson PB. 1969. On the Morphology and Anatomy of Turtle Grass *Thalassia testudinum* (Hydrocharitaceae). II. Anatomy and Development of the Root in Relation to Function. Bull Mar Sci 19(1): 57-71.
- Tomlinson PB. 1969. On the Morphology and Anatomy of Turtle Grass *Thalassia testudinum* (Hydrocharitaceae). III. Floral Morphology and Anatomy. Bull Mar Sci 19(2): 286-305.
- Tomlinson PB. 1972. On the Morphology and Anatomy of Turtle Grass *Thalassia testudinum* (Hydrocharitaceae). IV. Leaf Anatomy and Development. Bull Mar Sci 22(1): 75-93.
- Tomlinson PB. 1974. A Selective, Preliminary, Partly Annotated Bibliography on *Thalassia*. La Seiba 3: 1-10.
- Tomlinson PB. 1974. Vegetative Morphology and Meristem Dependence - the Foundation of Productivity in Seagrasses. Aquaculture 4: 107-130.
- Tomlinson PB. 1980. Leaf Morphology and Anatomy in Seagrasses. In: Phillips RC and McRoy CP editors. Handbook of Seagrass Press, New York. p. 7-28.
- Torrey J. 1919. A Catalog of Plants Growing Spontaneously with in Thirty Miles of the City of New York. Pamphlet, Albany, N. Y. 100 p.
- Torrey J. 1926. Compendium of the Flora of the Northern and Middle States Containing Generic and Specific Descriptions of All the Plants, Exclusive of the Cryptogamia, Hitherto Found in the United States, North of the Potomac. New York: Stacey B. Collins.
- Tortonese E. 1968. Fishes From Eilat (Red Sea). Sea Fish. Res Station Haifa Bulletin 51: 6-30.
- Transeau EN. 1913. The Vegetation of Cold Spring Harbor, Long Island. I. The Littoral Successions. The Plant World 16(7): 189-209.
- Tressler DK, Lemon JM. 1951. Marine Products of Commerce. New York: Reinhold Pub Corp. 782 P.
- Tribble GW. 1981. Reef Based Herviores and the Distribution of Two Seagrasses, *Syringodium filiforme* and *Thalassia testudinum*, in the San Blas Islands, Western Caribbean. Mar Biol 65: 277-282.
- Trocine RP, Rice JD, Wells GN. 1981. Inhibition of Seagrass Photosynthesis By Uv-B Radiation. Plant Physiology 68: 74-81.
- Trocine RP, Rice JD, Wells GN. 1982. Photosynthetic Response of Seagrasses to Ultraviolet-Radiation and the influence of Visible Light intensity. Plant Physiology 69: 341-344.
- Tschudy RH, Scott RA. 1969. Aspects of Palynology. London: Wiley.
- Tsekos I., Haritonidis S. 1977. The Antagonistic Action of the Trace Elements Zinc and Boron on the Leaf Cells of *Halophila stipulacea*. Sci Ann Fac Phys Math Aristotelian Univ. Thessaloniki 15: 163-174.
- Tsekos I., Margaris NS, Haritonidis S. 1975. Pools of Free Amino Acids in Greek Marine Algae. Biochem Physiol Pflanz 167: 165-172.
- Tsuda RT, Belk MS. 1972. Additional Records of Marine Benthic Algae from Yap, Western Caroline Islands. Atoll Research Bulletin 156: 1-5.
- Tsuda RT, Dawes CJ. 1974. Preliminary Checklist of the Marine Benthic Plants from Grovers Reef British Honduras. Atoll Research Bulletin 173: 1-13.
- Tsuda RT, Fosberg FR, Sachet MH. 1977. Distribution of Seagrasses in Micronesia. Micronesica 13(2): 191-198.

- Tsuda RT (editor). 1978. Marine Biological Survey of Yap Lagoon. Univ. Guam Marine Laboratory, Tech. Report No. 45.
- Tutin TG. 1934. The Fungus on *Zostera marina*. Nature 134(3389): 573.
- Tutin TG. 1936. New Species of *Zostera* from Britain. Journ Bot Lond 74: 227.
- Tutin TG. 1938. The Autecology of *Zostera marina* in Relation to Wasting Disease. New Phytol 37: 50-71.
- Tutin TG. 1942. Biological Flora of the British Isles. Journ Ecol 30: 217-226.
- Tutin TG. 1942. *Zostera*. Journ Ecol 30: 217-226.
- Tutin TG. 1953. Some General Aspects of the *Zostera* Problem. 1950. Proceedings International Cong Botany 7: 733-734.
- Twenhofel WH. 1932. *Treatise on Sedimentation*. Baltimore: Williams and Wilkins Co. 926 p.
- Twilley RR, Ejdung G, Romase P, Kemp WM. 1984. A comparative study of decomposition, oxygen consumption and nutrient release for selected aquatic plants occurring in an estuarine environment. Oikos 47:190-8
- Twilley RR, Kemp WM, Staver KW, Stevenson KW, Boynton JC. 1984. Nutrient enrichment of estuarine submersed vascular plant communities. I. Algal growth and effects on production of plants and associated communities. Mar Ecol Prog Seri 23:179-91.
- Tylor ARA. 1954. Control of Eel Grass in Oyster Culture Areas. Fish Res Bd Canada, General Series 23: 1-3.

-U-

- Udell HF, Zarudsky J, Doheny TE, Burkholder PR. 1969. Productivity and Nutrient Values of Plants Growing in the Salt Marshes of the Town of Hempstead, Long Island. Bull Torrey Bot Club 96(1): 42-51.
- Uniabia CC. 1980. *Smaragdia* (Gastropoda: Neritidae), a Seagrass Animal. Pacific Sci 34: 340.
- Uphof JC. 1941. Halophytes. Bot Rev 1(9): 17.
- Usdi. 1965. *Bulrushes and Bulrush-Like Plants of Eastern North America*. Wildlife Circular No. 221.
- Utsunomiya T. 1954. On the Fauna Appeared in the Eel Grass Bed. Bull Yamaguchi Naikai Fish Exp Stat 6: 25-30.

-V-

- Van Breedveld JF. 1966. *Preliminary Study of Seagrass as a Potential Source of Fertilizer*. Florida Board Conserv Mar Lab Spec Sci Rept 9: 1-20.
- Van Breedveld JF. 1975. Transplanting of Seagrasses with Emphasis on the Importance of Substrate. Florida Mar Res Publication 17: 1-26.
- Van Den Hoek C. 1969. Algae Vegetation-Types along the Open Coast of Curacao, Netherlands Antilles I. Proceedings Koninkl Nederl Academie Van Ustenschappen Amsterd Series C 72(5): 539-577.
- Van Der Werff A. 1938. A New Parasitic Organism in *Zostera marina*. Chron Bot 4: 498-499.
- Van Montfrans J, Capelli JF, Orth RJ, Ryer CH. 1986. Use of microwire tags for tagging juvenile blue crabs, *Callinectes sapidus* (Rathbun). Journ Crustacean Biol 6:370-376
- Van Montfrans J, Orth RJ, Vay S. 1982. Preliminary studies of *Bittium varium* grazing on eelgrass periphyton. Aquatic Botany 14:75-90
- Van Montfrans J, Perry C, Orth RJ. 1990. Daily, monthly and annual settlement patterns by *Callinectes sapidus* and *Neopanope sayi megalopae* on artificial collectors deployed in the York River, Virginia: 1985-1988. Bull Mar Sci 46:214-229
- Van Montfrans J, Wetzel RL, Orth RJ. 1984. Epiphyte-grazer relationships in seagrass meadows: on sequences for seagrass growth and production. Estuaries. 7:289-09

- Van Montfrans J, Wetzel RL, Orth RJ. 1984. Epiphyte-grazer relationships in seagrass meadows: consequences for seagrass growth and production. *Estuaries* 7:289:309
- Vandermeulen JH, Gordon DC Jr. 1976. Reentry of 5 Year Old Stranded Bunker C Fuel Oil From a Low Energy Beach into the Water Sediments and Biota of Chedabuoto Bay Nova Scotia. *Journ Fish Res Bd Canada* 33(9): 2002-2010.
- VanMontfrans J, Epifanio CE, Knott DM, Lipcius RN, Mense DJ, Metcalf KS, Olmi EJ III, Orth RJ, Posey MH, Wenner EL, West TM. 1995. Settlement of blue crab megalopae in western Atlantic estuaries. *Bull Mar Sci* 57:834-54
- VanMontfrans J, Ryer CH, Orth RJ. 1991. Population dynamics of blue crabs, *Callinectes sapidus* Rathbun, in a lower Chesapeake Bay tidal marsh creek. *J Exper Mar Biol Ecol* 153:I-14
- Vekhov VN. 1970. The Restoration of Eelgrass in the White Sea. *Tr Belamorsk Biol Sta Mosk Gos Univ* 3: 149-153.
- Vekhov VN. 1980. Present State of Grass-Wrack in the Kandalaksha Bay of the White Sea. *Biol Morya (Vladivost)* 1980 (1): 28-33.
- Velimirov B, Ott JA, Novak R. 1980. Microorganisms on Macrophyte Debris: Biodegradation and Its Implication in the Food Web. *Kiel Meeresforsch Xx* (5): 333-344.
- Verhoeven JTA, Van Vierssen W. 1978. Distribution and Structure of Communities Dominated By *Ruppia*, *Zoster* and *Potamogeton* Species in the inland Waters of 'Del Bol', Texel, the Netherlands. *Estuarine Coastal Mar Sci* 6: 417-428.
- Verhoeven JTA, Van Vierssen W. 1978. Structure of Macrophyte Dominated Communities in Two Brackish Lagoons on the Island of Corsica, France. *Aquatic Botany* 5 (1): 77-86.
- Verhoeven JTA. 1978. *Ruppia*-Communities in the Camargue, France. Distribution and Structure, in Relation to Salinity and Salinity Fluctuation. *Aquatic Botany* 1(3): 217-242.
- Verhoeven JTA. 1979. The Ecology of *Ruppia*-Dominanted Communities in Western Europe. I. Distribution of Ruppi Representatives in Relation to their Autecology. *Aquatic Botany* 6: 197-268.
- Vinogradov AP. 1953. The Elementary Chemical Composition of Marine Organisms. *Mem Sears Foundation Mar Res* 2(14): 647 p.
- Virnstein RW. 1982. Leaf Growth Rate of the Seagrass *Halodule wrightii* Photographically Measured *in situ*. *Aquat Bot* 12: 209-218.
- Vishniac HS, Watson SW. 1953. The Steroid Requirements of *Labyrinthula vitellina* var. Pacifica. *Journ Gen Microbiol* 8: 248-255.
- Vivien ML. 1974. Ichthyofauna of the Seagrass Beds of the Great Reef of Tulear Malagasy Republic. Part 1. The Population and Their Ecologic Distribution. *Tethys* 5: 425-436.
- Vivien ML. 1974. Study of a Tropical Labridae *Chelinus bimaculatus*. Description of the Juvenile Stages, Morphologic Evolution, Ecology. *Bull Mus Natl Hist Nat Zool* 169: 1225-1240.
- Vivien ML. 1975. Place of Apogonid Fish in the Food Webs of a Malagasy Coral Reef. *Micronesica* 11: 185-198.
- Vohra FC. 1971. Abundance and Fluctuations of Molluscan Fauna in intertidal *Zostera* Flats Around Moreton Bay. *Pacific Sci Congr Proceedings* 1. 158.
- Volkman JK, Johns RB. 1977. The Geochemical Significance of Positional Isomers of Unsaturated Acids From An intertidal Zone Sediment. *Nature* 267: 693-694.
- Volova GN, Mikulich LV. 1963. Biology and Distribution of the Grass Shrimp in Peter the Great Bay. *Uchen Zap Dal'nevostochnyi Univ* 6: 147-148.
- Von Westernhagen H. 1973. The Natural Food of the Rabbitfish *Siganus Omarin* and *S. Striolata*. *Mar Biol* 22: 367-370.
- Vornoova MN. 1971. Observations on the Life Cycle of the Foraminiferan *Rosalina* Sp. of the Far Eastern Seas. *Vestn Leningr Univ Ser Biol* 26(1): 19-27.
- Voss GL, Voss NA. 1955. An Ecological Study of Soldier Key, Biscayne Bay, Florida. *Bull Mar Sci Gulf Carib* 5(3): 203-229.
- Voss GL, Voss NA. 1960. An Ecological Survey of the Marine invertebrates of Bimini, Bahamas, with Consideration of Their Zoogeographic Relationships. *Bull Mar Sci Gulf Carib* 10(1): 96-116.



-W-

- Walsh GE, Grow TE. 1972. Composition of *Thalassia testudinum* and *Ruppia maritima*. Quart Journ Florida Acad Sci 35: 97-108.
- Walsh GE. 1965. Studies on Dissolved Carbohydrate in Cape Cod Waters. I. General Survey. Limnol Oceanogr 10(4): 570-576.
- Ward LG, Kemp WM, Boynton WR. 1984. The influence of waves and seagrass communities on suspended sediment dynamics in an estuarine embayment. Mar Geol 59:85-03
- Watson S. 1891. Contributions to American Botany. Proceedings Amer Acad 26: 124-163.
- Watson SW, Ordahl EJ. 1951. *Studies on Labyrinthula*. Tech Rept No. 3, Univ of Washington Oceanogr Lab 37p.
- Wayne CJ. 1974. Effect of Artificial Seagrass on Wave Energy and Nearshore Sand Transport. Amer Assoc Petr Geol Bull 58: 2214.
- Webb DA. 1959. An Irish Flora. Dundalk: Dundalgan Press, Ltd.
- Webster TJM, Paranjape MA, Mann KH. 1975. Sedimentation of Organic Matter in St Margarets Bay, Nova Scotia, Canada. Journ Fish Res Bd Canada 32: 1399-1408.
- Wegman LS. and Co. 1967. Channel and Eelgrass Study. Report Submitted to Nassau County, Long Island, N.Y.
- Weinstein MP, Brooks HA. 1983. Comparative ecology of nekton residing in a tidal creek and adjacent seagrass meadow: community composition and structure. Mar Eco Progress Series 2:15-25
- Weinstein MP, Brooks HA. 1983. Comparative ecology of nekton residing in a tidal creek and adjacent seagrass meadow: community composition and structure. Mar Eco Progress Series 12:15-27
- Weinstein MP, Courtney CM, Kinch JC. 1977. The Marco Island Estuary: a Summary of Physicochemical and Biological Parameters. Florida Scientist 40: 97-124.
- Weinstein MP. 1983. Population dynamics of an estuarine-dependent fish, the spot, along a tidal creek-seagrass meadow coenocline. Canadian Journ of Fisheries Aquatic Sci 40:1633-1638
- Weiss H. 1972. Phytosociological Study of the Mangroves of the Tulear Region Madagascar Part 1 the Mangrove Trees of Sarodrano and Tulear. Tehsys Suppl 3: 297-319.
- Weiss MP. 1979. A Saline Lagoon on Cayo Sal, Western Venezuela. Atoll Research Bulletin 232: 1-25.
- Weist WG Jr, Greeson PE. 1970. Bioresources of Shallow Water Environments. Hydrobiology Proc Ser No. 8: 105-113.
- Welch BL. 1965. Gross Productivity of Seral Stages in the *Thalassia* Community, including An Accelerating Stage of Porites. Ocean Sci Eng 1 & 2: 296.
- Welch BL. 1965. Succession in the Caribbean *Thalassia* Community. Ocean Sci Eng 1&2: 297.
- Wells BW. 1928. Plant Communities of the Coastal Plain of North Carolina and Their Successional Relations. Ecology 9: 230-242.
- West RL. 1969. Coastal Waterfowl Project, Job No. 20. Inventory of Marine Plants and Animals Important to Waterfowl. Federal Aid in Wildlife Restoration Act, Job Progress Report, Texas, Federal Aid Project No. W-29-R-22.
- Wetzel R, Murray L. 1987. Oxygen metabolism of the principal autotrophic components of a temperate seagrass community: plant-epiphyte, phytoplankton and benthic algae. Mari Ecol Prog Seri. 38:231-9
- Wetzel RG, Penhale PA. 1979. Transport of carbon and excretion of dissolved organic carbon by leaves and roots/rhizomes in seagrasses and their epiphytes. Aquatic Botany 6:149-158
- Wetzel RL, Neckles HA. 1986. A model of *Zostera marina* L. photosynthesis and growth: simulated effects of selected physical-chemical variables and biological interactions. Aqua Bota. 26:307-24.
- Wetzel RL, Penhale PA. 1983. Production ecology of seagrass communities in the lower Chesapeake Bay. Mar Tech Soc J 17:22-31



Submerged Aquatic Vegetation: Data Development and Applied Uses

- Wetzel RL, Van Tine RF, Penhale PA. 1982. Light and submerged macrophyte communities in the Chesapeake Bay: a scientific summary. Gloucester Point: Virginia Institute of Marine Science. Report nr SRAMSOE 260. 59 p.
- Wetzel RL, VanTine RF. 1983. Structural and functional aspects of the ecology of submerged aquatic macrophyte communities in the lower Chesapeake Bay, Volume II: Submarine light quantity and quality in the lower Chesapeake Bay and its potential role in the ecology of submerged seagrass communities. In: Appl Mar Sci Ocea Eng. Annapolis MD: US EPA. Report nrs R805974 and X003245-01; Gloucester Point, VA: VIMS report nr 267.
- Wetzel RL. 1983. Structural and functional aspects of the ecology of submerged aquatic macrophyte communities in the lower Chesapeake Bay, Volume I: Studies of structures and function of a temperate, estuarine seagrass community: Vaucluse Shores, lower Chesapeake Bay, Virginia. Appl Mar Sci Ocea Eng. Annapolis MD: US EPA. Report nrs R805974 and X003245-01; Gloucester Point VA: VIMS report nr 267.
- Wicks SR. 1974. Presence of azobacter in marine sand beaches. Florida Scientist 37:167-169
- Wicks SR. 1976. Evidence of *Azotobacter agilis* and *Rhodospirillum rubrum* as associates of *Thalassia testudinum*. Trans III State Acad Science 68(3):222-226
- Widdowson TB. 1965. A survey of the distribution of intertidal algae along a coast transitional in respect to salinity and tidal factors. Journ Fish Res Bd Canada 22(6):1425-1454
- Wigand C, Stevenson JC, Cornwell JC. 1997. Effects of different submersed macrophytes on sediment biogeochemistry. Aquatic Botany 56:233-244
- Wigand C, Stevenson JC. 1994. The presence and possible ecological significance of mycorrhizae in the submersed macrophyte *Vallisneria americana*. Estuaries 17:217-226
- Wigand C, Stevenson JC. 1997. Facilitation of phosphate assimilation by aquatic mycorrhizae of *Vallisneria americana* Michx. Hydrobiologia 342/343: 35-41
- Wiginton JR, McMillan C. 1979. Chlorophyll composition under controlled light conditions as related to the distribution of seagrasses in Texas and the US Virgin Islands. Aquatic Botany 6(2):171-184
- Wilcox DJ, Harwell MC, Orth RJ. 2000. Modeling dynamic polygon objects in space and time: a new graph-based technique. Cartography and Geographic Information Science 27(2):153-164
- Williams JE. 1959. A quantitative study of the *Zostera marina* population of the York River, Virginia. Virginia Fish Lab, 1959 June 15-Sept.
- Williams SL, McRoy PC. 1976. Seagrass productivity: the relationship to light for some tropical species. Assoc Island Marine Labs of the Caribbean, Annual Meeting.
- Williams SL, Orth RJ. 1998. Genetic diversity and structure of natural and transplanted eelgrass populations in the Chesapeake and Chincoteague Bays. Estuaries 21(1):118-128
- Williams SL, Orth RJ. 1998. Genetic diversity and structure of natural and transplanted eelgrass populations in the Chesapeake and Chincoteague Bays. Estuaries 21(1): 118-128
- Willis JC. 1951. A dictionary of the flowering plants and ferns. Cambridge Univ Press
- Wilson DP. 1935. Life of the shore and shallow sea. London.
- Wilson DP. 1949. The decline of *Zostera marina* L. at salcombe and its effects on the shore. Journ Mar Biol Assoc UK 28(2):395-412
- Wilson RS, Brenowitz AH. 1966. A report on the ecology of Great South Bay and adjacent waters. Inst Mar Sci Adelphi Univ for Suffolk County Bd Supervisors. 57 p.
- Winkler LR, Dawson EY. 1963. Observations and experiments on the food habits of California sea hares of the genus *Aplysia*. Pacific Sci 17(1):102-105
- Winterbottom DC. 1917. Marine fibre. Dept Chemistry, Bull No 4, South Australia. 36 p.
- Wolfe DA, Thayer GW, Adams SM. 1975. Manganese, iron, copper and zinc in an eelgrass *Zostera marin* community. In: Cushing CE Jr. editor. Radioecology and energy resources. Proceedings of the fourth national symp, special publication No 1, Corvallis, Oregon: Ecol Soc Amer.

- Wolfe DA. 1973. The estuarine ecosystem (s) at Beaufort, North Carolina. In: Cronin EL. editor. Estuarine research, vol I, chemistry, biology and the estuarine system, 2nd intern confr, Myrtle Beach, South Carolina. New York: Academic Press. p 645-671.
- Wolff T. 1962. The systematics and biology of bathyal and abyssal *Isopoda Asellota*. Galathia Report 6. 300 P.
- Wolff T. 1976. Utilization of seagrass in the deep sea. Aquatic Botany 2(2):161-174
- Wolff T. 1980. Animals associated with seagrass in the deep sea. In: Phillips RC, McRoy CP. editors. Handbook of seagrass press. New York p 199-224.
- Wood DC, Hayasaka SS. 1981. Chemotaxis of rhizoplane bacteria to amino acids comprising eelgrass (*Zostera marina L.*) Root exudate. Journ Exp Mar Biol Ecol 50:153-162
- Wood EJF, Odum WE, Zieman JC. 1969. Influence of sea grasses on the productivity of coastal lagoons. In: Laguna Costeras, un simposio mam. simp. intern. Lagunas Costeras; 1967 Nov 28-30; Mexico DF. p 495-502.
- Wood EJF, Zieman JC. 1969. The effects of temperature on estuarine plant communities. Chesapeake Science 10:172-174.
- Wood EJF. 1954. Reducing substances in *Zostera*. Nature 172:916
- Wood EJF. 1959. Some East Australian sea-grass communities. Proceedings Linn Soc New South Wales 84:218-226.
- Wood EJF. 1962. The microbiology of estuaries. In: Marshall N, editor. The environmental chemistry of marine sediments. Occ. Pub. No. 2, Grad School Oceanogr., Univ. Rhode Island. p 20-26.
- Wood EJF. 1965. Marine microbial ecology. New York: Reinhold Corp. 243 p.
- Wood EJF. 1967. Microbiology of oceans and estuaries. New York: Elsevier Publ Co. 319 p.
- Wood L. 1968. Physiological and ecological aspects of prey selection the marine gastropod *Urosalpinx Cinerea* (Prosobranchia: Muricidae). Malacologia 6:267-320.
- Wood MA. 1979. Chlorophyll A:B ratios in marine planktonic algae. Journal of Phycology 15(3):330-332.
- Wood RD. 1963. Adapting scuba to plant ecology. Ecology 44:416-419
- Wyer DW, Boorman LA, Waters R. 1977. Studies on the distribution of *Zostera* in the outer Thames Estuary, England. Aquaculture 12:215-227.

-Y-

- Yamashita T. 1972. Unusual root primordium of the embryo of *Ruppia maritima*. Beitr Biol Pflanz 48(2):157-170
- Yang Y, Lu S. 1976. New additions to the flora of Taiwan. Quarterly Journ of Chinese Forestry 9:111-116
- Yannitsaros A, Economidou E. 1974. Studies on the adventive flora of Greece. I. General remarks on Some recently introduced taxa. Candollea 29(1):111-119
- Yocom CF, Denson EP Jr. 1962. Importance of northwest coastal California to waterfowl. Calif Fish Game 48(1):65-76
- Yocom CF. 1951. Waterfowl and their food plants in Washington. Seattle: Univ of Washington Press
- Yokom FC, Keller M. 1961. Correlation of food habits and abundance of waterfowl in Humboldt Bay, California. Calif Fish Game 47(1):41-53
- Yoshida T. 1963. Studies on the distribution and drift of the floating seaweeds. Bull Tohoku Fish Res Lab 23:141-186
- Young DK, Buzas MA, Young MW. 1976. Species densities of macrobenthos associated with seagrasses: a field experimental study of predation. Journ Mar Res 34:577-592
- Young DK, Young MW. 1978. Regulation of species densities of seagrass-associated macrobenthos: evidence from field experiments in the Indian River Estuary, Florida. Journ Mar Res 36:569-593



- Young DK. 1976. The Indian River study - An adventure in marine pollution research. Sea Tech Oct, 1976:14-18.
- Young EL, iii. 1937. Notes on the *Labyrinthulan* parasite of the eel-grass *Zostera marina*. Bull Mt Desert Island Biol Lab 1937:33-35.
- Young EL, iii. 1938. *Labyrinthula* on Pacific Coast eel-grass. Canad Journ Res 16:115-117
- Young EL. 1938. Recent investigation on the eel-grass problem: preliminary report. Bull Mt Desert Island Biol Lab 1938:26-28.
- Young EL. 1943. Studies on *Labyrinthula*, the etiologic agent of the wasting disease of eel-grass. Amer Journ Bot 30:596-593.
- Young PC, Kirkman H. 1975. The seagrass communities of Moreton Bay, Queensland. Aquatic Botany 1: 191-202
- Young PC, Titterton MP, Wadley VA. 1977. Studies relating distribution and adaptation of species and communities to the environment. Csiro, Fisheries and Oceanography, Research Report 69. 1974-77.
- Young PC, Wadley VA. 1979. Distribution of shallow-water epibenthic macrofauna in Moreton Bay, Queensland, Australia. Mar Biol 53(1):83.
- Young PC. 1978. Moreton Bay, Queensland: a nursery area for juvenile penaeid prawns. Austr Journ Mar Freshwater Res 29:55-75.
- Young PC. 1981. Temporal changes in the vagile epibenthic fauna of two seagrass meadows (*Zostera Capricorni* and *Posidonia australis*). Mar. Ecol Progr Ser 5:91-102.
- Younge CM. 1949. The Sea Shore. London: Collins. 311 p.

-Z-

- Zapata O, McMillan C. 1979. Phenolic acids in seagrasses. Aquatic Botany 7:307-317
- Zenkevich LA. 1957. Caspian and Aral Seas. In: Hedgpeth, JW. editor. Treatise on marine ecology and paleoecology, Geol Soc Amer, Memoir 67: 891-916.
- Zenkevitch LA. 1963. Biology of the seas of the USSR. New York: Interscience Pub. 955 p.
- Zieman J, Tilmant J. 1981. Discussion Iv - ecology of sea grasses and coral reefs. In: Carey RC, Markovits PS, Kirkwood JB. editors. Proceedings US fish and wildlife service workshop on coastal ecosystems of the Southeastern United States, US Fish and Wildl Serv, office Biol Serv, Washington DC FWS/OBS-80-59:139-183.
- Zieman J, Tilmant J. 1981. Discussion Iv - Ecology of Seagrasses and Coral Reefs. In: Carey RC, Markovits PS, Kirkwood JB. editors. Proceedings US Fish and Wildlife Service workshop on coastal ecosystems of the Southeastern United States, US Fish and Wildl Serv, office Biol Serv, Wash, DC FWS/OBS-80/59: 139-142.
- Zieman J. 1974. Methods for the study of growth and the ecology of turtle grass, *Thalassia testudinum*. In: Costlow JD, Williams A, Cronin E. editors. Recent advances in estuarine studies.
- Zieman JC Jr. 1972. Origin of circular beds of *Thalassia* (Spermatophyta: Hydrocharitaceae) in South Biscayne Bay, Florida, and their relationship to mangrove hammocks. Bull Mar Sci 22:559-574
- Zieman JC, Orth R, Phillips RC, Thayer G, Thorhaug A. 1984. The effects of oil on seagrass ecosystems. Cairns J, Buikema A Eds. Recovery and restoration of marine ecosystems. Butterworth Publications: Stoneham, MA: 37 – 64.
- Zieman JC, Wetzel RG. 1980. Productivity in seagrasses: methods and rates. In: Phillips RC, McRoy CP. Editors. Handbook of seagrass press. New York. p 87-116.
- Zieman JC, Wood EJF. 1975. Effects of thermal pollution on tropical-type estuaries, with emphasis on Biscayne Bay, Florida. In: Wood EJF Johannes RC. editors. Tropical marine pollution, Elsevier Oceanogr Ser 12:75-98
- Zieman JC, Zieman RT. 1989. The ecology of the seagrass meadows of the west coast of Florida: A community profile. U.S. Fish and Wildlife Service. Biology Report 85(7.25): 155 pp.





Submerged Aquatic Vegetation: Data Development and Applied Uses

- Zieman JC. 1982. The ecology of the seagrasses of South Florida: a community profile. US Fish and Wildlife Service Division of Biological Services FWS/OBS-82/25. 124: 26 pp.
- Zieman JC. 1974. Methods for the study of the growth and production of turtle grass, *Thalassia testudinum* Konig. Aquaculture 4:139-142
- Zieman JC. 1975. Dynamic and quantitative aspects of the ecology of turtle grass, *Thalassia testudinum*. Estuarine Res 1:541-562
- Zieman JC. 1975. Seasonal variation of turtle grass, *Thalassia testudinum* Konig, with special reference to temperature and salinity effects. Aquatic Botany 1:107-123
- Zieman JC. 1976. The ecological effects of physical damage from motor boats on turtle grass beds in Southern Florida. Aquatic Botany 2(2):127-139
- Zieman JC. 1981. The food within seagrass beds and their relationships to adjacent systems. In: Carey RC, Markovits PS, Kirkwood JB. editors. Proceedings US Fish and Wildlife Service workshop on coastal ecosystems of the Southeastern United States, US Fish and Wildl Serv, office Biol Serv, Wash, DC FWS/OBS-80-59: 115-121.
- Zimmerman MS, Livingston RJ. 1976. Effects of kraft-mill effluents on benthic macrophyte assemblages in shallow-bay system, (Apalachee Bay, North Florida, USA). Mar Biol 34:297-312
- Zimmerman MS, Livingston RJ. 1979. Dominance and distribution of benthic macrophyte assemblages in a north Florida estuary (Apalachee Bay, Florida). Bull Mar Sci 29:27-40
- Zimmerman RJ, Ballantine FD, Humm HJ. 1971. Seagrass zonation in anclote anchorage. Report of the Anclote Environm Proj, Univ of Florida, St Petersburg.
- Zimmerman RJ, Dietz RA, Ryle TE, Rogers SW, Blake NJ, Humm HT. 1972. Benthic community - seagrass. Report of the anclote environm proj, Univ of Florida, St Petersburg.
- Zimmerman RJ, Givson RA, Harrington JB. 1979. Herbivory and detritivory among gammaridean amphipods from a Florida seagrass community. Mar Biol 54:41-47

